

## Lab Cycle-6

```
import pandas as pd
import numpy as np
df1=pd.read_csv("/content/CSE.csv")
df2=pd.read_csv("/content/IT.csv")
df3=pd.read_csv("/content/STUDENT.CSV")
df1.rename(columns={'Professional Elective':'PE'},inplace=True)
```

1. Combine the CSE & IT data and display the data

```
a=df1.append([df2],ignore_index=True)
```

a

Output:

	Regd.No	CN	DAA	AFL	OE	PE
0	Y20CS001	10.0	15.0	11.0	16.0	12.0
1	Y20CS002	16.0	14.0	15.0	10.0	13.0
2	Y20CS003	15.0	12.0	32.0	12.0	NaN
3	Y20CS004	12.0	NaN	12.0	NaN	17.0
4	Y20CS005	14.0	16.0	13.0	25.0	6.0
5	Y20CS006	9.0	17.0	9.0	14.0	23.0
6	Y20CS007	13.0	3.0	NaN	17.0	16.0
7	Y20CS008	20.0	12.0	15.0	16.0	11.0
8	Y20CS009	17.0	14.0	12.0	10.0	12.0
9	Y20CS010	5.0	16.0	14.0	9.0	15.0
10	Y20CS011	NaN	13.0	9.0	16.0	14.0
11	Y20CS012	12.0	15.0	13.0	13.0	NaN
12	Y20CS013	13.0	24.0	10.0	17.0	10.0
13	Y20CS014	9.0	12.0	15.0	14.0	16.0
14	Y20CS015	17.0	14.0	8.0	13.0	13.0

	Regd.No	CN	DAA	AFL	OE	PE
15	Y20IT001	12.0	14.0	15.0	NaN	12.0
16	Y20IT002	13.0	15.0	13.0	NaN	15.0
17	Y20IT003	14.0	16.0	12.0	NaN	14.0
18	Y20IT004	NaN	17.0	14.0	NaN	16.0
19	Y20IT005	18.0	13.0	16.0	NaN	18.0
20	Y20IT006	15.0	12.0	9.0	NaN	17.0
21	Y20IT007	22.0	10.0	10.0	NaN	3.0
22	Y20IT008	12.0	11.0	11.0	NaN	125.0
23	Y20IT009	16.0	16.0	13.0	NaN	NaN
24	Y20IT010	14.0	NaN	12.0	NaN	8.0
25	Y20IT011	17.0	14.0	14.0	NaN	14.0
26	Y20IT012	13.0	17.0	15.0	NaN	17.0
27	Y20IT013	11.0	13.0	NaN	NaN	11.0
28	Y20IT014	10.0	12.0	12.0	NaN	13.0
29	Y20IT015	12.0	15.0	16.0	NaN	16.0

2. Display all CSE students' marks along with personal information.

```
df_cse=pd.merge(df1,df3,on="Regd.No")
```

```
df_cse
```

Output:

	Regd. No	C N	D A A	A FL	O E	P E	Name	S ex	Cou rse	Bra nch	Address	EAM CET RAN K
0	Y20C S001	10 .0	15. 0	11. 0	16 .0	12 .0	ADAPA HEMAN TH VENKA	M	B.Te ch	CSE	GUNTUR	2000

**NEERUKONDA SWATHI  
Y20CS123**

	<b>Regd. No</b>	<b>C N</b>	<b>D A A</b>	<b>A FL</b>	<b>O E</b>	<b>P E</b>	<b>Name</b>	<b>S ex</b>	<b>Cou rse</b>	<b>Bra nch</b>	<b>Address</b>	<b>EAM CET RAN K</b>
							TA SAI PAVAN KUMAR					
<b>1</b>	Y20C S002	16 .0	14. 0	15. 0	10 .0	13 .0	ALAPAR THI VIVEK MADHA V	F	B.Te ch	CSE	GUNTUR	1900
<b>2</b>	Y20C S003	15 .0	12. 0	32. 0	12 .0	Na N	ALIFA SHAIK	F	B.Te ch	CSE	GUNTUR	3126
<b>3</b>	Y20C S004	12 .0	Na N	12. 0	Na N	17 .0	ALLA NEEHA RIKA	M	B.Te ch	CSE	TENALI	2500
<b>4</b>	Y20C S005	14 .0	16. 0	13. 0	25 .0	6. 0	AVYAK THA	F	B.Te ch	CSE	VINUKON DA	8000
<b>5</b>	Y20C S006	9. 0	17. 0	9.0	14 .0	23 .0	AMBATI MEGHA NA	M	B.Te ch	CSE	NARASAR AOPET	4012
<b>6</b>	Y20C S007	13 .0	3.0	Na N	17 .0	16 .0	ANCHA PRABA NDHA	M	B.Te ch	CSE	GUNTUR	5001
<b>7</b>	Y20C S008	20 .0	12. 0	15. 0	16 .0	11 .0	APPANA HEMA SRI	F	B.Te ch	CSE	GUNTUR	1201
<b>8</b>	Y20C S009	17 .0	14. 0	12. 0	10 .0	12 .0	ARIKAT LA VIJAYA LAKSH MI	F	B.Te ch	CSE	VINUKON DA	17000
<b>9</b>	Y20C S010	5. 0	16. 0	14. 0	9. 0	15 .0	AVULA CHAYA PRIYAN KA	M	B.Te ch	CSE	VIJAYAW ADA	2600

**NEERUKONDA SWATHI  
Y20CS123**

	<b>Regd. No</b>	<b>C N</b>	<b>D A A</b>	<b>A FL</b>	<b>O E</b>	<b>P E</b>	<b>Name</b>	<b>S ex</b>	<b>Cou rse</b>	<b>Bra nch</b>	<b>Address</b>	<b>EAM CET RAN K</b>
<b>1 0</b>	Y20C S011	Na N	13. 0	9.0	16 .0	14 .0	AVULA PATI ANIL KUMAR	F	B.Te ch	CSE	TENALI	3201
<b>1 1</b>	Y20C S012	12 .0	15. 0	13. 0	13 .0	Na N	BALAG A LAVAN YA	M	B.Te ch	CSE	GUNTUR	1704
<b>1 2</b>	Y20C S013	13 .0	24. 0	10. 0	17 .0	10 .0	BANDL A BHAVIT HA	F	B.Te ch	CSE	NARASAR AOPET	3456
<b>1 3</b>	Y20C S014	9. 0	12. 0	15. 0	14 .0	16 .0	BEENA VASAN TH	F	B.Te ch	CSE	VIJAYAW ADA	1965
<b>1 4</b>	Y20C S015	17 .0	14. 0	8.0	13 .0	13 .0	BELLA M ABHINA Y	M	B.Te ch	CSE	VINUKON DA	45000

3. Print all students Regd.No, Name and professional elective.

```
df=pd.merge(a,df3,on="Regd.No")
```

```
df[['Regd.No','Name','PE']]
```

Output:

	<b>Regd.No</b>	<b>Name</b>	<b>PE</b>
<b>0</b>	Y20CS001	ADAPA HEMANTH VENKATA SAI PAVAN KUMAR	12.0
<b>1</b>	Y20CS002	ALAPARTHI VIVEK MADHAV	13.0
<b>2</b>	Y20CS003	ALIFA SHAIK	NaN
<b>3</b>	Y20CS004	ALLA NEEHARIKA	17.0
<b>4</b>	Y20CS005	AVYAKTHA	6.0

**NEERUKONDA SWATHI  
Y20CS123**

<b>Regd.No</b>	<b>Name</b>	<b>PE</b>
<b>5</b> Y20CS006	AMBATI MEGHANA	23.0
<b>6</b> Y20CS007	ANCHA PRABANDHA	16.0
<b>7</b> Y20CS008	APPANA HEMA SRI	11.0
<b>8</b> Y20CS009	ARIKATLA VIJAYA LAKSHMI	12.0
<b>9</b> Y20CS010	AVULA CHAYA PRIYANKA	15.0
<b>10</b> Y20CS011	AVULAPATI ANIL KUMAR	14.0
<b>11</b> Y20CS012	BALAGA LAVANYA	NaN
<b>12</b> Y20CS013	BANDLA BHAVITHA	10.0
<b>13</b> Y20CS014	BEENA VASANTH	16.0
<b>14</b> Y20CS015	BELLAM ABHINAY	13.0
<b>15</b> Y20IT001	ADAPALA YAVANIKA	12.0
<b>16</b> Y20IT002	AMBATIPUDI SWETHA	15.0
<b>17</b> Y20IT003	ARE SRILATHA	14.0
<b>18</b> Y20IT004	ARVAPALLI SUBHASH	16.0
<b>19</b> Y20IT005	ATLA RAGHAVENDRA	18.0
<b>20</b> Y20IT006	AVULA GOWTHAM SAI	17.0
<b>21</b> Y20IT007	BALABHADRA LAKSHMI VENKATA HANUMA ABHIGNA	3.0
<b>22</b> Y20IT008	BANAVATHU LAKSHMIDURGA NAIK	125.0
<b>23</b> Y20IT009	BATCHU VENKATA VIBHAS GUPTA	NaN
<b>24</b> Y20IT010	BATCHU YASASWINI	8.0
<b>25</b> Y20IT011	BATHINI BALAKRISHNA	14.0
<b>26</b> Y20IT012	BATTINENI HIMAVANTH	17.0
<b>27</b> Y20IT013	BEERAKA REVANTH NAGESH	11.0
<b>28</b> Y20IT014	BEZAWADA LOKESH	13.0
<b>29</b> Y20IT015	BITRA TEJA SRI	16.0

4. Identify the students whose DAA marks are >18.

```
a[a['DAA']>18][['Regd.No']]
```

Output:

**Regd.No**

**12 Y20CS013**

5. Display the names and EAMCET ranks of the students who got minimum 12 marks in all courses.

```
df[(df['CN']>=12)&(df['OE']>=12)&(df['AFL']>=12)&(df['PE']>=12)&(df['DAA']>=12)][['Name','EAMCET RANK']]
```

Output:

**Name EAMCET RANK**

6. Calculate mean value of all the subject's marks.

```
a[['CN','DAA','AFL','OE','PE']].mean()
```

Output:

CN 13.607143 DAA 14.000000 AFL 13.214286 OE 14.428571 PE 17.666667 dtype: float64

7. Display the names common in both CSE & IT along with Regd.No.

```
g=df3.groupby(df3["Branch"])
cse=g.get_group("CSE")
it=g.get_group("IT")
df_n=pd.merge(cse,it,on="Name")
df_n
```

Output:

Regd .No_ x	Na m e	Se x x	Cou rse_ x	Bra nch_ x	Addr ess_ x	EA MC ET RAN K_x	Regd .No_ y	Se x y	Cou rse_ y	Bra nch_ y	Addr ess_ y	EA MC ET RAN K_y
-------------------	--------------	--------------	------------------	------------------	-------------------	------------------------------	-------------------	--------------	------------------	------------------	-------------------	------------------------------

8. Fill the missing values of the data with average marks of the subject of specific group.

```
cse_mean=df1[['CN','DAA','AFL','OE','PE']].mean()
df1.fillna(cse_mean)
it_mean=df2[['CN','DAA','AFL','PE']].mean()
df2.fillna(it_mean)
```

Output:

	Regd.No	CN	DAA	AFL	OE	PE
0	Y20CS001	10.0	15.000000	11.000000	16.000000	12.000000
1	Y20CS002	16.0	14.000000	15.000000	10.000000	13.000000
2	Y20CS003	15.0	12.000000	32.000000	12.000000	13.692308
3	Y20CS004	12.0	14.071429	12.000000	14.428571	17.000000
4	Y20CS005	14.0	16.000000	13.000000	25.000000	6.000000
5	Y20CS006	9.0	17.000000	9.000000	14.000000	23.000000
6	Y20CS007	13.0	3.000000	13.428571	17.000000	16.000000
7	Y20CS008	20.0	12.000000	15.000000	16.000000	11.000000
8	Y20CS009	17.0	14.000000	12.000000	10.000000	12.000000
9	Y20CS010	5.0	16.000000	14.000000	9.000000	15.000000
10	Y20CS011	13.0	13.000000	9.000000	16.000000	14.000000
11	Y20CS012	12.0	15.000000	13.000000	13.000000	13.692308
12	Y20CS013	13.0	24.000000	10.000000	17.000000	10.000000
13	Y20CS014	9.0	12.000000	15.000000	14.000000	16.000000
14	Y20CS015	17.0	14.000000	8.000000	13.000000	13.000000

	Regd.No	AFL	CN	DAA	PE
0	Y20IT001	15.0	12.000000	14.000000	12.000000
1	Y20IT002	13.0	13.000000	15.000000	15.000000
2	Y20IT003	12.0	14.000000	16.000000	14.000000
3	Y20IT004	14.0	14.214286	17.000000	16.000000

	<b>Regd.No</b>	<b>CN</b>	<b>DAA</b>	<b>AFL</b>	<b>OE</b>	<b>PE</b>
<b>4</b>	Y20IT005	16.0	18.000000	13.000000	18.000000	
<b>5</b>	Y20IT006	9.0	15.000000	12.000000	17.000000	
<b>6</b>	Y20IT007	10.0	22.000000	10.000000	3.000000	
<b>7</b>	Y20IT008	11.0	12.000000	11.000000	125.000000	
<b>8</b>	Y20IT009	13.0	16.000000	16.000000	21.357143	
<b>9</b>	Y20IT010	12.0	14.000000	13.928571	8.000000	
<b>10</b>	Y20IT011	14.0	17.000000	14.000000	14.000000	
<b>11</b>	Y20IT012	15.0	13.000000	17.000000	17.000000	
<b>12</b>	Y20IT013	13.0	11.000000	13.000000	11.000000	
<b>13</b>	Y20IT014	12.0	10.000000	12.000000	13.000000	
<b>14</b>	Y20IT015	16.0	12.000000	15.000000	16.000000	

9. Divide the students into 5 groups based on average marks

```
a=df1.append(df2)
df=pd.merge(a,df3,on="Regd.No")
means=df[['CN','DAA','AFL','PE','OE']].mean()
d=df.fillna(means)
d['means']=(d['CN']+d['DAA']+d['AFL']+d['OE']+d['PE'])/5
d['group']=pd.qcut(d['means'],5,labels=False)
d[['Regd.No','Name','group']]
```

Output:

	<b>Regd.No</b>	<b>Name</b>	<b>group</b>
<b>0</b>	Y20CS001	ADAPA HEMANTH VENKATA SAI PAVAN KUMAR	1
<b>1</b>	Y20CS002	ALAPARTHI VIVEK MADHAV	2
<b>2</b>	Y20CS003	ALIFA SHAIK	4
<b>3</b>	Y20CS004	ALLA NEEHARIKA	2
<b>4</b>	Y20CS005	AVYAKTHA	3



**NEERUKONDA SWATHI  
Y20CS123**

<b>Regd.No</b>	<b>Name</b>	<b>group</b>
5 Y20CS006	AMBATI MEGHANA	3
6 Y20CS007	ANCHA PRABANDHA	0
7 Y20CS008	APPANA HEMA SRI	3
8 Y20CS009	ARIKATLA VIJAYA LAKSHMI	1
9 Y20CS010	AVULA CHAYA PRIYANKA	0
10 Y20CS011	AVULAPATI ANIL KUMAR	1
11 Y20CS012	BALAGA LAVANYA	1
12 Y20CS013	BANDLA BHAVITHA	3
13 Y20CS014	BEENA VASANTH	1
14 Y20CS015	BELLAM ABHINAY	1
15 Y20IT001	ADAPALA YAVANIKA	2
16 Y20IT002	AMBATIPUDI SWETHA	2
17 Y20IT003	ARE SRILATHA	2
18 Y20IT004	ARVAPALLI SUBHASH	4
19 Y20IT005	ATLA RAGHAVENDRA	4
20 Y20IT006	AVULA GOWTHAM SAI	2
21 Y20IT007	BALABHADRA LAKSHMI VENKATA HANUMA ABHIGNA	0
22 Y20IT008	BANAVATHU LAKSHMIDURGA NAIK	4
23 Y20IT009	BATCHU VENKATA VIBHAS GUPTA	4
24 Y20IT010	BATCHU YASASWINI	0
25 Y20IT011	BATHINI BALAKRISHNA	3
26 Y20IT012	BATTINENI HIMAVANTH	4
27 Y20IT013	BEERAKA REVANTH NAGESH	0
28 Y20IT014	BEZAWADA LOKESH	0

	<b>Regd.No</b>	<b>Name</b>	<b>group</b>
<b>29</b>	Y20IT015	BITRA TEJA SRI	3

10. Create equal sized groups of students based on EAMCET Rank.

```
d['group2']=pd.qcut(d['EAMCET RANK'],6,labels=False)
d[['Regd.No','Name','group2']]
```

Output:

	<b>Regd.No</b>	<b>Name</b>	<b>group2</b>
<b>0</b>	Y20CS001	ADAPA HEMANTH VENKATA SAI PAVAN KUMAR	0
<b>1</b>	Y20CS002	ALAPARTHI VIVEK MADHAV	0
<b>2</b>	Y20CS003	ALIFA SHAIK	1
<b>3</b>	Y20CS004	ALLA NEEHARIKA	1
<b>4</b>	Y20CS005	AVYAKTHA	2
<b>5</b>	Y20CS006	AMBATI MEGHANA	2
<b>6</b>	Y20CS007	ANCHA PRABANDHA	2
<b>7</b>	Y20CS008	APPANA HEMA SRI	0
<b>8</b>	Y20CS009	ARIKATLA VIJAYA LAKSHMI	4
<b>9</b>	Y20CS010	AVULA CHAYA PRIYANKA	1
<b>10</b>	Y20CS011	AVULAPATI ANIL KUMAR	1
<b>11</b>	Y20CS012	BALAGA LAVANYA	0
<b>12</b>	Y20CS013	BANDLA BHAVITHA	1
<b>13</b>	Y20CS014	BEENA VASANTH	0
<b>14</b>	Y20CS015	BELLAM ABHINAY	5
<b>15</b>	Y20IT001	ADAPALA YAVANIKA	3
<b>16</b>	Y20IT002	AMBATIPUDI SWETHA	3
<b>17</b>	Y20IT003	ARE SRILATHA	3

**NEERUKONDA SWATHI**  
**Y20CS123**

	<b>Regd.No</b>	<b>Name</b>	<b>group2</b>
18	Y20IT004	ARVAPALLI SUBHASH	5
19	Y20IT005	ATLA RAGHAVENDRA	3
20	Y20IT006	AVULA GOWTHAM SAI	2
21	Y20IT007	BALABHADRA LAKSHMI VENKATA HANUMA ABHIGNA	3
22	Y20IT008	BANAVATHU LAKSHMIDURGA NAIK	5
23	Y20IT009	BATCHU VENKATA VIBHAS GUPTA	4
24	Y20IT010	BATCHU YASASWINI	5
25	Y20IT011	BATHINI BALAKRISHNA	4
26	Y20IT012	BATTINENI HIMAVANTH	5
27	Y20IT013	BEERAKA REVANTH NAGESH	2
28	Y20IT014	BEZAWADA LOKESH	4
29	Y20IT015	BITRA TEJA SRI	4

11. Display the electives and the Regd.No of students who opted the elective along with the subject name.

```
df[(df['OE'].isnull()==False)][['Regd.No','OE']]
df[(df['PE'].isnull()==False)][['Regd.No','PE']]
```

Output:

	<b>Regd.No</b>	<b>OE</b>
0	Y20CS001	16.000000
1	Y20CS002	10.000000
2	Y20CS003	12.000000
3	Y20CS004	14.428571
4	Y20CS005	25.000000
5	Y20CS006	14.000000
6	Y20CS007	17.000000

**NEERUKONDA SWATHI**  
**Y20CS123**

	<b>Regd.No</b>	<b>OE</b>
<b>7</b>	Y20CS008	16.000000
<b>8</b>	Y20CS009	10.000000
<b>9</b>	Y20CS010	9.000000
<b>10</b>	Y20CS011	16.000000
<b>11</b>	Y20CS012	13.000000
<b>12</b>	Y20CS013	17.000000
<b>13</b>	Y20CS014	14.000000
<b>14</b>	Y20CS015	13.000000

	<b>Regd.No</b>	<b>PE</b>
<b>0</b>	Y20CS001	12.000000
<b>1</b>	Y20CS002	13.000000
<b>2</b>	Y20CS003	13.692308
<b>3</b>	Y20CS004	17.000000
<b>4</b>	Y20CS005	6.000000
<b>5</b>	Y20CS006	23.000000
<b>6</b>	Y20CS007	16.000000
<b>7</b>	Y20CS008	11.000000
<b>8</b>	Y20CS009	12.000000
<b>9</b>	Y20CS010	15.000000
<b>10</b>	Y20CS011	14.000000
<b>11</b>	Y20CS012	13.692308
<b>12</b>	Y20CS013	10.000000
<b>13</b>	Y20CS014	16.000000
<b>14</b>	Y20CS015	13.000000

	Regd.No	OE
15	Y20IT001	12.000000
16	Y20IT002	15.000000
17	Y20IT003	14.000000
18	Y20IT004	16.000000
19	Y20IT005	18.000000
20	Y20IT006	17.000000
21	Y20IT007	3.000000
22	Y20IT008	125.000000
23	Y20IT009	21.357143
24	Y20IT010	8.000000
25	Y20IT011	14.000000
26	Y20IT012	17.000000
27	Y20IT013	11.000000
28	Y20IT014	13.000000
29	Y20IT015	16.000000

12. Compare the performance of the students from various cities.

```
r=df.groupby(df['Address']).mean()
```

r

Output:

	CN	DAA	AFL	OE	PE	EAMCET RANK
Address						
CHILAKALURIP ET	15.66666 7	13.66666 7	15.00000 0	NaN	14.66666 7	14002.3333 33
GUNTUR	14.00000 0	13.22222 2	15.49206 3	14.00000 0	13.93162 4	8152.22222 2

	CN	DAA	AFL	OE	PE	EAMCET RANK
Address						
NARASARAOPET	13.05357 1	18.50000 0	11.50000 0	15.50000 0	17.58928 6	11676.5000 00
TENALI	12.80000 0	13.00000 0	10.80000 0	15.21428 6	13.80000 0	10998.2000 00
VIJAYAWADA	11.75000 0	12.75000 0	13.00000 0	11.50000 0	11.25000 0	6141.25000 0
VINUKONDA	14.40000 0	14.00000 0	12.00000 0	16.00000 0	34.40000 0	29000.0000 00

13. Find the correlation between the marks of DS &DAA

```
df=pd.concat([df1,df2])  
df['CN'].corr(df['DAA'])
```

Output:

-0.19219941535045204