

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)

Enterprise Java

Module - I

Practical – IV

Roll No.:T007	Name:Subhashree Jena
Class:TYIT	Batch:1
Date of Assignment: 18/07/26	Date/Time of Submission: 18/07/26

4. Implement the following JSP applications

a. Develop a simple JSP application to display values obtained from the use of intrinsic objects of various types.

CODE:-

Index.jsp:

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<html>
<head>
    <title>JSP Intrinsic Objects</title>
</head>
<body>
<h1>Use of Intrinsic Objects in JSP</h1>
<h2>Request Object</h2>
Query String: <%= request.getQueryString() %><br>
Context Path: <%= request.getContextPath() %><br>
Remote Host: <%= request.getRemoteHost() %><br>
<h2>Response Object</h2>
Character Encoding Type: <%= response.getCharacterEncoding() %><br>
Content Type: <%= response.getContentType() %><br>
Locale: <%= response.getLocale() %><br>
<h2>Session Object</h2>
Session ID: <%= session.getId() %><br>
Creation Time: <%= new java.util.Date(session.getCreationTime()) %><br>
Last Access Time: <%= new java.util.Date(session.getLastAccessedTime()) %><br>
<h3> Subhashree Jena T007</h3>
</body>
</html>
```

OUTPUT:-

Use of Intrinsic Objects in JSP

Request Object

Query String: null
Context Path: /Prac4
Remote Host: 0:0:0:0:0:0:1

Response Object

Character Encoding Type: UTF-8
Content Type: text/html;charset=UTF-8
Locale: en_IN

Session Object

Session ID: D56CE34589AF78663A4D6DB93896DDD0
Creation Time: Sat Jul 18 21:45:40 IST 2026
Last Access Time: Sat Jul 18 21:45:40 IST 2026

Subhashree Jena T007

b. Develop a simple JSP application to pass values from one page to another with validations. (Name-txt, age-txt, hobbies-checkbox, email-txt, gender-radio button).

CODE:-

Index.jsp:

```
<!DOCTYPE html>
<html>
  <head>
    <meta https-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>JSP Registration</title>
  </head>
  <body>
    <h1>Registration Form</h1>
    <form action="val.jsp" method="post">
      <table style="width:50%">
        <tr>
          <td>Full Name</td>
          <td><input type="text" name="fullname"/></td>
        </tr>
        <tr>
          <td>Age</td>
          <td><input type="text" name="age"/></td>
        </tr>
        <tr>
          <td>E-Mail</td>
          <td><input type="text" name="email" size="20"/></td>
        </tr>
        <tr>
          <td>Gender</td>
          <td><input type="radio" name="gender" value="Male">Male
            <input type="radio" name="gender" value="Female">Female
          </td>
        </tr>
        <tr>
          <td>Hobbies</td>
          <td><input type="checkbox" name="hb" value="Acting"/>Acting
            <input type="checkbox" name="hb" value="Dancing"/>Dancing
            <input type="checkbox" name="hb" value="Singing"/>Singing
            <input type="checkbox" name="hb" value="Drawing"/>Drawing
          </td>
        </tr>
      </table>
      <input type="submit" value="Register"/>
    </form>
  </body>
</html>
```

val.jsp:

```
<%@page language="java" contentType="text/html" pageEncoding="UTF-8" %>
<%!
  int ageInNumbers;
  private static final String EMAIL_REGEX = "^[\\w-\\+](\\.[\\w]+)*@[\\w-](\\.[\\w]+)*\\.([a-z]{2,})$";
%>
<%
  String name = request.getParameter("fullname");
  String age = request.getParameter("age");
  String email = request.getParameter("email");
  String gender = request.getParameter("gender");
  String hb[] = request.getParameterValues("hb");
  if (name == null || name.isEmpty() || age == null || age.isEmpty() || email == null || email.isEmpty() || gender
    == null || gender.isEmpty()) {
    out.println("<font color=red>Please fill all the fields</font><br>");
  }
  if (!email.matches(EMAIL_REGEX)) {
    out.println("<font color=red>Correct Your Email Address</font><br>");
  }
  try {
```

```

    ageInNumbers = Integer.parseInt(age.trim());
} catch (NumberFormatException e) {
    out.println("<font color=red>Age must be numbers</font><br>");
}
if (ageInNumbers < 18 || ageInNumbers > 60) {
    out.println("<font color=red>Age must be between 18 and 60</font><br>");
}
}%>

```

Your Extended Information is as follows:

Full Name:<%=name%>

Age:<%=age%>

E-Mail:<%=email%>

Gender:<%=gender%>

Hobbies:

```

<%
    if (hb != null && hb.length != 0) {
        for (int i = 0; i < hb.length; i++) {
            out.println(hb[i]);
        }
    }
}%>

```

Web.xml:

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<web-app xmlns="http://xmlns.jcp.org/xml/ns/javaee"
```

```
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
```

```

    xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee http://xmlns.jcp.org/xml/ns/javaee/web-
app_3_1.xsd"

```

```
    version="3.1">
```

```
<welcome-file-list>
```

```
<welcome-file>index.jsp</welcome-file>
```

```
</welcome-file-list>
```

```
</web-app>
```

OUTPUT:-

Registration Form

Full Name	Subhashree Jena
Age	19
E-Mail	subhjenamvlu@gmail.com
Gender	☐ Male ☒ Female
Hobbies	☐ Acting ☒ Dancing ☐ Singing ☐ Drawing
Register	

Your Extended Information is as follows:

Full Name:**Subhashree Jena**

Age:**19**

E-Mail:**subhjenamvlu@gmail.com**

Gender:**Female**

Hobbies: **Dancing**

c. Create a registration and login JSP application to register and authenticate the user based on username and password using JDBC

CODE:-

index.jsp:

```

<!DOCTYPE html>
<html>
<head>
    <title>Home</title>

```

```
</head>
<body>
  <h2>Registration & Login System</h2>
  <a href="register.jsp">Register</a>
  <br><br>
  <a href="login.jsp">Login</a>
</body>
</html>
```

register.jsp:

```
<%@page import="java.sql.*"%>
<%@page import="db.DBConnection"%>
<%
String msg=""
if(request.getParameter("register")!=null) {
    String username=request.getParameter("username");
    String password=request.getParameter("password");
    Connection con=DBConnection.getConnection();
    PreparedStatement ps=con.prepareStatement(
        "INSERT INTO users(username,password) VALUES(?,?)");
    ps.setString(1,username);
    ps.setString(2,password);
    int i=ps.executeUpdate();
    if(i>0)
        msg="Registration Successful!";
    else
        msg="Registration Failed!";
}
%>
```

```
<!DOCTYPE html>
<html>
<head>
  <title>Register</title>
</head>
<body>
  <h2>User Registration</h2>
  <form method="post">
    Username <input type="text" name="username"><br><br>
    Password <input type="password" name="password"><br><br>
    <input type="submit" name="register" value="Register">
  </form>
  <br>
  <%=msg%>
  <br><br>
  <a href="login.jsp">Go to Login</a>
</body>
</html>
```

login.jsp:

```
<%@page import="java.sql.*"%>
<%@page import="db.DBConnection"%>
<%
if(request.getParameter("login")!=null) {
    String username=request.getParameter("username");
    String password=request.getParameter("password");
    Connection con=DBConnection.getConnection();
    PreparedStatement ps=con.prepareStatement(
        "SELECT * FROM users WHERE username=? AND password=?");
    ps.setString(1,username);
    ps.setString(2,password);
    ResultSet rs=ps.executeQuery();
    if(rs.next()) {
        session.setAttribute("user",username);
        response.sendRedirect("success.jsp");
    }
}
```

```

    } else {
        response.sendRedirect("error.jsp");
    }
}
%>
<!DOCTYPE html>
<html>
<head>
    <title>Login</title>
</head>
<body>
    <h2>User Login</h2>
    <form method="post">
        Username <input type="text" name="username"><br><br>
        Password <input type="password" name="password"><br><br>
        <input type="submit" name="login" value="Login">
    </form>
</body>
</html>

```

success.jsp:

```

<%
String user=(String)session.getAttribute("user");
if(user==null) {
    response.sendRedirect("login.jsp");
    return;
}
%>
<!DOCTYPE html>
<html>
<head>
    <title>Success</title>
</head>
<body>
    <h1>Login Successful</h1>
    <h2>Welcome <%=user%></h2>
</body>
</html>

```

Error.jsp:

```

<!DOCTYPE html>
<html>
<head>
    <title>Error</title>
</head>
<body>
    <h2>Invalid Username or Password</h2>
    <a href="login.jsp">Try Again</a>
</body>
</html>

```

DBConnection.java:

```

package db;
import java.sql.Connection;
import java.sql.DriverManager;
public class DBConnection {
    public static Connection getConnection() {
        Connection con = null;
        try {
            Class.forName("com.mysql.cj.jdbc.Driver");
            con = DriverManager.getConnection(
                "jdbc:mysql://localhost:3306/studentdb",
                "root",
                "mysql_2026"
            );

```

```
} catch (Exception e) {  
    e.printStackTrace();  
}  
return con;  
}  
}
```

Database Code:

```
CREATE DATABASE studentdb;  
USE studentdb;  
CREATE TABLE users (  
    id INT PRIMARY KEY AUTO_INCREMENT,  
    username VARCHAR(50) UNIQUE,  
    password VARCHAR(50)  
);
```

OUTPUT:-

Invalid Username or Password

```
mysql> SELECT * FROM users;  
+----+-----+-----+  
| id | username | password |  
+----+-----+-----+  
| 1 | priti | 1234 |  
| 2 | khushi | 1234 |  
| 3 | ishita | 1234 |  
| 4 | subu | 1234 |  
| 5 | nidhi | 1234 |  
| 6 | nandini | 1234 |  
+----+-----+-----+  
6 rows in set (0.00 sec)
```

User Registration

Username :

Password :

[Login Here](#)

Database Connected
db.jsp included
Connection OK
Username : Subhashree
Password : 1234

Registration Successful

Database Connected

Login Successful

Welcome : Subhashree