

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)

Enterprise Java

Module - II

Practical – VI

Roll No.:T007	Name:Subhashree Jena
Class:TYIT	Batch:1
Date of Assignment:7/08/26	Date/Time of Submission:7/08/26

6. Implement the following EJB Applications

a. Create a Currency Converter application using EJB

CODE:-

Index.html:

```
import java.io.IOException;
import java.io.PrintWriter;
import javax.ejb.EJB;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import EJPracts.CCBean;
@WebServlet(urlPatterns = {"/CCServlet"})
public class CCServlet extends HttpServlet {
    @EJB
    CCBean obj;
    public void doGet(HttpServletRequest request,
        HttpServletResponse response)
        throws ServletException, IOException {
        PrintWriter out = response.getWriter();
        double amt = Double.parseDouble(
            request.getParameter("amt")
        );
        if (request.getParameter("type").equals("r2d")) {
            out.println("<h1>" + amt + " Rupees = " + obj.r2Dollar(amt) + " Dollars</h1>");
        }
        if (request.getParameter("type").equals("d2r")) {
            out.println("<h1>" + amt + " Dollars = " + obj.d2Rupees(amt) + " Rupees</h1>");
        }
    }
}
```

CCBean.java:

```
package EJPracts;
import javax.ejb.Stateless;
@Stateless
public class CCBean {
    public CCBean() {
    }
    public double r2Dollar(double r) {
        return r / 83.85;
    }
    public double d2Rupees(double d) {
        return d * 83.85;
    }
}
```

CCServlet.java:

```
import java.io.IOException;
import java.io.PrintWriter;
```

```

import javax.ejb.EJB;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import EJPracts.CCBean;
@WebServlet(urlPatterns = {"/CCServlet"})
public class CCServlet extends HttpServlet {
    @EJB
    CCBean obj;
    public void doGet(HttpServletRequest request,
        HttpServletResponse response)
        throws ServletException, IOException {
        PrintWriter out = response.getWriter();
        double amt = Double.parseDouble(
            request.getParameter("amt")
        );
        if (request.getParameter("type").equals("r2d")) {
            out.println("<h1>" + amt + " Rupees = " + obj.r2Dollar(amt) + " Dollars</h1>");
        }
        if (request.getParameter("type").equals("d2r")) {
            out.println("<h1>" + amt + " Dollars = " + obj.d2Rupees(amt) + " Rupees</h1>");
        }
    }
}

```

OUTPUT:-

← → ↻ ⓘ localhost:8080/CurrencyConverter/

Enter Amount

Select Conversion Type ☒ Rupees to Dollar ☐ Dollar to Rupees

556567.0 Rupees = 6637.650566487776 Dollars

b. Develop a Simple Room Reservation System Application Using EJB.

CODE:-

ReservationBean.java:

```

package EJPracts;
import java.util.ArrayList;
import javax.ejb.Stateless;
@Stateless
public class ReservationBean {
    public String welcome(String customer) {
        return "Hello " + customer.toUpperCase() + " Welcome to Our Hotel";
    }
    public String roomType(String roomtype) {
        return "You have Selected " + roomtype.toUpperCase() + " Room";
    }
    public String payment(String roomtype) {
        if (roomtype.equalsIgnoreCase("SUITE")) {
            return "You have to pay 8000 Rs";
        } else if (roomtype.equalsIgnoreCase("DELUXE")) {
            return "You have to pay 4000 Rs";
        } else {
            return "You have to pay 2000 Rs";
        }
    }
    public ArrayList<String> reserve(
        String customer,
        String add,
        String ph,
        String checkin,
        String checkout,
        String roomtype,
        String paymode) {
        ArrayList<String> a = new ArrayList<String>();
    }
}

```

```

a.add(customer);
a.add(add);
a.add(ph);
a.add(checkin);
a.add(checkout);
a.add(roomtype);
a.add(paymode);
return a;
}}

```

Index.jsp:

```

<html>
<head>
<title>Room Reservation</title>
</head>
<body>
<p><b>Enter Details For Room Reservation.</b></p>
<form method="post" action="ReservationServlet">
  Customers Name:
  <input type="text" name="cname" value="" size="20">
  <br><br>
  Address:
  <input type="text" name="cadd" value="" size="20">
  <br><br>
  Phone Number:
  <input type="text" name="cph" value="" size="12">
  <br><br>
  Room Type:
  <select name="roomtype">
    <option value="General">General</option>
    <option value="Deluxe">Deluxe</option>
    <option value="Suite">Suite</option>
  </select>
  <br><br>
  Check In Date (DD/MM/YYYY):
  <input type="text" name="checkindate">
  <br><br>
  Check Out Date (DD/MM/YYYY):
  <input type="text" name="checkoutdate">
  <br><br>
  Payment Mode:
  <select name="paymode">
    <option value="CASH">CASH</option>
    <option value="CREDIT CARD">CREDIT CARD</option>
  </select>
  <br><br>
  <input type="submit" value="Submit">
</form>
</body>
</html>

```

ReservationServlet.java:

```

package servlet;
import EJPracts.ReservationBean;
import java.io.IOException;
import java.io.PrintWriter;
import java.util.ArrayList;
import javax.ejb.EJB;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;

```

```

@WebServlet(name = "ReservationServlet",
    urlPatterns = {"/ReservationServlet"})
public class ReservationServlet extends HttpServlet {
    @EJB
    ReservationBean rb;
    protected void processRequest(HttpServletRequest request,
        HttpServletResponse response)
        throws ServletException, IOException {
        response.setContentType("text/html;charset=UTF-8");
        String cname = request.getParameter("cname");
        String add = request.getParameter("cadd");
        String ph = request.getParameter("cph");
        String roomtype = request.getParameter("roomtype");
        String chkin = request.getParameter("checkindate");
        String chkout = request.getParameter("checkoutdate");
        String paymode = request.getParameter("paymode");
        PrintWriter out = response.getWriter();
        ArrayList<String> list1
            = rb.reserve(cname, add, ph, chkin, chkout,
                roomtype, paymode);
        try {
            out.println("<html>");
            out.println("<head>");
            out.println("<title>Reservation EJB</title>");
            out.println("</head>");
            out.println("<body>");
            out.println("<h2>" + rb.welcome(cname) + "</h2>");
            out.println("<br/>");
            out.println(rb.roomType(roomtype));
            out.println("<br/><br/>");
            out.println(rb.payment(roomtype));
            out.println("<br/><br/>");
            out.println("<hr>");
            out.println("Your Details :");
            out.println("<br/><br/>");
            out.println("<table border='1'>");
            out.println("<tr>");
            out.println("<th>Name</th>");
            out.println("<th>Address</th>");
            out.println("<th>Phone</th>");
            out.println("<th>Check In Date</th>");
            out.println("<th>Check Out Date</th>");
            out.println("<th>Room</th>");
            out.println("<th>Payment Mode</th>");
            out.println("</tr>");
            out.println("<tr>");
            for (int i = 0; i < list1.size(); i++) {
                out.println("<td>");
                out.println(list1.get(i));
                out.println("</td>");
            }
            out.println("</tr>");
            out.println("</table>");
            out.println("<br/>");
            out.println("Click ");
            out.println("<a href='index.jsp'>here</a>");
            out.println(" to go back");
            out.println("</body>");
            out.println("</html>");
        } finally {
            out.close();
        }
    }
}

```

```

}
@Override
protected void doGet(HttpServletRequest request,
    HttpServletResponse response)
    throws ServletException, IOException {
    processRequest(request, response);
}
@Override
protected void doPost(HttpServletRequest request,
    HttpServletResponse response)
    throws ServletException, IOException {
    processRequest(request, response);
}
}

```

OUTPUT:-

Enter Details For Room Reservation.

Customers Name:

Address:

Phone Number:

Room Type:

Check In Date (DD/MM/YYYY):

Check Out Date (DD/MM/YYYY):

Payment Mode:

Enter Details For Room Reservation.

Customers Name:

Address:

Phone Number:

Room Type:

Check In Date (DD/MM/YYYY):

Check Out Date (DD/MM/YYYY):

Payment Mode:

Hello SUBHASHREE JENA Welcome to Our Hotel

You have Selected DELUXE Room

You have to pay 4000 Rs

Your Details :

Name	Address	Phone	Check In Date	Check Out Date	Room	Payment Mode
Subhashree Jena	Marol	8105768993	21/08/2026	22/08/2026	Deluxe	CASH

Click [here](#) to go back