

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce Department of
Information Technology (B.Sc.I.T Semester V)
MERN stack

Practical – IV

Roll No.:T007	Name:subhashree jena
Class:TYIT	Batch:1
Date of Assignment: 15/07/26	Date/Time of Submission:15/07/26

4.react components props and state

a. App.jsx

```
import Header from "./components/Header";
import Student from "./components/Student";
import Eligibility from "./components/Eligibility";
import Placementstatus from "./components/Placementstatus";
import Companyoffer from "./components/Companyoffer";
import Skillprogress from "./components/Skillprogress";
import Footer from "./components/Footer";
import "./App.css";
```

```
function App() {
  return (
    <div className="container">
      <Header />
      <Student />
      <Eligibility />
      <Placementstatus />
      <Companyoffer />
      <Skillprogress />
      <Footer />
    </div>
  );
}
```

```
export default App;
```

Header.jsx

```
function Header() {
  return (
    <header>
      <h1>Student Placement Portal</h1>
      <hr />
    </header>
  );
}
```

```
export default Header;
```

Student.jsx

```
function Student() {
```

```
return (  
  <div className="card">  
    <h2>Student Details</h2>  
    <p>Name: Rahul Sharma</p>  
    <p>Roll No: 101</p>  
    <p>Course: B.Sc Computer Science</p>  </div>  
  ); }
```

```
export default Student;
```

Eligibility.jsx

```
function Eligibility() {  
  return (  
    <div className="card">  
      <h2>Eligibility</h2>  
      <p>CGPA: 8.2</p>  
      <p>Status: Eligible for Placements</p>  </div>  
    ); }
```

```
export default Eligibility;
```

Placementstatus.jsx

```
function Placementstatus() {  
  return (  
    <div className="card">  
      <h2>Placement Status</h2>  
      <p>Status: Not Placed</p>  
    </div>  
  ); }
```

```
export default Placementstatus;
```

Companyoffer.jsx

```
function Companyoffer() {  
  return (  
    <div className="card">  
      <h2>Company Offers</h2>  
      <ul>  
        <li>TCS</li>  
        <li>Infosys</li>  
        <li>Wipro</li>  
      </ul>  
    </div>  
  ); }
```

```
export default Companyoffer;
```

Skillprogress.jsx

```
function Skillprogress() {  
  return (  
    <div className="card">  
      <h2>Skill Progress</h2>  
      <p>HTML: 90%</p>  
      <p>CSS: 85%</p>  
      <p>JavaScript: 80%</p>  
      <p>React: 75%</p>  
    </div>  
  ); }
```

```
</div>
```

```
);
```

```
}
```

```
export default Skillprogress;
```

Footer.jsx

```
function Footer() {
```

```
  return (
```

```
    <footer>
```

```
      <hr />
```

```
      <p>© 2026 Student Placement Portal</p>
```

```
    </footer>
```

```
  );
```

```
} export default Footer;
```

App.css

```
body {
```

```
  margin: 0;
```

```
  padding: 0;
```

```
  background-color: #f4f4f4;
```

```
  font-family: Arial, sans-serif;
```

```
}
```

```
.container {
```

```
  width: 700px;
```

```
  margin: 30px auto;
```

```
  padding: 20px;
```

```
  background: white;
```

```
  border: 2px solid #333;
```

```
  border-radius: 10px;
```

```
}
```

```
.card {
```

```
  margin: 15px 0;
```

```
  padding: 15px;
```

```
  border: 1px solid #ccc;
```

```
  border-radius: 8px;
```

```
  background: #fafafa;
```

```
}
```

```
h1,
```

```
h2 {
```

```
  color: #2c3e50;
```

```
} footer {
```

```
  text-align: center;
```

```
  margin-top: 20px;
```

```
  color: gray; }
```

OUTPUT:-

Student Placement Portal

Student Details

Name: Rahul Sharma

Roll No: 101

Course: B.Sc Computer Science

Eligibility

CGPA: 8.2

Status: Eligible for Placements

Placement Status

Status: Not Placed

Company Offers

- TCS
- Infosys
- Wipro

Skill Progress

HTML: 90%

CSS: 85%

JavaScript: 80%

React: 75%

© 2026 Student Placement Portal

b.

Pass data between components using props

CODE:-

Header.jsx

```
function Header() {  
  return (  
    <div className="header">  
       Online Food Delivery Dashboard</h2>  
    </div>  
  );  
}  
export default Header;
```

Dominos.jsx

```
function Dominos() {  
  return (  
    <div className="card">  
      <h2>Domino's Pizza</h2>  
      <p>Food Item: Cheese Burst Pizza</p>  
      <p>Quantity: 2</p>  
      <p>Total Price: ₹600</p>  
      <p>Final Price: ₹570</p>  
    </div>  
  );  
}
```

```
export default Dominos;
```

Mcdonalds.jsx

```
function Mcdonalds() {  
  return (  
    <div className="card">  
      <h2>McDonald's</h2>  
      <p>Food Item: Veg Burger Combo</p>  
      <p>Quantity: 3</p>  
      <p>Total Price: ₹450</p>  
      <p>Final Price: ₹415</p>  
    </div>  
  );  
}
```

```
export default Mcdonalds;
```

Burgerking.jsx

```
function Burgerking() {  
  return (  
    <div className="card">  
      <h2>Burger King</h2>  
      <p>Food Item: Whopper Meal</p>  
      <p>Quantity: 1</p>  
      <p>Total Price: ₹320</p>  
      <p>Final Price: ₹299</p>  
    </div>  
  );  
}
```

```
export default Burgerking;
```

OrderSummary.jsx

```
function OrderSummary() {  
  const totalOrders = 3;  
  const totalAmount = 1370;  
  const finalAmount = 1284;  
  return (  
    <div className="card">  
      <h2>Order Summary</h2>  
      <p>Total Orders : {totalOrders}</p>  
      <p>Total Price : ₹{totalAmount}</p>  
      <p>Final Price : ₹{finalAmount}</p>  
    </div>  
  );  
}
```

```
export default OrderSummary;
```

DeliveryStatus.jsx

```
function DeliveryStatus() {  
  return (  
    <div className="card">  
      <h2>Delivery Status</h2>  
      <p>Delivered : 2</p>  
      <p>On the Way : 1</p>  
      <p>Cancelled : 0</p>  
      <p>Status : Successful</p>  
    </div>  
  );  
}
```

```
export default DeliveryStatus;
```

Footer.jsx

```
function Footer() {
  return (
    <div className="footer">
      <p>© 2026 Online Food Delivery Dashboard</p>
    </div>
  );
}
export default Footer;
```

App.jsx

```
import Header from "../components/Header";
import Dominos from "../components/Dominos"; import
Mcdonalds from "../components/Mcdonalds"; import
Burgerking from "../components/Burgerking"; import
OrderSummary from "../components/OrderSummary"; import
DeliveryStatus from "../components/DeliveryStatus"; import
Footer from "../components/Footer";
import "../App.css";
function App() {
  return (
    <div className="container">
      <Header />
      <Dominos />
      <Mcdonalds />
      <Burgerking />
      <OrderSummary />
      <DeliveryStatus />
      <Footer />
    </div>
  );
}
export default App;
```

App.css

```
body{
  font-family: Arial;
  background-color: #f4f4f4;
}
.container{
  width:80%;
  margin:auto;
  text-align:center;
}
.header{
  background:white;
  padding:20px;
  border-bottom:2px solid gray;
}
.card{
  background:white;
  margin:20px 0;
  padding:15px;
  border-top:2px solid #ccc;
}
.card h2{
  color:darkblue;
```

```

}
.footer{
margin-top:20px;
padding:10px;
border-top:2px solid gray;
}

```

OUTPUT:-

Online Food Delivery Dashboard

Domino's Pizza

Food Item: Cheese Burst Pizza

Quantity: 2

Total Price: ₹600

Final Price: ₹570

McDonald's

Food Item: Veg Burger Combo

Quantity: 3

Total Price: ₹450

Final Price: ₹415

Burger King

Food Item: Whopper Meal

Quantity: 1

Total Price: ₹320

Final Price: ₹299

Order Summary

Total Orders : 3

Total Price : ₹1370

Final Price : ₹1284

Delivery Status

Delivered : 2

On the Way : 1

Cancelled : 0

Status : Successful

© 2026 Online Food Delivery Dashboard

c.

Use the useState hook to manage and update data.

Code:-

```
import { useState } from 'react'
```

```

function App(){
  const [count,setCount] = useState(0);
  return(
    <div>
      <h1>Button Click Counter</h1>
      <hr />
      <h2>user Clicks : {count} Times</h2>
      <button onClick={() => setCount(count + 1)}> Click me</button>
    </div>
  ); }
export default App;

```

Output:-

Button Click Counter

user Clicks : 11 Times

Click me

d. Create a form component to accept user input and display it dynamically.

Code:-

App.jsx

```
import React, { useState } from "react";
import "./App.css";
```

```
function App() {
  const [student, setStudent] = useState({
    name: "",
    roll: "",
    branch: "",
    cgpa: ""
  });
```

```
  const handleChange = (e) => {
    setStudent({
      ...student,
      [e.target.name]: e.target.value
    });
  };
};
```

```
  return (
    <div className="container">
      <h1>Student Registration Form</h1>
      <hr />
```

```
      <div className="form">
        <label>Student Name :</label>
        <input
          type="text"
          name="name"
          value={student.name}
          onChange={handleChange}
        />
```

```
        <label>Roll Number :</label>
        <input
          type="number"
          name="roll"
          value={student.roll}
          onChange={handleChange}
        />
```

```
        <label>Branch :</label>
        <input
```

```

        type="text"
        name="branch"
        value={student.branch}
        onChange={handleChange}
      />

      <label>CGPA :</label>
      <input
        type="number"
        name="cgpa"
        value={student.cgpa}
        onChange={handleChange}
      />
    </div>

    <hr />

    <h2>Student Details</h2>

    <div className="details">
      <p><b>Name :</b> {student.name}</p>
      <p><b>Roll Number :</b> {student.roll}</p>
      <p><b>Branch :</b> {student.branch}</p>
      <p><b>CGPA :</b> {student.cgpa}</p> </div>
    </div>
  );
}

export default App;

```

App.css

```

body {
  font-family: Arial, sans-serif;
}

.container {
  width: 500px;
  margin: 30px auto;
  text-align: center;
}

.form {
  display: grid;
  grid-template-columns: 150px 250px;
  gap: 10px;
  justify-content: center;
  align-items: center;
}

input {
  padding: 5px;
}

h1 {
  margin-bottom: 10px;
}

```

```
}

h2 {
  margin-top: 20px;
}

.details {
  line-height: 1.8;
}
```

Output:-

Student Registration Form

Student Name :

Roll Number :

Branch :

CGPA :

Student Details

Name : subhashree jena
Roll Number : 7
Branch : 1
CGPA : 9.88

e. Display a list of items stored in the state using map().

Code:-

```
import { useState } from "react";

function ItemList() {
  const [items, setItems] = useState([
    "oracle",
    "jp morgan",
    "google",
    "microsoft",
  ]);

  return (
    <div>
      <h2>Placement Companies</h2>
      <ul>
        {items.map((item, index) => (
          <li key={index}>{item}</li>
        ))}
      </ul>
    </div>
  );
}
```

```
export default ItemList;
```

Output:-

Placement Companies

oracle
jp morgan
google
microsoft

f. Build a small interactive component (e.g., counter or to-do list).

counter

Code:-

App.jsx

```
import { useState } from "react";
function App() {
  const [count, setCount] = useState(0);

  return (
    <div className="container">
      <h1>React Counter Application</h1>
      <hr />
      <h2>Current Count : {count}</h2>

      <button onClick={() => setCount(count + 1)}>
        Increase
      </button>

      <button onClick={() => setCount(count - 1)}>
        Decrease
      </button>

      <button onClick={() => setCount(0)}>
        Reset
      </button>
    </div>
  );
}
```

export default App;

Output:-

React Counter Application

Current Count: 13

Increase

Decrease

Reset

to-do list

code:-

```
import React, { useState } from "react";
import "./App.css";
```

```
function App() {
  const [task, setTask] = useState("");
  const [tasks, setTasks] = useState([]);
```

```

const addTask = () => {
  if (task.trim() === "") return;

  setTasks([...tasks, task]);
  setTask(""); };

const deleteTask = (index) => {
  const newTasks = tasks.filter((_, i) => i !==
index)setTasks(newTasks); };

return (
  <div className="container">
    <h2>To-Do List</h2>

    <input
      type="text"
      placeholder="Enter a task"
      value={task}
      onChange={(e) => setTask(e.target.value)}
    />

    <button onClick={addTask}>Add</button>

    <ul>
      {tasks.map((item, index) => (
        <li key={index}>
          {item}
          <button onClick={() => deleteTask(index)}>
            Delete
          </button>
        </li>
      ))}
    </ul>
  </div>
); }
export default App;

```

Output:-

To-Do List

studing

waking up at 7 for classes