

FILE : CH9EG

```
print(len("hello"))
name="subhrajit"
print(len(name))
print('true'.capitalize())
print("abracadabra".count('ab'))           # counts no. of times ab
is present in the string
print("abracadabra".count('ab',4,8))       # counts no. of times ab
is present in the string within 4th to 8th character
print("abracadabra".count('ab',6))         # counts no. of times ab
is present in the string from 6th character onwards
string='it gose as - ringa ringa'
sub='ringa'
print(string.find(sub))
print(string.find(sub,15,25))
print("abracadabra".index('ab'))
print("abracadabra".index('ab',6))
#print("abracadabra".index('ab',4,8))      #as the sub string is
not in the string hence error
string="abc123"
string2="hello"
string3="12345"
string4=" "
print(string.isalnum())
print(string2.isalnum())
print(string3.isalnum())
print(string4.isalnum())
print()
print(string.isalpha())
print(string2.isalpha())
print(string3.isalpha())
print(string4.isalpha())
print(string.isdigit())
print(string2.isdigit())
print(string3.isdigit())
print(string4.isdigit())
string="hello"
string2="THERE"
```

```
string3="GOLDY"
print(string.islower())
print(string2.islower())
print(string3.islower())
string="  "
string2=""
print(string.isspace())
print(string2.isspace())
string="HELLO"
string2="There"
string3="goldy"
string4="U123"
string5="123f"
print(string.isupper())
print(string2.isupper())
print(string3.isupper())
print(string4.isupper())
print(string5.isupper())
string="HELLO"
string2="There"
string3="goldy"
string4="U123"
string5="123f"
print(string.lower())
print(string2.lower())
print(string3.lower())
print(string4.lower())
print(string5.lower())
print(string.upper())
print(string2.upper())
print(string3.upper())
print(string4.upper())
print(string5.upper())
print(" Sipo ".lstrip())
print(" Sipo ".rstrip()+'#')
print(" Sipo ".strip()+'#')
print()
print("abcd".startswith("cd"))
print("abcd".startswith("ab"))
```

```

print("abcd".endswith("b"))
print("abcd".endswith("cd"))
print("the sipo app".title())
print("COMPUTER SCINCE".title())
print("COMPUTER SCINCE".istitle())
print("Computer Scince".istitle())
print("abracadabra".replace('ab','sp'))
print("i work for you".replace('you','u'))
print("i work for you".replace('work','care'))
print("*".join("hello"))
print("****".join("hello"))
print("$$.join(["trial","hello"]))
print("$$.join(("trial","hello","new")))
#print("$$.join((123,"hello","new"))) # all three items in
the argument must be string
print("I Love python".split())
print("I Love python".split(" "))
print("I Love python".split("o")) #the string is divided
from positions containing "o"
txt="I enjoy working in Python" #it return a tuple with 3
elements
x=txt.partition("working") #the string working acts as a
seperator
print(x) # 1st element before seperstor
# 2nd element seperstor
# 3rd element after seperstor

```

FILE : CH9EG1

```

name="superb"
for ch in name :
    print(ch,end='')
    print('- ',end='')

```

FILE : CH9EG2

```

string1=input("enter a string:")
print("the",string1,"in reverse order is:")
length=len(string1)
for a in range(-1,(-length-1 ),-1):
    print(string1 [a])

```

FILE : CH9EG3

```
string1=input("enter string:")
length=len(string1)
i=0
for a in range(-1,(-length-1 ),-1):
    print(string1[i],"\t",string1[a])
    i+=1
```

FILE : CH9EG4

```
n=int(input("enter number:"))
s=str(n)
if '0' in s:
    print("there's a 0(zero) in ",n)
else:
    print("no 0(zero) in ",n)
print()
print("a!="abc")
print()
print(ord('A'))
```

FILE : CH9EG5

```
print('='*30)
print('\n'*-5)          # by default for any value<1 It will leave
1(one) blank line
# for any value other than 1(one) there will be one more blank
line than the no. specified(given)
print('\n'*2)          # hence there will be four blank line
print('='*30)
```

FILE : CH9EG6

```
uname=input("enter used name:")
pcode=input("enter code: ")
if uname not in pcode and pcode=='Trident111' :
    print("your code is valid to proceed")
else:
    print("your code is invalid ")
```

FILE : CH9EG7

```
string='#'; pattern=""
for a in range(5):
    pattern+=string
    print(pattern)
print()
print('#2')
string='ABCDE'
pattern=""
for a in range(5):
    pattern+=string[a]+' '
    print(pattern)
print()
print('#3')
string='A B C D E'
pattern=""
for a in range(9):          # practice for output
    print(string[:a])
print()
print('#3A')
for a in range(65,71):      # printing pattern using ASCII value
    pattern+=chr(a)+' '
    print(pattern)
print()
print('#3B')
string='A B C D E'
for a in range(0,9,2):      # printing pattern using string
    for b in range(a):      # printing pattern using nested loop
        print(string[b],end="")    # prints the character at the
position b
    print()
print()
print('#4')
string='ABCDE'
pattern=""
for a in range(5):
    pattern=(string[a]+' ')*(a+1)
    print(pattern)
```

```

print()
print('#5')
string='ABCDE'
pattern=""
for a in range(5):
    pattern=(string[a]*(a+1)+'#')
    print(pattern)
print()
print('#7')
word='amazing'
print('1:  '+word[0:7])
print('2:  '+word[0:3])
print('3:  '+word[2:5])
print('4:  '+word[-7:-3])
print('5:  '+word[-5:-1])
print('6:  '+word[:7])
print('7:  '+word[:5])
print('8:  '+word[3:])
print('9:  '+word[5:])
print('10:  '+word[3:],word[:3])
print('11:  '+word[3:]+word[:3])
print('12:  '+word[-7:],word[:7])
print('13:  '+word[-7:]+word[:7])
print('14:  '+word[1:6:2])      # word[]
starting:ending+1:step(increment/decrement)
print('15:  '+word[-7:-3:3])      # word[]
starting:ending+1:step(increment/decrement)
print('16:  '+word[::])      # by default starting value=0:ending
value=len of string:step value=positive 1
print('17:  '+word[:])      # same as above(16)
print('18:  '+word[6])      # will print only the (6+1)th
character
print()
print('#8')
print(ord('A'))      # ord('string(CHAR) value') gives the
ASCII/unicode value of a string(SINGLR CHARACTER)
print(chr(65))      # chr(ASCII value) gives the CHARACTER of
the corresponding ASCII/unicode value

```

FILE : CH9EG8

```

s1=input("enter string1: ")
s2=input("enter string2: ")
print("original string:",s1,s2)
if s1 in s2:
    s3=s2[0:4]+"restore"
print("final string:",s1,s3)

```

FILE : CH9EG9

```

s=input("enter string: ")
if (s==s[::-1]):
    print(s,"is palindrome")
else:
    print(s,"is not palindrome")

```

FILE : CH9EG10

```

line=input("Enter a line:"); lowercount=uppercount=0
digitcount=alphacount=symcount=0
for a in line :
    if a.islower():
        lowercount+=1
    elif a.isupper():
        uppercount+=1
    elif a.isdigit():
        digitcount+=1
    elif a.isalpha():           # error needs to be checked
        alphacount+=1
    elif a.isalnum()!= True and a != ' ':           # for counting
        specila character
        symcount+=1
    elif a.isalnum() == False and a != ' ':           # for counting
        specila character
        symcount+=1
print("Number of uppercase letters: ",uppercount)
print("Number of lowercase letters: ",lowercount)
print("Number of alphabets: ",alphacount)
print("Number of digit: ",digitcount)
print("Number of symbol: ",symcount)
print("Number of symbol: ",symcount)

```

FILE : CH9EG11

```
line=input("enter line :")
sub=input("enter substring:")
length=len(line)
lensub=len(sub)
start=count=0
end=length
while True:
    pos=line.find(sub,start,end)
    if pos!=-1:
        count+=1
        start=pos+lensub
    else:
        break
    if start>=length:
        break
print("no. of occurrence of",sub,':',count)
```

FILE : CH9EG12

```
s=input('Enter a string(a decimal number):')
t=s.partition('.')
print("given string:",s)
print("part after decimal",t[2])
```

FILE : CH9EG13

```
print("Enter word of your school motto,one by one")
w1=input("Enter word1:")
w2=input("Enter word2:")
w3=input("Enter word3:")
w4=input("Enter word4:")
motto=" ".join([w1,w2,w3,w4])
print("Enter your school's foundation day")
dd=input("Enter dd:")
mm=input("Enter mm:")
yyyy=input("enter yyyy")
dt="/" .join([dd,mm,yyyy])
print("School motto:",motto)
print("School foundation date:",dt)
```