

FILE : CH11NCERT1

```
T=(23,45,34,66,77,67,70)
maxvalue=max(T)
length=len(T)
secmax=0
for a in range(length):
    if secmax < T[a] < maxvalue:
        secmax=T[a]
print("second Largest value is:",secmax)
```

FILE : CH11NCERT1A

```
T=(23,45,34,66,77,67,70)
maxvalue=max(T)
length=len(T)
secmax=0
thmax=0
for a in range(length):
    if secmax < T[a] < maxvalue:
        secmax=T[a]
for a in range(length):
    if thmax < T[a] < secmax :
        thmax=T[a]
print("Largest value is:",maxvalue)
print("second Largest value is:",secmax)
print("third Largest value is:",thmax)
```

FILE : CH11NCERT1B

```
T=(23,45,34,66,77,67,70)
maxvalue=max(T)
length=len(T)
secmax=0
thmax=0
fomax=0
for a in range(length):
    if secmax < T[a] < maxvalue:
        secmax=T[a]
for a in range(length):
    if thmax < T[a] < secmax :
        thmax=T[a]
for a in range(length):
    if fomax < T[a] < thmax :
        fomax=T[a]
print("Largest value is:",maxvalue)
print("second Largest value is:",secmax)
print("third Largest value is:",thmax)
print("fourth Largest value is:",fomax)
```

FILE : CH11NCERT1C

```
T=(23,45,34,66,77,67,70)
maxvalue=max(T)
length=len(T)
secmax=0
thmax=0
fomax=0
thtmax=0
for a in range(length):
    if secmax < T[a] < maxvalue:
        secmax=T[a]
for a in range(length):
    if thmax < T[a] < secmax :
        thmax=T[a]
for a in range(length):
    if fomax < T[a] < thmax :
        fomax=T[a]
print("Largest value is:",maxvalue)
print("second Largest value is:",secmax)
print("third Largest value is:",thmax)
print("fourth Largest value is:",fomax)

for a in range(length):
    if thtmax < T[a] < secmax < maxvalue :
        thtmax=T[a]
print()
print("third Largest value is:",thtmax)
#if thtmax < T[a] < secmax < maxvalue:
```

FILE : CH11NCERT2

```
for n in range(5):
    x=int(input("Enter a number"))
    T=(x,x**2,x**3,x**4)
    for m in range(4):
        print(x,"rised to power ",m+1," is ",T[m])
```

FILE : CH11NCERT3

```
tup=eval(input("Enter tuple :"))
mx= max(tup)
if tup.count(mx)>1:
    print("contains multiple maximum element")
else:
    print("contains only one maximum element")
```

FILE : CH11NCERT4

```
# to check if there duplicate elements in tuple or not
tup=eval(input("enter a tuple :"))
for el in tup:
    if tup.count(el)>1:
        print("contains duplicate elements")
        break
else:
    print("does not contain duplicate elements")
```

FILE : CH11NCERT5

```
tup=eval(input("enter tuple :"))
ln=len(tup)
lies =False
mn=min(tup)
if ln%2 == 0:
    half=ln//2
    if mn == tup[half] or mn == tup[half-1]:
        lies=True
else:
    half=ln//2
    if mn == tup[half]:
        lies = True
if lies == True:
    print("Minimum lies at tuple middle")
else:
    print("Minimum dosen't lie at tuple middle")
```

FILE : CH11NCERT6

```
tup=eval(input("Enter a tuple :"))
ln=len(tup)
mid=ln//2
if ln%2 ==1:
    mid=mid+1
half =tup[:mid]
if sorted(half)==list(tup[:mid]):
    print("First half is sorted")
else:
    print("First half is not sorted")
```

FILE : CH11NCERT7

```
tup=eval(input("enter a tuple :"))
if sorted (tup,reverse =True)==list(tup):
    print("tuple is sorted is descresding order")
else:
    print("tuple is not sorted is descresding order")
```

FILE : CH11NCERT8

```
lst =[];          n=int(input("how many student?"))
for i in range(1, n+1):
    email = input("Enter email id of student" + str(1) +"; ")
    lst.append(email)
    etuple=tuple(lst)
lst1=[];          lst2=[]          # NOTE MULTILINE
for i in range(n) :
    email = etuple[i].split("@")
    lst1.append(email[0])
    lst2.append(email[1])
    unnameTup=tuple(lst1)
    dnameTup=tuple(lst2)
print("Student all",etuple );print()  # Note the method of
writing multiline in a single line
print("user name tuple :",unnameTup);print()
print("Domain name tuple",dnameTup);print()
```

FILE : CH11NCERT9

```
lst=[]
n=int(input("How many student?"))
for i in range(1, n+1):
    name=input("Enter name of student "+str(i)+":")
    lst.append(name)
ntuple=tuple(lst)
nm=input("Enter name to be search for :")
if nm in ntuple:
    print(nm, "exist in the tuple")
else:
    print(nm, "does not exist in the tuple")
```