



subithasundaram15-lab / 4.Execution_of_NetworkCommends

Search Type to search



Code Pull requests Agents Actions Projects Wiki Security and quality Insights Settings



4.Execution_of_NetworkCommends

Public



Watch 0

Fork 0

Star 0



forked from [NaliniG007/4.Execution of NetworkCommends](#)

About



No description, website, or topics provided.

Readme

Activity

0 stars

0 watching

0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

Contributors

No contributors

 main ▾

 1 Branch

 0 Tags





 T

Go to file

Add file ➕

Code

⋮

This branch is [1 commit ahead of](#) NaliniG007/4.Execution_of_NetworkCommends:main .

 [Contribute](#) ▾

 [Sync fork](#) ▾



subithasundaram15-lab Update README.md

79b606c · 3 minutes ago

 5 Commits



README.md

Update README.md

3 minutes ago

README



4.Execution_of_NetworkCommands

AIM :Use of Network commands in Real Time environment

Software : Command Prompt And Network Protocol Analyzer

Procedure: To do this EXPERIMENT- follows these steps:

In this EXPERIMENT- students have to understand basic networking commands e.g cpdump, netstat, ifconfig, nslookup ,traceroute and also Capture ping and traceroute PDUs using a network protocol analyzer
All commands related to Network configuration which includes how to switch to privilege mode

and normal mode and how to configure router interface and how to save this configuration to flash memory or permanent memory.

This commands includes

- Configuring the Router commands
- General Commands to configure network
- Privileged Mode commands of a router
- Router Processes & Statistics
- IP Commands
- Other IP Commands e.g. show ip route etc.

Output

netstat:



Command Prompt

Microsoft Windows [Version 10.0.26200.9168]
(c) Microsoft Corporation. All rights reserved.

C:\Users\SUBITHA S>netstat

Active Connections

Proto	Local Address	Foreign Address	State
TCP	172.20.10.2:56104	49.44.197.202:http	ESTABLISHED
TCP	[2409:40f4:4438:e154:511e:9743:27e4:7b88]:49995	[2001:4860:482b:7700::]:https	CLOSE_WAIT
TCP	[2409:40f4:4438:e154:511e:9743:27e4:7b88]:49996	[2603:1046:c06:906::2]:https	ESTABLISHED
TCP	[2409:40f4:4438:e154:511e:9743:27e4:7b88]:49997	[2603:1046:c06:906::2]:https	ESTABLISHED
TCP	[2409:40f4:4438:e154:511e:9743:27e4:7b88]:50438	164:https	ESTABLISHED
TCP	[2409:40f4:4438:e154:511e:9743:27e4:7b88]:52215	[2405:200:1607:1731::312c:83cc]:https	ESTABLISHED
TCP	[2409:40f4:4438:e154:511e:9743:27e4:7b88]:52533	[64:ff9b::3996:c061]:https	TIME_WAIT
TCP	[2409:40f4:4438:e154:511e:9743:27e4:7b88]:53377	[2606:4700:83b2:7cbc:c2fe:dc4:5ff2:75c4]:https	ESTABLISHED
TCP	[2409:40f4:4438:e154:511e:9743:27e4:7b88]:53881	[64:ff9b::14be:9224]:https	TIME_WAIT
TCP	[2409:40f4:4438:e154:511e:9743:27e4:7b88]:53900	[2405:200:1630:c9b::57]:https	ESTABLISHED
TCP	[2409:40f4:4438:e154:511e:9743:27e4:7b88]:54924	[2606:4700:9c61:d8b7:9afd:dc5:ccf5:ac50]:https	ESTABLISHED
TCP	[2409:40f4:4438:e154:511e:9743:27e4:7b88]:57072	[2606:4700:9c61:d8	

```
b7:9afd:dc5:ccf5:ac50]:https ESTABLISHED
TCP      [2409:40f4:4438:e154:511e:9743:27e4:7b88]:57650 ec2-3-111-241-224:
https ESTABLISHED
TCP      [2409:40f4:4438:e154:511e:9743:27e4:7b88]:59395 lcdels-in-f188:522
8 ESTABLISHED
TCP      [2409:40f4:4438:e154:511e:9743:27e4:7b88]:62385 [2620:1ec:33::11]:
https ESTABLISHED
TCP      [2409:40f4:4438:e154:511e:9743:27e4:7b88]:62386 [2405:200:1607:173
1::312c:74f6]:https ESTABLISHED
TCP      [2409:40f4:4438:e154:511e:9743:27e4:7b88]:62387 65:https
ESTABLISHED
```

ipconfig:

```
Command Prompt
C:\Users\SUBITHA S>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::79b0:30ff:6d7c:4924%15
    IPv4 Address. . . . . : 192.168.56.1
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 

Unknown adapter McAfee VPN:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 

Wireless LAN adapter Wi-Fi 3:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 

Wireless LAN adapter Wi-Fi 5:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 

Wireless LAN adapter Wi-Fi:
```

```
Connection-specific DNS Suffix . :  
IPv6 Address. . . . . : 2409:40f4:4438:e154:285f:96cb:d0e2:4b  
8c  
Temporary IPv6 Address. . . . . : 2409:40f4:4438:e154:511e:9743:27e4:7b  
88  
Link-local IPv6 Address . . . . . : fe80::650f:eb32:be2c:1441%12  
IPv4 Address. . . . . : 172.20.10.2  
Subnet Mask . . . . . : 255.255.255.240  
Default Gateway . . . . . : fe80::e8ff:f4ff:fe7d:3164%12  
172.20.10.1
```

ping:

```
C:\Users\SUBITHA S>ping www.google.com  
  
Pinging www.google.com [2001:4860:482c:7700::] with 32 bytes of data:  
Reply from 2001:4860:482c:7700::: time=19ms  
Reply from 2001:4860:482c:7700::: time=98ms  
Reply from 2001:4860:482c:7700::: time=44ms  
Reply from 2001:4860:482c:7700::: time=103ms  
  
Ping statistics for 2001:4860:482c:7700:::  
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
    Minimum = 19ms, Maximum = 103ms, Average = 66ms
```


tracert:

```
C:\Users\SUBITHA S>tracert www.google.com
```

```
Tracing route to www.google.com [2001:4860:482c:7700::]  
over a maximum of 30 hops:
```

1	2 ms	2 ms	1 ms	2409:40f4:4438:e154:b425:7d5a:4fc6:26ca
2	*	*	*	Request timed out.
3	60 ms	14 ms	80 ms	2405:200:5218:2e:3925::ff02
4	177 ms	85 ms	134 ms	2405:200:80c:1513:61::5
5	*	*	*	Request timed out.
6	21 ms	18 ms	81 ms	2405:200:801:900::160c
7	*	*	*	Request timed out.
8	45 ms	261 ms	27 ms	2001:4860:482c:7700::

```
Trace complete.
```

nslookup:





Command Prompt



```
C:\Users\SUBITHA S>nslookup
Default Server:  UnKnown
Address:  fe80::e8ff:f4ff:fe7d:3164

> nslookup www.amazon.com
Server:  cf.47cf2c8c9-frontier.amazon.com
Addresses:  2600:9000:24d9:cc00:7:49a5:5fd6:da1
            2600:9000:24d9:ca00:7:49a5:5fd6:da1
            2600:9000:24d9:b800:7:49a5:5fd6:da1
            2600:9000:24d9:3000:7:49a5:5fd6:da1
            2600:9000:24d9:1600:7:49a5:5fd6:da1
            2600:9000:24d9:5400:7:49a5:5fd6:da1
            2600:9000:24d9:6600:7:49a5:5fd6:da1
            2600:9000:24d9:c600:7:49a5:5fd6:da1
            18.161.215.98
Aliases:  www.amazon.com
          tp.47cf2c8c9-frontier.amazon.com

DNS request timed out.
    timeout was 2 seconds.
DNS request timed out.
    timeout was 2 seconds.
*** Request to www.amazon.com timed-out
> nslookup youtube.com
Server:  youtube.com
Addresses:  2404:6800:4000:101f::88
            2404:6800:4000:101f::be
            2404:6800:4000:101f::5b
```

```
2404:6800:4000:101f::5d
192.178.174.91
192.178.174.190
192.178.174.93
192.178.174.136
```

```
DNS request timed out.
    timeout was 2 seconds.
DNS request timed out.
    timeout was 2 seconds.
*** Request to youtube.com timed-out
>
```

getmac:

```
C:\Users\SUBITHA S>getmac

Physical Address      Transport Name
=====
0A-00-27-00-00-0F     \Device\Tcpip_{BBBC06DB-AB23-4621-9896-54604919AD35}
00-FF-77-2C-8A-A4     Media disconnected
50-BB-B5-FC-00-AA     \Device\Tcpip_{97F2FEB8-2766-4866-9D4F-56F9113F2BA5}
```

hostname:

```
C:\Users\SUBITHA S>hostname  
LAPTOP-HQ1IKOVC
```

nbtstat:

```
C:\Users\SUBITHA S>nbtstat
```

Displays protocol statistics and current TCP/IP connections using NBT (NetBIOS over TCP/IP).

```
NBTSTAT [ [-a RemoteName] [-A IP address] [-c] [-n]
          [-r] [-R] [-RR] [-s] [-S] [interval] ]
```

-a	(adapter status)	Lists the remote machine's name table given its name
-A	(Adapter status)	Lists the remote machine's name table given its IP address.
-c	(cache)	Lists NBT's cache of remote [machine] names and their IP addresses
-n	(names)	Lists local NetBIOS names.
-r	(resolved)	Lists names resolved by broadcast and via WINS
-R	(Reload)	Purges and reloads the remote cache name table
-S	(Sessions)	Lists sessions table with the destination IP addresses
-s	(sessions)	Lists sessions table converting destination IP addresses to computer NETBIOS names.
-RR	(ReleaseRefresh)	Sends Name Release packets to WINS and then, starts Refresh

RemoteName	Remote host machine name.
IP address	Dotted decimal representation of the IP address.
interval	Redisplays selected statistics, pausing interval seconds between each display. Press Ctrl+C to stop redisplaying statistics.

