

PROJECT DEVELOPMENT PHASE

6.1 Task 1 – Create UI Policy

A UI Policy named **High Impact Control** was created for the **Incident** table. The condition was configured as **Impact is 1 – High**. The policy was activated and the **Reverse if false** option was enabled. The Assignment Group field was configured as mandatory for High Impact incidents.




Figure 1: High Impact Control UI Policy

6.2 Task 2 – Configure UI Policy Action

A UI Policy Action was created under the **High Impact Control** policy for the **Urgency** field.

The **Read-only** option was enabled. Therefore, when the Impact is High, the Urgency field cannot be manually modified.





Figure 2: Urgency UI Policy Action

6.3 Task 3 – Create onChange Client Script

An **onChange Client Script** named **Auto set urgency for high impact** was created for the Incident table.

The script is triggered when the **Impact** field is changed. When the Impact is set to High, the system automatically sets the Urgency to High and displays an information message.



Update Delete

Related Links
[Run Point Scan](#)

Versions Recorded at Search Actions on selected rows... New

Update Versions	Name	Recorded at	State	Source	Reverted from
☐	sys_script_client_4628335c2f2fc3108457019a6fa4e3cd	2026-09-21 18:40:21	Current	Update Set: Default	(empty)

1 to 1 of 1

Figure 3: Auto Set Urgency Client Script

Task 3 – Working Result

When Impact was changed to High, the Urgency field was automatically updated to High.

dev423241.service-now.com/now/nav/ui/classic/params/target/incident.do%3Fsys_id%3D1%26sysparm_clear_stack%3Dtrue

Incident - Create INC0010005

Urgency set to High for High impact incident.

The following mandatory fields are not filled in: Short description, Assignment group, Caller

Number	INC0010005	Channel	-- None --
* Caller	Abel Tuter	State	New
Category	Inquiry / Help	Impact	1 - High
Subcategory	-- None --	Urgency	1 - High
Service		Priority	1 - Critical
Service offering		* Assignment group	CAB Approval
Configuration item		Assigned to	
* Short description	practise	Assigned To is mandatory for High Impact incidents.	
Description			

Related Search Results

Related Search Q practise Knowledge & Catalog (All)

Figure 4: Automatic Urgency Update

6.4 Task 4 – Create onSubmit Client Script

An **onSubmit Client Script** named **Prevent save if Assigned To missing** was created for the Incident table. The script checks whether the Impact is High and whether the Assigned To field is empty. If both conditions are satisfied, the system prevents the Incident from being saved and displays an error message.

dev423241.service-now.com/now/nav/ui/classic/params/target/sys_script_client.do%3Fsys_id%3D403a7f102f6c3108457019a6fa4e3d1%26syspar...

servicenow All Favorites History Workspaces Admin Client Script - Prevent save if Assigned To missing

Client Scripts

FAVORITES
No Results

ALL RESULTS

- Service Catalog
 - Catalog Administration
 - Catalog **Client Scripts**
 - System Definition

Client Scripts

Name: Prevent save if Assigned To missing

Table: Incident [Incident]

UI Type: Desktop

Type: onSubmit

Application: Global

Active: ☒

Inherited: ☐

Global: ☒

Description:

Messages:

Script

```

1 function onSubmit() {
2   if (g_form.getValue('impact') == '3' &&
3     g_form.getValue('assigned_to') == '') {
4     g_form.showErrorBox(
5       'assigned_to',
6       'Assigned To is mandatory for High impact incidents.'
7     );
8     return false;
9   }
10  return true;
11 }
12 }
13

```

Isolate script: ☒

Update Delete

Related Links
[Run Point Scan](#)

Versions Recorded at Search Actions on selected rows... New

Update Versions

Name	Recorded at	State	Source	Reverted from
sys_script_client_403a7f102f6c3108457019a6fa4e3d1	2026-09-21 18:46:05	Current	Update Set: Default	(empty)

1 to 1 of 1

Figure 5: Prevent Save Client Script

Task 4 – Working Result

When Impact was High and Assigned To was empty, the system prevented the Incident from being submitted.

Figure 6: Assigned To Validation

6.5 Task 5 – Create onCellEdit Client Script

An **onCellEdit Client Script** named **Prevent state change via list edit** was created for the **State** field.

The script prevents users from directly changing the Incident State through list editing and displays an alert instructing the user to open the Incident form.




Figure 7: Prevent State Change Client Script

Task 5 – Working Result

When the State was edited directly from the Incident list, an alert message was displayed and the State change was blocked.




Figure 8: State List Edit Restriction