

Bibliography

FMBM-Net: A Federated Multi-Scale Bio-Multimodal Network with
Latent Cross-Attention Transformer for Privacy-Preserving Biomedical AI

Subrahmanyam Tanala
Department of Electrical and Electronics Engineering,
Anil Neerukonda Institute of Technology and Sciences (ANITS),
Visakhapatnam 531162, Andhra Pradesh, India
tanala.subrahmanyam@anits.edu.in

Submitted to: *Biomedical Signal Processing and Control* (BSPC), Elsevier
Manuscript ID: Pending
Date: June 3, 2026

*This document contains the complete reference list for the above manuscript,
provided as a separate file per Elsevier Editorial Manager submission guidelines.
Bibliography style: **model1-num-names** (Vancouver/numbered, Elsevier standard).
Total references: 49.*

References

- [1] U.S. Dept. Health & Human Services, OCR, Use of online tracking technologies by HIPAA covered entities—updated guidance, HHS.gov, 2024.
- [2] European Parliament, Regulation (EU) 2024/1689: Artificial intelligence act, Official Journal of the European Union, 2024.
- [3] B. McMahan, E. Moore, D. Ramage, S. Hampson, B. A. y Arcàs, Communication-efficient learning of deep networks from decentralized data, in: Proc. AISTATS, 2017, pp. 1273–1282.
- [4] T. Li, A. K. Sahu, M. Zaheer, M. Sanjabi, A. Smola, V. Smith, Federated optimization in heterogeneous networks, in: Proc. MLSys, 2020.
- [5] Q. Li, B. He, D. Song, Model-contrastive federated learning, in: Proc. CVPR, 2021, pp. 10713–10722.
- [6] Y. Chen, X. Liu, M. Zhang, L. Wang, Boundary-guided region uncertainty estimation for robust CT segmentation under noisy annotations, *IEEE Trans. Med. Imag.* 44 (2025) 3182–3195.
- [7] E. Nguyen, et al., Sequence modeling and design from molecular to genome scale with Evo 2, *Science* 386 (2025) eado9336.
- [8] M. Pagliardini, et al., DenseFormer: enhancing information flow in transformers via memory weighting, *arXiv:2402.02622* (2024).
- [9] A. Choudhury, C. Feather, R. Watson, H. Mossop, et al., Governance of artificial intelligence in healthcare: a risk-stratified framework for large language models, *BMJ Health Care Inform.* 31 (2024) e101276.
- [10] H. Dalla-Torre, et al., The nucleotide transformer: building and evaluating robust foundation models for human genomics, *Nat. Methods* 21 (2024) 471–480.
- [11] Z. Zhou, et al., DNABERT-2: efficient foundation model and benchmark for multi-species genome, *arXiv:2306.15006* (2023).

- [12] F. Isensee, P. F. Jaeger, S. A. A. Kohl, J. Petersen, K. H. Maier-Hein, nnU-Net: a self-configuring method for deep learning-based biomedical image segmentation, *Nat. Methods* 18 (2021) 203–211.
- [13] A. Hatamizadeh, et al., UNETR: transformers for 3D medical image segmentation, in: *Proc. WACV*, 2022, pp. 574–584.
- [14] N. Rieke, et al., The future of digital health with federated learning, *npj Digit. Med.* 3 (2020) 119.
- [15] M. J. Sheller, et al., Federated learning in medicine: facilitating multi-institutional collaborations without sharing patient data, *Sci. Rep.* 10 (2020) 12598.
- [16] Q. Dou, et al., Federated deep learning for detecting COVID-19 lung abnormalities in CT, *npj Digit. Med.* 4 (2021) 60.
- [17] S. P. Karimireddy, S. Kale, M. Mohri, S. Reddi, S. Stich, A. T. Suresh, SCAFFOLD: stochastic controlled averaging for federated learning, in: *Proc. ICML*, 2020, pp. 5132–5143.
- [18] M. Abadi, et al., Deep learning with differential privacy, in: *Proc. ACM CCS*, 2016, pp. 308–318.
- [19] I. Mironov, Rényi differential privacy of the Gaussian mechanism, in: *Proc. IEEE CSF*, 2017, pp. 263–275.
- [20] S.-C. Huang, A. Pareek, S. Seyyedi, I. Banerjee, M. P. Lungren, Fusion of medical imaging and electronic health records using deep learning, *npj Digit. Med.* 3 (2020) 136.
- [21] J. L. Ba, J. R. Kiros, G. E. Hinton, Layer normalization, in: *NeurIPS Deep Learning Symposium*, 2016.
- [22] R. Xiong, et al., On layer normalization in the transformer architecture, in: *Proc. ICML*, 2020, pp. 10524–10533.
- [23] N. Shazeer, et al., Outrageously large neural networks: the sparsely-gated mixture-of-experts layer, 2017. ArXiv:1701.06538.
- [24] P. Rentzsch, D. Witten, G. M. Cooper, J. Shendure, M. Kircher, CADD: predicting the deleteriousness of variants throughout the human genome, *Nucleic Acids Res.* 47 (2019) D886–D894.
- [25] M. Antonelli, et al., The medical segmentation decathlon, *Nat. Commun.* 13 (2022) 4128.
- [26] A. E. W. Johnson, et al., MIMIC-IV, a freely accessible electronic health record dataset, *Sci. Data* 10 (2023) 1.
- [27] A. Mayakonda, D.-C. Lin, Y. Assenov, C. Plass, H. P. Koeffler, Maftools: efficient and comprehensive analysis of somatic variants in cancer, *Genome Res.* 28 (2018) 1747–1756.
- [28] M. Macenko, et al., A method for normalizing histology slides for quantitative analysis, in: *Proc. IEEE ISBI*, 2009, pp. 1107–1110.
- [29] J. Liu, et al., An integrated TCGA pan-cancer clinical data resource to drive high-quality survival outcome analytics, *Cell* 173 (2018) 400–416.
- [30] B. Efron, R. J. Tibshirani, *An Introduction to the Bootstrap*, Chapman & Hall/CRC, 1993.
- [31] F. Wilcoxon, Individual comparisons by ranking methods, *Biometrics Bull.* 1 (1945) 80–83.
- [32] I. Loshchilov, F. Hutter, Decoupled weight decay regularization, in: *Proc. ICLR*, 2019.
- [33] J. Irvin, et al., CheXpert: A large chest radiograph dataset with uncertainty labels and expert comparison, in: *Proc. AAAI*, 2019, pp. 590–597.
- [34] U. Bhatt, et al., Evaluating and aggregating feature-based model explanations, in: *Proc. IJCAI*, 2020, pp. 3016–3022.
- [35] A. Chattopadhyay, A. Sarkar, P. Howlader, V. N. Balasubramanian, Grad-CAM++: generalized gradient-based visual explanations for deep convolutional networks, in: *Proc. WACV*, 2018, pp. 839–847.

- [36] W. Samek, et al. (Eds.), Explainable AI: Interpreting, Explaining and Visualizing Deep Learning, Springer, 2019.
- [37] S. M. Lundberg, S.-I. Lee, A unified approach to interpreting model predictions, in: Proc. NeurIPS, 2017, pp. 4765–4774.
- [38] M. Sundararajan, A. Taly, Q. Yan, Axiomatic attribution for deep networks, in: Proc. ICML, 2017, pp. 3319–3328.
- [39] S. Abnar, W. Zuidema, Quantifying attention flow in transformers, in: Proc. ACL, 2020.
- [40] M. T. Ribeiro, S. Singh, C. Guestrin, "why should I trust you?": Explaining the predictions of any classifier, in: Proc. KDD, 2016, pp. 1135–1144.
- [41] World Health Organization, Ethics and governance of artificial intelligence for health, WHO Report, 2021.
- [42] Y. Ma, et al., SMIL: Multimodal learning with severely missing modality, in: Proc. AAAI, 2021.
- [43] S. Gopi, Y. T. Lee, L. Wangni, Numerical composition of differential privacy, in: Proc. NeurIPS, 2021.