

Table of Contents

USCSP301: USCS303-Operating System(OS)

SJF (with no pre-emption scheduling Algorithm).....	1
Aim.....	2
Algorithm.....	3
Example of SJF.....	4
Gnatt Chart.....	5
Implementation.....	6
Input.....	7
Output.....	8
Sample Output.....	9

SMT.Chanadibai Himathmal Manuskhani College

Practical aim: Non-Preemptive CPU Scheduling algorithm where each process with the smallest burst time is executed time.

Algorithm:

CPU scheduling algorithm are used for scheduling different process present in the ready queue with available resource in an optimal way so that each and every process get execute by CPU

Scheduling algorithm are broadly classified into two main type namely preemptive and non-preemptive .

FIRST COME FIRST OUT(FCFS) is also know as FIRST IN FIRST OUT (FIFO) SCHEDUAL algorithm is the and simplest

CPU .

A process scheduling different process to be assigned to the CPU based on particular scheduling algorithm .there are six popular process scheduling algorithm which we are going to discuss in this chapter FIRST COME FIRST OUT(FCFS) scheduling.

SMT.Chanadibai Himathmal Manuskhani College

Example 1: Consider the following example contain five processes .

Process Id	Burst Time
P0	6
P1	3
P2	8
P3	3
P4	4

Step 1: Processes get execute according to their lowest burst time first .

Process Id	Burst Time
P0	6
P1	3
P2	8
P3	3
P4	4

SMT.Chanadibai Himathmal Manuskhani College

Step 2: Following shows the scheduling and execution of processes

Step 2.1: At start P1 shortest execution time which is 0-3 second.

System time	0
Processes scheduling finish time	P1
Finish time	$0+3=3$
Waiting time	$3-3=0$
Turn Around time	$3-0=3$

Step 2.2: next shortest execution time is for process P3 for duration 3-6 second.

System time	6
Processes scheduling finish time	P1,p3
Finish time	$3+3=6$
Waiting time	$6-3=3$
Turn Around time	$6-0=6$

SMT.Chanadibai Himathmal Manuskhani College

Step 2.3: Next job with shortest execution time is P4 for a duration 6-10 second.

System time	10
Processes scheduling finish time	P1,p3,p4
Finish time	6+4=10
Waiting time	10-4=6
Turn Around time	10-0=10

Step 2.4: Next job with shortest execution time is p0 for duration of 10-16 second.

System time	10
Processes scheduling finish time	P1,p3,p3,p4,p0
Finish time	10+6=16
Waiting time	16-6=10
Turn Around time	16-0=16

Step 2.5 : Similarly next job with shortest execution time is P2 for duration of 16-24 second.

System time	16
Processes scheduling finish time	P1,p3,p3,p4,p0,p2

SMT.Chanadibai Himathmal Manuskhani College

Finish time	$16+8=24$
Waiting time	$24-8=16$
Turn Around time	$24-0=24$

Step 3: Calculate average waiting time and average turn around time.

$$\begin{aligned}\text{Average waiting time} &= (0+3+6+10+16)/5 \\ &= 35/5 \\ &= 7\end{aligned}$$

$$\begin{aligned}\text{Average turn around time} &= (3+6+10+16+24)/5 \\ &= 59/5 \\ &= 11.8\end{aligned}$$

SMT.Chanadibai Himathmal Manuskhani College

Gnatt Chart

Step 4: After scheduling of all provided processes.

Process id	Burst time	Arrival time	Finish time	Turn Around time	Waiting time
P1	3	0	$0+3=3$	$3-0=3$	$3-3=0$
P3	3	0	$3+3=6$	$6-0=6$	$6-3=3$
P4	4	0	$6+4=10$	$10-0=10$	$10-4=6$
P0	6	0	$10+6=16$	$16-0=16$	$16-6=10$
P2	8	0	$16+8=24$	$24-0=24$	$24-8=16$
Average				11.8000000	7.000000

P1	P3	P4	P0	P2	
0	3	6	10	16	24

SMT.Chanadibai Himathmal Manuskhani College

Example 2: Consider the following example containing five processes arrive at same time.

Processes ID	Burst Time
P0	2
P1	1
P2	6

Gnatt Chart

Process id	Burst time	Arrival time	Finish time	Turn Around time	Wating time
P1	1	0	1	1	1
P0	2	0	3	3	3
P2	6	0	9	9	9
Average				4.33333	1.33333

P1	P0	P2
0	1	3
		9

SMT.Chanadibai Himathmal Manuskhani College

Example 3: Consider the following example contain five processes arrive at same time .

Process ID	Burst time
P0	25
P1	15
P2	10
P3	25
P4	10
P5	25

Process id	Burst time	Arrival time	Finish time	Turn Around time	Waiting time
P2	10	0	10	10	0
P4	10	0	20	20	10
P1	15	0	35	35	20
P0	25	0	60	60	35
P3	25	0	85	85	60

SMT.Chanadibai Himathmal Manuskhani College

P5	25	0	110	110	85
Average				53.3333	35.000000

SMT.Chanadibai Himathmal Manuskhani College

Gnatt chart:

Process id	Burst time	Arrival time	Finish time	Turn Around time	Wating time
P2	10	0	10	10	0
P4	10	0	20	20	10
P1	15	0	35	35	20
P0	25	0	60	60	35
P3	25	0	85	85	60
	25	0	110	110	85
P5					
Average				53.3333	35.000000

P2	P4	P1	P0	P3	P5
0	10	20	35	60	85
					110

SMT.Chanadibai Himathmal Manuskhani College

Example 4: Consider the following example contain five processes arrive at same time .

Process Id	Burst Time
P0	7
P1	3
P2	2
P3	10
P4	8

Step 4: After scheduling of all provided processes.

Process id	Burst time	Arrival time	Finish time	Turn Around time	Waiting time
P2	2	0	2	2	0
P1	3	0	5	5	2
P0	7	0	12	12	5
P4	8	0	20	20	12
P3	10	0	30	30	20

SMT.Chanadibai Himathmal Manuskhani College

Average				13.80000	7.800000
---------	--	--	--	----------	----------

Gnatt chart:

Process id	Burst time	Arrival time	Finish time	Turn Around time	Wating time
P2	2	0	2	2	0
P1	3	0	5	5	2
P0	7	0	12	12	5
P4	8	0	20	20	12
P3	10	0	30	30	20
Average				13.80000	7.800000

P2	P1	P0	P4	P3
----	----	----	----	----

0 2 5 12 20 30

SMT.Chanadibai Himathmal Manuskhani College

Implementation:

//Name: Subrat Sahu

//Batch:B2

//PRN:2020016400833692

//Date:23/7/2021

//Prac-02: SJF(with no preemption)Algorithm

```
import java.util.Scanner;
```

```
public class P2_SJF_SS
```

```
{
```

```
int burstTime[];
```

```
int arrivalTime[]={0};
```

```
String[] processId;
```

```
int numberOfProcess;
```

```
void getProcessData(Scanner input){
```

```
System.out.println("enter the number of process for Scheduling:");
```

```
int inputNumberOfProcess=input.nextInt();
```

```
numberOfProcess=inputNumberOfProcess;
```

```
burstTime=new int[numberOfProcess];
```

```
arrivalTime=new int[numberOfProcess];
```

```
processId=new String[numberOfProcess];
```

```
String st="p";
```

```
for(int i=0;i < numberOfProcess;i++){
```

```
processId[i]=st.concat(Integer.toString(i));
```

```
System.out.print("enter the burst time for process-"+(i)+":");
```

```
burstTime[i]=input.nextInt();
```

```
}
```

SMT.Chanadibai Himathmal Manuskhani College

```
}  
  
void sortAccordingBurstTime(int[] at,int[] bt,String[] pid){  
    boolean swapped;  
    int temp;  
    String stemp;  
    for (int i=0;i<numberOfProcess;i++){  
        swapped=false;  
        for (int j = 0;j<numberOfProcess-i-1;j++){  
            if(bt[j]>bt[j+1]){  
                temp=bt[j];  
                bt[j]=bt[j+1];  
                bt[j+1]=temp;  
                temp=at[j];  
                at[j]=at[j+1];  
                at[j+1]=temp;  
                stemp=pid[j];  
                pid[j]=pid[j+1];  
                pid[j+1]=stemp;  
                swapped=true;  
            }  
        }  
        if(swapped==false){  
            break;  
        }  
    }  
  
    void shortestJobFirstNPAlgorithm(){  
        int finishTime[]=new int[numberOfProcess];  
        int bt[]=burstTime.clone();
```

SMT.Chanadibai Himathmal Manuskhani College

```
int at[]=arrivalTime.clone();
String pid[]=processId.clone();
int waitingTime[]=new int[numberOfProcess];
int turnAroundTime[]=new int[numberOfProcess];
sortAccordingBurstTime(at,bt,pid);
finishTime[0]=at[0]+bt[0];
turnAroundTime[0]=finishTime[0]-at[0];
waitingTime[0]=turnAroundTime[0]-bt[0];
for(int i=1;i<numberOfProcess;i++){
    finishTime[i]=bt[i]+finishTime[i-1];
    turnAroundTime[i]=finishTime[i]-at[i];
    waitingTime[i]=turnAroundTime[i]-bt[i];
}
float sum=0;
for(int n:waitingTime){
    sum+=n;
}
float averageWaitingTime=sum/numberOfProcess;
sum=0;
for(int n:turnAroundTime){
    sum+=n;
}
float averageTurnAroundTime=sum/numberOfProcess;
System.out.println("SJF (with no preemption) Scheduling Algorithm :");
System.out.format("%20s%20s%20s%20s%20s%20s\n","ProcessId","BurstTime"
,"ArrivalTime","FinishTime","TurnAroundTime","WatingTime");
for(int i=0;i<numberOfProcess;i++){
    System.out.format("%20s%20d%20d%20d%20d%20d\n",pid[i],bt[i],at[i]
,finishTime[i],turnAroundTime[i],waitingTime[i]);
}
```


SMT.Chanadibai Himathmal Manuskhani College

```
}  
  
System.out.format("%80s%20f%20f\n", "Average",averageTurnAroundTime,averageWaitingTime);  
  
}  
  
public static void main(String[] args){  
Scanner input=new Scanner(System.in);  
  
P2_SJF_SS obj=new P2_SJF_SS();  
obj.getProcessData(input);  
obj.shortestJobFirstNPAlgorithm();  
}  
}
```

SMT.Chanadibai Himathmal Manuskhani College

Input 1:

```
enter the number of process for Scheduling:
5
enter the burst time for process-0:6
enter the burst time for process-1:3
enter the burst time for process-2:8
enter the burst time for process-3:3
enter the burst time for process-4:4
```

Output :

SJF (with no preemption) Scheduling Algorithm :

ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAroundTime	WaitingTime
p1	3	0	3	3	0
p3	3	0	6	6	3
p4	4	0	10	10	6
p0	6	0	16	16	10
p2	8	0	24	24	16
Average				11.800000	7.000000

Sample output 01:

```
C:\Windows\System32\cmd.exe
SJF (with no preemption) Scheduling Algorithm :
ProcessId    BurstTime    ArrivalTime    FinishTime    TurnAroundTime    WaitingTime
p3           4           0             4             4             0
p4           4           0             8             8             4
p5           4           0            12            12            8
p0           5           0            17            17            12
p1           5           0            22            22            17
p2           5           0            27            27            22
Average      15.000000    10.500000

C:\Users\SD CONSULTANTS\OneDrive\Desktop>java P2_SJF_PD.java
enter the number of process for Scheduling:
5
enter the burst time for process-0:6
enter the burst time for process-1:3
enter the burst time for process-2:8
enter the burst time for process-3:3
enter the burst time for process-4:4
SJF (with no preemption) Scheduling Algorithm :
ProcessId    BurstTime    ArrivalTime    FinishTime    TurnAroundTime    WaitingTime
p1           3           0             3             3             0
p3           3           0             6             6             3
p4           4           0            10            10            6
p0           6           0            16            16            10
p2           8           0            24            24            16
Average      11.800000    7.000000
```

SMT.Chanadibai Himathmal Manuskhani College

Input 2:

```
enter the burst time for process-0:2
enter the burst time for process-1:1
enter the burst time for process-2:6
SJF (with no preemption) Scheduling Algorithm :
```

ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAroundTime	WaitingTime
-----------	-----------	-------------	------------	----------------	-------------

Input 3:

```
SJF (with no preemption) Scheduling Algorithm :
```

ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAroundTime	WaitingTime
p1	1	0	1	1	0
p0	2	0	3	3	1
p2	6	0	9	9	3
Average				4.333333	1.333333

Sample output 2:

```
C:\Windows\System32\cmd.exe
7.000000
enter the number of process for Scheduling:
3
enter the burst time for process-0:2
enter the burst time for process-1:1
enter the burst time for process-2:6
SJF (with no preemption) Scheduling Algorithm :
```

ProcessId	BurstTime	ArrivalTime	FinishTime	TurnAroundTime	WaitingTime
p1	1	0	1	1	0
p0	2	0	3	3	1
p2	6	0	9	9	3
Average				4.333333	1.333333

```
C:\Users\SD CONSULTANTS\OneDrive\Desktop>
```

SMT.Chanadibai Himathmal Manuskhani College

Input 3:

```
enter the burst time for process-0:7
enter the burst time for process-1:3
enter the burst time for process-2:2
enter the burst time for process-3:10
enter the burst time for process-4:8
SJF (with no preemption) Scheduling Algorithm :
```

Output:

```
SJF (with no preemption) Scheduling Algorithm :
ProcessId      BurstTime      ArrivalTime      FinishTime      TurnAroundTime      WatingTime
p2              2              0              2              2              0
p1              3              0              5              5              2
p0              7              0              12             12              5
p4              8              0              20             20             12
p3             10              0              30             30             20
Average              13.800000              7.800000
```

C:\Users\SD CONSULTANTS\OneDrive\Desktop>

Sample output 3:

```
C:\Windows\System32\cmd.exe
Microsoft Windows [Version 10.0.19042.1110]
(c) Microsoft Corporation. All rights reserved.

C:\Users\SD CONSULTANTS\OneDrive\Desktop>javac P2_SJF_PD.java
C:\Users\SD CONSULTANTS\OneDrive\Desktop>java P2_SJF_PD.java
enter the number of process for Scheduling:
5
enter the burst time for process-0:7
enter the burst time for process-1:3
enter the burst time for process-2:2
enter the burst time for process-3:10
enter the burst time for process-4:8
SJF (with no preemption) Scheduling Algorithm :
ProcessId      BurstTime      ArrivalTime      FinishTime      TurnAroundTime      WatingTime
p2              2              0              2              2              0
p1              3              0              5              5              2
p0              7              0              12             12              5
p4              8              0              20             20             12
p3             10              0              30             30             20
Average              13.800000              7.800000

C:\Users\SD CONSULTANTS\OneDrive\Desktop>
```

SMT.Chanadibai Himathmal Manuskhani College

Input:

```
enter the burst time for process-0:25
enter the burst time for process-1:15
enter the burst time for process-2:10
enter the burst time for process-3:25
enter the burst time for process-4:10
enter the burst time for process-5:25
SJF (with no preemption) Scheduling Algorithm :
```

Output :

```
SJF (with no preemption) Scheduling Algorithm :
ProcessId      BurstTime      ArrivalTime      FinishTime      TurnAroundTime      WatingTime
p2             10             0                10              10                 0
p4             10             0                20              20                 10
p1             15             0                35              35                 20
p0             25             0                60              60                 35
p3             25             0                85              85                 60
p5             25             0                110             110                85
Average                    53.333332      35.000000
```

Sample output 4:

```
C:\Windows\System32\cmd.exe
6.
enter the burst time for process-0:25
enter the burst time for process-1:15
enter the burst time for process-2:10
enter the burst time for process-3:25
enter the burst time for process-4:10
enter the burst time for process-5:25
SJF (with no preemption) Scheduling Algorithm :
ProcessId      BurstTime      ArrivalTime      FinishTime      TurnAroundTime      WatingTime
p2             10             0                10              10                 0
p4             10             0                20              20                 10
p1             15             0                35              35                 20
p0             25             0                60              60                 35
p3             25             0                85              85                 60
p5             25             0                110             110                85
Average                    53.333332      35.000000
C:\Users\SD CONSULTANTS\OneDrive\Desktop
```

