



1021117590

Name	Mr. SUBRAT KU PANDA	Patient ID	1021117590	Collected	01/02/2022 19:02:31
Age	22 Yrs	Sex	Male	Sample ID	1021117590-02
Ref. By	Self	SRF ID	2136203046578	Received	01/02/2022 19:02:31
Sample type	: Nasopharyngeal & Oropharyngeal			Reported	01/02/2022 22:50:40
				Report Status	Final

**\*COVID-19 RT PCR TEST**

N GENE	<b><u>POSITIVE</u></b>
CT Value N GENE	21
RDRP GENE	<b><u>POSITIVE</u></b>
CT Value RDRP GENE	21
FINAL RESULT	<b><u>POSITIVE</u></b>

## Interpretation:

Positive test indicates presence of SARS-CoV-2. Negative test result indicates absence of SARS-CoV-2 .

Limitations of the Assay: One or more negative results does not rule out the possibility of COVID-19 virus infection. A number of factors could lead to a negative result in an infected individual, including poor quality of the specimen, low sample volume, timing of specimen collection (late or very early in the infection), inappropriate sample handling and shipping, inherent technical reasons like virus mutation, limit of detection or PCR inhibition. If a negative result is obtained from a patient with a high index of suspicion for COVID-19 virus infection, particularly when only upper respiratory tract specimens were collected, additional specimens, from the lower respiratory tract if possible, should be collected and tested.

## Conditions of Reporting:

- 1) Each test method has its own limitations and they differ for each test method. The test result should be used in conjunction with the clinical findings and relevant investigations.
- 2) The test results relate only to specimen sample received on the basis of request/referral received from/through state surveillance officers (SSO) or concerned state integrated disease surveillance program (IDSP)/any other health care facility.
- 3) Please note that these results are not to be used for any thesis or presentation or for publication in any journal without the prior permission of concerned officials.
- 4) In the event of unforeseen circumstances (unavailability of test kits, failure of test runs, instrumental breakdown and natural calamities) ZEUSNJOVE DIAGNOSTICS LLP will make all the efforts in minimizing the delay in report. The requested test may not be performed for the following reasons: - absence of referral note from the doctor wherever appropriate, incorrect specimen type, specimen quantity and quality unacceptable.
- 5) The \*marked test are not under NABL Scope of Accreditation.

ZEUSNJOVE DIAGNOSTICS LLP has been authorised to perform COVID-19 RTPCR testing by ICMR. The ICMR approval code is ZEJODLLPBO.

\*\*\*\*\* End of Report \*\*\*\*\*

Nikita Routray  
Jr. Scientist  
Prepared ByDr. Priyadarshini Bhoi  
M.D. Microbiologist