

Characterization of Power Efficiency of Mobile Video Streaming Services over 4G/3G/Wi-Fi

Ashiwan Sivakumar
School of ECE,
Purdue University
Email: asivakum@purdue.edu

Subrata Mitra
School of ECE,
Purdue University
Email: mitra4@purdue.edu

Sambit Mishra
School of ECE,
Purdue University
Email: sambitmishra@purdue.edu

Abstract—Smartphones and tablets have become the devices of choice for connecting to the internet and watching videos. Video data contributes to the bulk of internet traffic and, the number, length and variety of videos have increased significantly. Mobile devices live on limited battery energy which is still a major bottleneck and a source of user dissatisfaction while watching videos. For this project, we shall characterize the power efficiency of mobile video streaming services over 4G/3G/Wi-Fi. We shall evaluate the energy efficiency of various streaming applications like *YouTube*, *Netflix* and *hulu* and aim to identify power wastage in the existing approach. We shall collect packet traces for these streaming applications and pinpoint source of wasteful data and power drains with the help of ARO [9], a widely accepted tool developed by AT&T researchers for power modeling.

I. RELATED WORK

A lot of research has been done in improving the power efficiency of mobile and hand-held devices. Different schemes target different features of the device for power reduction. These include network, architecture level, circuit, and software level optimizations. [8] explores a combination of these optimizations for achieving power efficiency. Some recent literature like [10], [11] also confirm the theory that transmitting video frames in bursts actually save significant amount of energy. A very recent work [3] uses battery aware rate adaptation and base station reconfiguration to achieve power savings. An interesting work which effectively schedules data transfers in return for energy savings is [1]. There are also studies which try to look at the energy consumption of web based applications in smartphones. Huang et al., [5] investigate the energy usage in 3G, LTE and WiFi networks and perform case studies of several popular applications on Android in LTE and identify that performance bottlenecks lies less in the network and more in the device's processing power. Huang et al., [6] conducted an in-depth study of interactions among applications, network transport protocol, and the radio layer and their impact on performance, using a combination of active and passive measurements. They discovered that many TCP connections significantly under-utilize the available bandwidth. This causes data downloads to be longer, and incur additional energy overhead. Deng and Balakrishnan [2] propose a technique to reduce energy consumption by learning the traffic patterns and predicting when a burst of traffic will start or end and then determine when to change the radio's state from Active to Idle, and another to change the radio's state from Idle to Active. Hoque, Siekinnen

and Nurminen [4] propose a download scheduling algorithm based on crowd-sourced video viewing statistics which judiciously evaluates the probability of a user interrupting a video viewing in order to perform the right amount of prefetching. They show an energy savings of upto 80%. Li et al., [7] propose GreenTube, a system that optimizes power consumption for mobile video streaming by judiciously scheduling downloading activities to minimize unnecessary active periods of 3G/4G radio. It achieves this by dynamically managing the downloading cache based on user viewing history and network condition. However the energy crisis is far from over.

REFERENCES

- [1] N. Balasubramanian, A. Balasubramanian, and A. Venkataramani. Energy consumption in mobile phones: A measurement study and implications for network applications. In *IMC*, 2009.
- [2] S. Deng and H. Balakrishnan. Traffic-aware techniques to reduce 3g/lte wireless energy consumption. In *Proceedings of the 8th international conference on Emerging networking experiments and technologies*, pages 181–192. ACM, 2012.
- [3] R. Guruprasad and S. Dey. Rate adaptation and base station reconfiguration for battery efficient video download. In *IEEE WCNC*, 2013.
- [4] M. A. Hoque, M. Siekkinen, and J. K. Nurminen. Using crowd-sourced viewing statistics to save energy in wireless video streaming. In *Proceedings of the 19th annual international conference on Mobile computing & networking*, pages 377–388. ACM, 2013.
- [5] J. Huang, F. Qian, A. Gerber, Z. M. Mao, S. Sen, and O. Spatscheck. A close examination of performance and power characteristics of 4g lte networks. In *Proceedings of the 10th international conference on Mobile systems, applications, and services*, pages 225–238. ACM, 2012.
- [6] J. Huang, F. Qian, Y. Guo, Y. Zhou, Q. Xu, Z. M. Mao, S. Sen, and O. Spatscheck. An in-depth study of lte: Effect of network protocol and application behavior on performance. In *Proceedings of the ACM SIGCOMM 2013 conference on SIGCOMM*, pages 363–374. ACM, 2013.
- [7] X. Li, M. Dong, Z. Ma, and F. C. Fernandes. Greentube: power optimization for mobile videostreaming via dynamic cache management. In *Proceedings of the 20th ACM international conference on Multimedia*, pages 279–288. ACM, 2012.
- [8] S. Mohapatra, R. Cornea, N. Dutt, A. Nicolau, and N. Venkatasubramanian. Integrated power management for video streaming to mobile handheld devices. In *MULTIMEDIA*, 2003.
- [9] F. Qian, Z. Wang, A. Gerber, Z. Mao, S. Sen, and O. Spatscheck. Demo: mobile application resource optimizer (aro). In *Proceedings of the 9th international conference on Mobile systems, applications, and services*, pages 369–370. ACM, 2011.
- [10] S. V. Rajaraman, M. Siekkinen, V. Virkki, and J. Torsner. Bundling frames to save energy while streaming video from lte mobile device. In *MobiArch*, 2013.

- [11] M. Siekkinen, M. A. Hoque, J. K. Nurminen, and M. Aalto. Streaming over 3g and lte: How to save smartphone energy in radio access network-friendly way. In *MoVid*, 2013.