1. git init

```
C:\Users\pronn\OneDrive\Desktop\SEPM Lab>git init
Initialized empty Git repository in C:/Users/pronn/OneDrive/Desktop/SEPM Lab/.git/
```

- 2. git config user.name
- 3. git config.email

```
C:\Users\pronn\OneDrive\Desktop\SEPM Lab>git config user.name subrato3
C:\Users\pronn\OneDrive\Desktop\SEPM Lab>git config user.email subrato3tapaswi@gmail.com
```

4. git status

```
C:\Users\pronn\OneDrive\Desktop\SEPM Lab>git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)

App.py
Dockerfile
```

5. git clone- creates a linked copy of an existing repo on the local machine git fork- creates an independent copy of an existing repo remotely

```
C:\Users\pronn\OneDrive\Desktop\SEPM Lab>git clone https://github.com/subrato3/sepm.git Cloning into 'sepm'...
remote: Enumerating objects: 3, done.
remote: Countring objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
```

6. git status

```
PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
   (use "git add <file>..." to update what will be committed)
   (use "git restore <file>..." to discard changes in working directory)
        modified: index.html

Untracked files:
   (use "git add <file>..." to include in what will be committed)
        program.html

no changes added to commit (use "git add" and/or "git commit -a")
```

- 7. git add
- 8. git commit

```
    PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git add .
    PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git commit -m "added program file" [main 4880be7] added program file 2 files changed, 114 insertions(+), 13 deletions(-) rewrite index.html (79%)
    create mode 100644 program.html
```

# 9. git diff

```
diff --git a/program.html b/program.html
index f013ed5..629b999 100644
--- a/program.html
+++ b/program.html
@@ -40,23 +40,7 @@
             </div>
          </div>
          diff --git a/program.html b/program.html
index f013ed5..629b999 100644
--- a/program.html
+++ b/program.html
@ -40,23 +40,7 @
             </div>
          </div>
```

## 10. git push

```
PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git push --set-upstream origin main Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 1.29 KiB | 659.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/subrato3/sepm.git
64af8b9..4880be7 main -> main
branch 'main' set up to track 'origin/main'.
```

```
PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git push origin main
Everything up-to-date
```

#### 11. git pull

```
PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git pull remote: Enumerating objects: 5, done. remote: Counting objects: 100% (5/5), done. remote: Compressing objects: 100% (3/3), done. remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 Unpacking objects: 100% (3/3), 782 bytes | 65.00 KiB/s, done. From https://github.com/subrato3/sepm 4880be7..d170a4c main -> origin/main Updating 4880be7..d170a4c Fast-forward index.html | 3 ++-

1 file changed, 2 insertions(+), 1 deletion(-)
```

#### 12. git branch

```
    PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git branch
    * main
    PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git branch subrato
    PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git branch
    * main
    subrato
```

# 13. git checkout

- PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git checkout subrato Switched to branch 'subrato'
   PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git branch main
   \* subrato
- 14. git merge
  - PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git merge main Already up to date.

# 15. git log

```
PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git log
commit d170a4c516ab926517c33a95507c0f02f5b2d25a (HEAD -> subrato, origin/main, origin/HEAD, main)
Author: Subrato Tapaswi <85778323+subrato3@users.noreply.github.com>
Date: Mon May 1 18:47:31 2023 +0530

    Update index.html

commit 4880be77eb20b057616fc175fcc3714f0f1b0966
Author: Argentina <subrato3tapaswi@gmail.com>
Date: Mon May 1 18:31:54 2023 +0530

    added program file

commit 64af8b9ba1d006f318e20bdf95ef85ab59589cce
Author: Subrato Tapaswi <85778323+subrato3@users.noreply.github.com>
Date: Sun Apr 2 13:44:26 2023 +0530

Create index.html
```

## 16. git show

```
PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git show
commit d170a4c516ab926517c33a95507c0f02f5b2d25a (HEAD -> subrato, origin/main, origin/HEAD, main)
Author: Subrato Tapaswi <85778323+subrato3@users.noreply.github.com>
Date: Mon May 1 18:47:31 2023 +0530
    Update index.html
diff --git a/index.html b/index.html
index 75635a7..44b333c 100644
--- a/index.html
+++ b/index.html
@@ -22,6 +22,7 @@
                        <body>
                                Hello World!
                                This is for the Software Engineering and Project Management Lab 3
                        </body>
 </header>
\ No newline at end of file
```

## 17. git log -stat -M

```
PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git log --stat -M
 commit d170a4c516ab926517c33a95507c0f02f5b2d25a (HEAD -> subrato, origin/main, origin/HEAD, main)
 Author: Subrato Tapaswi <85778323+subrato3@users.noreply.github.com>
 Date: Mon May 1 18:47:31 2023 +0530
     Update index.html
  index.html | 3 ++-
  1 file changed, 2 insertions(+), 1 deletion(-)
 commit 4880be77eb20b057616fc175fcc3714f0f1b0966
 Author: Argentina <subrato3tapaswi@gmail.com>
 Date: Mon May 1 18:31:54 2023 +0530
     added program file
  index.html
              2 files changed, 110 insertions(+), 9 deletions(-)
 commit 64af8b9ba1d006f318e20bdf95ef85ab59589cce
 Author: Subrato Tapaswi <85778323+subrato3@users.noreply.github.com>
 Date: Sun Apr 2 13:44:26 2023 +0530
     Create index.html
  index.html | 13 ++++++++++
  1 file changed, 13 insertions(+)
```

- 18. git reset
- 19. git clean

```
    PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git reset
    PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git clean
fatal: clean.requireForce defaults to true and neither -i, -n, nor -f given; refusing to clean
```

#### 20. git stash

• PS C:\Users\pronn\OneDrive\Desktop\SEPM Lab\sepm> git stash
Saved working directory and index state WIP on subrato: d170a4c Update index.html