
a
Pretraining samples
Pretraining chunks (log scale)
100M
10M
1M
100k
10k
58.88M
75k
60.2k
Allen 75k
IBL 75k
IBL scaling
b Allen Brain Observatory
Sessions per split
Sessions
25
14
12
train
val
test
Samples per split
5 test folds: 474k total
Samples
94.3k
95k
94.8k
94.8k
94.8k
94.8k
94.8k
test 1
test 2
test 3
test 4
test 5
c IBL Brain Wide Map
Subjects per split
Subjects
76
29
34
Samples per split
5 test folds: 500k total
100k
25k
d NeuroNexus
Samples (k) per session and class
AD_HF02_2 5.6 1.1 — 11 13
AD_HF02_4 7.3 — — 7.6 14
AD_HF03_1 6.3 1.1 — 8.2 4.7
AD_HF03_2 2.8 — 0.18 3.7 1.1
NN_syn_03 61 — — — —
AD_HF01_1 9.4 0.3 2.4 6.3 20
NN_syn_01 11 1.6 4.2 4.9 12
NN_syn_02 8.6 1.3 4.7 8.6 9.9
Cortex
CA1
CA2
CA3
DG
Sessions per role
Sessions
5
2
1
train pool
val
test
Samples per fold
Samples
train
val
test
149k
66.5k
38.8k
72k
33.3k
72.1k
33.2k
Fold
e Macaque PFC
Probes per area and subject
Probes
A (train+val)
B (test)
2
1
1
3
2
1 1
45
46
8
9/46
Prefrontal area
Probes per split
7
4
train+val (A)
test (B)
Samples per split
Approx. samples (chunks × channels)
6.35M
706k
5.45M
train (A)
val (A)
test (B)