





swimlane: path / linear (default)




swimlane: path / linear + discretize at 6.5/7/8





swimlane: tile / linear (8 time bins)





swimlane: tile / linear + facet by cohort




swimlane: path / polar (full circle, the kodomo flower)




swimlane: polar fan (arc_degrees = 270)



swimlane: polar fan (arc_degrees = 180, half-circle)



swimlane: polar + discretize




value


6.5 7.0 8.0


state: thresholds 6.5 / 8








swimlane_multi: a1c | bmi (anchor = a1c)







swimlane_multi: discretized at clinical thresholds (a1c 6.5/7/8, bmi 25/30)






kodom_multi: a1c | bmi concentric bands (full circle)





kodom_multi: concentric bands + fan (arc_degrees = 270)





z
(per var)

-2 -1 0 1 2


kodom_multi: anchored on BMI (lanes resorted, bands swap inside-out)




kodom_multi: 3 variables (a1c | bmi | ldl) on one flower




components: faceted eigenfunctions




components: overlay + mean curve




perturbation: default




perturbation: K=1, sd_mult=1




scores: FPC1 vs FPC2




scores: colored by k=3 cluster




swimlane: lanes sorted by FPC1 score




components: with subject-level bootstrap envelopes (B=8)




scores_glyph: univariate (a1c sparkline at each PC location)




scores_glyph: multivariate (a1c + bmi sparklines per subject)




scores_glyph: multivariate, larger glyphs (size 0.08)




fit: lmer (random intercept + slope, time/1000)




fit: gam factor-smooth (bs='fs', k=4)




fit: FPCA reconstruction




residuals: lmer (continuous)




residuals: lmer + discretize




residuals: gam




residuals: FPCA




compare overlay: lmer (default — points on top of fit lines)




compare side: lmer (raw | fit two-panel)




raw




fit




compare overlay: FPCA (sorted by FPC1)




compare side: FPCA (sorted by FPC1)



raw



fit



compare overlay: FPCA (facet by k=3 cluster)

