# <abbrev> spec

• categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by element-citation

# <abbrev-journal-title> <a href="mailto:spec"> spec</a>

• categories: text

# <abstract> spec

• categories: structured, hybrid

considered as hybrid because: disp-formula should not be 'mixed'

- used inline by disp-formula,
- but as structured element by app-group, article-meta, chem-struct-wrap, disp-formula-group, fig, fig-group, front-stub, graphic, media, sec-meta, statement, supplementary-material, table-wrap, table-wrap-group

## <access-date> spec

categories: text

# <ack> spec

• categories: structured, hybrid

considered as hybrid because:

Bad guys which allow block-level content to appear inline

- used inline by license-p,named-content,p,styled-content,
- but as structured element by abstract, aek, app, app-group, back, bio, body, boxed-text, disp-quote, front, glossary, notes, ref-list, sec, trans-abstract

#### Don't allow nesting

# <addr-line> <a spec</a>

• categories: text, hybrid

#### <aff> and others allow for mixed content Thus, can occur as element or as an annotation

considered as hybrid because:

- used inline by aff,collab,conf-loc,corresp,publisher-loc,
- but as structured element by address

Texture produces structured presentation.

# <address> spec

• categories: structured, hybrid

considered as hybrid because:

#### Use structured only

- used inline by collab, license-p, named-content, p, styled-content,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,contrib,contrib-group,disp-quote,glossary,notes,ref-list,sec,trans-abstract

# <aff> spec

#### Should be structured element

categories: text,hybrid Texture will use an <x> internally for plain-text version
 considered as hybrid because:

- used inline by collab, person-group, sig-block, Use structured only
- but as structured element by aff-alternatives, article-meta, contrib, contrib-group, frontstub, journal-meta

# <aff-alternatives> <a spec</a>

categories: structured, hybrid

considered as hybrid because: Use structured only

- used inline by collab, person-group, sig-block,
- but as structured element by article-meta, contrib, contrib-group, front-stub, journal-meta

# <alt-text> spec

categories: text, hybrid
 Not really a hybrid because only used by
 considered as hybrid because:
 self-contained inline nodes

- used inline by chem-struct, disp-formula, inline-supplementary-material, preformat,
- but as structured element by array, chem-struct-wrap, disp-formula-group, fig, fig-group, graphic, inline-graphic, media, supplementary-material, table-wrap, table-wrap-group

# <alt-title> <a texts spec</td>

· categories: text

# <alternatives> spec

• categories: structured, hybrid

# Should be used in structured and inline-nodes only

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by abstract,ack,app,app-group,array,bio,body,boxed-text,chem-struct-wrap,disp-quote,element-citation,fig,fig-group,floats-group,glossary,notes,ref-list,sec,supplementary-material,table-wrap,trans-abstract

# <annotation> spec

• categories: structured, hybrid

considered as hybrid because:

#### Should be used structured only

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation, nlm-eitation

#### <anonymous> <a href="mailto:spec">spec</a>

• categories: text, hybrid

considered as hybrid because:

- used inline by person-group,
   Use structured only
- o but as structured element by contrib

#### <app> spec

categories: structured

#### <app-group> spec

categories: structured

## <array> spec

• categories: structured, hybrid

#### Should be used as block-level element only

considered as hybrid because:

- used inline by chem-struct, disp-formula, license-p, named-content, p, styled-content, td, term, th,
- but as structured element by abstract,ack,alternatives,app,app-group,bio,body,boxed-text,disp-quote,fig,glossary,notes,ref-list,sec,supplementary-material,trans-abstract

# <article> spec

• categories: structured

# <article-categories> <a href="mailto:spec"> spec</a>

• categories: structured

# <article-id> spec

· categories: text

## <article-meta> <artic

• categories: structured

# <article-title> <article-title

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation,nlm-citation,title-group

# <attrib> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by disp-formula, preformat,
- but as structured element by array,boxed-text,chem-struct-wrap,dispquote,fig,graphic,media,statement,supplementary-material,table-wrap,table-wrap-foot,versegroup

# <author-comment> <a triangle spec</a>

- categories: structured, hybrid
  - considered as hybrid because:

#### Use structured only

- used inline by collab,
- but as structured element by contrib, contrib-group

# <author-notes> <a style="color: blue;">spec</a>

• categories: structured

# <award-group> <a href="mailto:spec"> spec</a>

• categories: structured

## <award-id> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by funding-statement, license-p,p,
- but as structured element by award-group

# <br/> <br/> back> <br/> spec

• categories: structured

# <br/> <br/> spec

- categories: structured, hybrid
  - considered as hybrid because:
    - used inline by collab,

      Use structured only
    - but as structured element by back,contrib,contrib-group,front

# <br/> <br/> spec

categories: structured

# <body><br/><br/><br/>spec

categories: text, hybrid
 Use as annotation only

- used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation

# <br/> <br/> boxed-text> <br/> <br/> spec

• categories: structured, hybrid

#### Use structured only

considered as hybrid because:

- used inline by license-p,named-content,p,styled-content,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,disp-quote,floats-group,glossary,notes,ref-list,sec,trans-abstract

# <br/> <br/> spec

• categories: structured,anno

# <caption> spec

· categories: structured

# <chapter-title> <a href="mailto:spec">spec</a>

categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation

# <chem-struct> spec

Texture will use it as structured element not as text node, with <alternatives> to allow for plain-text representations

• used inline by abbrev, abbrev-journal-title, addr-line, aff, alt-title, anonymous, article-title, attrib, award-id, bold, chapter-title, chem-struct, collab, comment, compound-kwd-

part, compound-subject-part, conf-acronym, conf-loc, conf-name, conf-num, conf-sponsor, conf-theme, copyright-statement, corresp, def-head, degrees, disp-formula, edition, email, etal, ext-link, fax, fixed-case, funding-source, funding-statement, given-names, gov, history, inline-formula, inline-supplementary-material, institution, issue, issue-part, issue-sponsor, issue-title, italic, journal-subtitle, journal-title, kwd, label, license-p, meta-name, meta-value, mixed-citation, monospace, named-content, on-behalf-of, overline, p, part-title, patent, phone, prefix, preformat, product, publisher-loc, publisher-name, rb, related-article, related-object, role, roman, sans-serif, sc, self-uri, series, series-text, series-title, sig, sig-block, source, speaker, std-organization, strike, string-conf, string-date, string-name, styled-content, sub, subject, subtitle, suffix, sup, supplement, surname, target, td, term, term-head, th, title, trans-source, trans-subtitle, trans-title, underline, unstructured-kwd-group, uri, verse-line, version, volume, volume-id, volume-series, xref,

• but as structured element by alternatives, chem-struct-wrap, element-citation

# <chem-struct-wrap> spec

• categories: structured, hybrid

considered as hybrid because: Use structured only

- used inline by license-p,named-content,p,styled-content,td,term,th,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,disp-quote,fig,floats-group,glossary,notes,ref-list,sec,supplementary-material,table-wrap,trans-abstract

## <citation-alternatives> spec

• categories: structured, hybrid

considered as hybrid because: Use structured only

- used inline by license-p,p,td,th,title,
- o but as structured element by ref

# <city> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by addr-line, aff, collab, conf-loc, corresp, publisher-loc,
- but as structured element by address

# <code> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by chem-struct, disp-formula, license-p, named-content, p, styled-content, td, term, th,
- but as structured element by abstract,ack,alternatives,app,app-group,bio,body,boxed-text,chem-struct-wrap,disp-quote,fig,floats-group,glossary,notes,ref-list,sec,supplementary-material,table-wrap,trans-abstract

# <col> spec

• categories: structured

# <colgroup> <a href="mailto:spec">spec</a>

• categories: structured

## <collab> spec

categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by mixed-citation, person-group, product, related-article, related-object,
- but as structured element by collab-alternatives, contrib, element-citation, nlm-citation

## <collab-alternatives> <a href="mailto:spec">spec</a>

categories: structured, hybrid

considered as hybrid because:

#### Use structured only

- used inline by mixed-citation, person-group, product, related-article, related-object,
- but as structured element by contrib, element-citation

#### <comment> <a href="mailto:spec">spec</a>

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation,nlm-citation

# <compound-kwd> spec

categories: structured

# <compound-kwd-part> spec

· categories: text

# <compound-subject> spec

categories: structured

# <compound-subject-part> spec

· categories: text

# <conf-acronym> <a href="mailto:spec">spec</a>

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by mixed-citation, product, related-article, related-object, string-conf,
- o but as structured element by conference, element-citation

# <conf-date> spec

categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by mixed-citation, product, related-article, related-object, string-conf,
- o but as structured element by conference, element-citation, nlm-citation

# <conf-loc> spec

categories: text, hybrid

considered as hybrid because:

#### Use structured only

- used inline by mixed-citation, product, related-article, related-object, string-conf,
- but as structured element by conference, element-citation, nlm-citation

# <conf-name> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by mixed-citation, product, related-article, related-object, string-conf,
- but as structured element by conference, element-citation, nlm-citation

# <conf-num> spec

• categories: text, hybrid

considered as hybrid because:

#### Use structured only

- used inline by string-conf,
- but as structured element by conference

# <conf-sponsor> <a href="mailto:spec">spec</a>

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by mixed-citation, product, related-article, related-object, string-conf,
- but as structured element by conference, element-citation

## <conf-theme> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by string-conf,
- o but as structured element by conference

# <conference> spec

• categories: structured

# <contrib> spec

categories: structured, hybrid

considered as hybrid because:

Use structured only

- used inline by sig-block,
- but as structured element by contrib-group

# <contrib-group> spec

• categories: structured, hybrid

considered as hybrid because: Use structured only

- used inline by collab, supplement,
- but as structured element by article-meta, front-stub, journal-meta, sec-meta

# <contrib-id> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- o used inline by principal-award-recipient, principal-investigator,
- but as structured element by contrib

# <copyright-holder> spec

· categories: text

# <copyright-statement> spec

• categories: text

# <copyright-year> spec

• categories: text

#### <corresp> <a href="mailto:spec">spec</a>

· categories: text

## <count> spec

• categories: structured

# <country> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by addr-line, aff, collab, conf-loc, corresp, publisher-loc,
- but as structured element by address

#### <counts> spec

categories: structured

#### <custom-meta> spec

• categories: structured

### <custom-meta-group> spec

• categories: structured

## <data-title> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation

# <date> spec

• categories: structured, hybrid

considered as hybrid because: Use structured only

- used inline by history, mixed-citation, product, related-article, related-object,
- o but as structured element by element-citation

# <date-in-citation> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation

# <day> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by access-date,conf-date,date-in-citation,mixed-citation,product,related-article,related-object,std,string-date,time-stamp,
- but as structured element by date, element-citation, nlm-citation, pub-date

# <def> spec

The specification of <abbrev> is problematic:
mainly it is an annotation of a piece in the text, an acronym,
attaching an expansion using <def>
There is no clear means to separate
the rendered, abbreviated content from its expansion

• used inline by abbrev,

o but as structured element by def-item

## <def-head> spec

· categories: text

# <def-item> spec

categories: structured

# <def-list> spec

• categories: structured, hybrid

considered as hybrid because: Use structured only

- used inline by chem-struct, license-p, named-content, p, styled-content, td, th,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,def-list,disp-quote,fig,front,glossary,list-item,notes,ref-list,sec,supplementary-material,table-wrap,trans-abstract

# <degrees> spec

• categories: text, hybrid

considered as hybrid because:

Use structured only

- used inline by speaker, string-name,
- o but as structured element by contrib

# <disp-formula> spec

• categories: text, hybrid

considered as hybrid because:

Use structured only

- used inline by license-p,named-content,p,styled-content,td,term,th,
- o but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,disp-formula-group,disp-quote,fig,glossary,notes,ref-list,sec,supplementary-material,trans-abstract

# <disp-formula-group> spec

• categories: structured, hybrid

considered as hybrid because:

Use structured only

- used inline by license-p,named-content,p,styled-content,td,term,th,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,disp-formula-group,disp-quote,fig,glossary,notes,ref-list,sec,supplementary-material,trans-abstract

# <disp-quote> spec

• categories: structured, hybrid

considered as hybrid because: Use structured only

- used inline by license-p,named-content,p,styled-content,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,disp-quote,fig,glossary,notes,ref-list,sec,supplementary-material,table-wrap,trans-abstract

# <edition> <a href="mailto:spec">spec</a>

categories: text, hybrid

considered as hybrid because:

Use structured only

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation,nlm-citation

# <element-citation> spec

• categories: structured, hybrid

considered as hybrid because:

Use structured only

- used inline by license-p,p,td,th,title,
- but as structured element by citation-alternatives,ref

# <elocation-id> spec

• categories: text, hybrid

considered as hybrid because:

Use structured only

- used inline by mixed-citation, product, related-article, related-object,
- o but as structured element by article-meta, element-citation, front-stub



categories: text, hybrid
 Use structured only

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by address, array, article-meta, chem-struct-wrap, contrib, contrib-group, disp-formula-group, element-citation, fig, fig-group, front-stub, graphic, media, supplementary-material, table-wrap, table-wrap-group

# <equation-count> <a href="mailto:spec">spec</a>

• categories: structured

#### <era> spec

categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by access-date, conf-date, date-in-citation, string-date, time-stamp,
- o but as structured element by date, pub-date

# <etal> spec

categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by collab,mixed-citation,person-group,product,related-article,related-object,sig-block,
- but as structured element by contrib, contrib-group, element-citation

## **<ext-link>** <a href="mailto:spec">spec</a> TODO: Is this a hybrid node?</a>

categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by address, array, article-meta, chem-struct-wrap, contrib, contrib-group, disp-formula-group, element-citation, fig, fig-group, front-stub, graphic, media, supplementary-material, table-wrap, table-wrap-group

# <fax> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by addr-line, aff, collab, conf-loc, corresp, publisher-loc,
- o but as structured element by address

# <fig> spec

• categories: structured, hybrid

considered as hybrid because:

#### Use structured only

- used inline by license-p,named-content,p,styled-content,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,disp-quote,fig-group,floats-group,glossary,notes,ref-list,sec,trans-abstract

# <fig-count> spec

• categories: structured

# <fig-group> spec

• categories: structured, hybrid

considered as hybrid because:

#### Use structured only

- used inline by license-p,named-content,p,styled-content,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,disp-quote,floats-group,glossary,notes,ref-list,sec,trans-abstract

# <fixed-case> spec

categories: text, hybrid

considered as hybrid because: Use as annotation only

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation

# <floats-group> spec

• categories: structured



# In Texture we use <fn-group> to define <fn>s and use <xref> for referencing

• categories: structured, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by author-notes,contrib,contrib-group,element-citation,fn-group,table-wrap-foot

# <fn-group> spec

• categories: structured

# <fpage> spec

• categories: text, hybrid

considered as hybrid because:

Use structured only

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by article-meta, element-citation, front-stub, nlm-citation

# <front> spec

categories: structured

# <front-stub> spec

• categories: structured

# <funding-group> spec

categories: structured

# <funding-source> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by funding-statement, license-p,p,
- o but as structured element by award-group

# <funding-statement> spec

categories: text
 Should be structured

# <given-names> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by speaker, string-name,
- but as structured element by name

# <glossary> spec

• categories: structured

# <glyph-data> spec

• categories: text

# <glyph-ref> spec

categories: structured

#### <gov> spec

• categories: text, hybrid

considered as hybrid because: Use structured only

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation

# <graphic> spec

categories: structured, hybrid
 Use structured only

considered as hybrid because:

- used inline by chem-struct, disp-formula, license-p, named-content, p, sig, sig-block, styled-content, td, term, th,
- but as structured element by abstract,ack,alternatives,app,app-group,array,bio,body,boxed-text,chem-struct-wrap,disp-quote,fig,fig-group,floats-group,glossary,notes,ref-list,sec,supplementary-material,table-wrap,trans-abstract

# <history> <a href="mailto:spec">spec</a>

· categories: text



• categories: structured, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,collab,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by element-citation

## <inline-formula> <a href="mailto:spec">spec</a>

categories: text, hybrid

considered as hybrid because:

o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,

• but as structured element by element-citation

# <inline-graphic> spec

• categories: structured, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by alternatives, element-citation, private-char

# <inline-supplementary-material> spec

categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,collab,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by alternatives, element-citation

# <institution> <a href="mailto:spec">spec</a>

• categories: text, hybrid

considered as hybrid because:

• used inline by addr-line,aff,collab,conf-loc,conf-sponsor,copyright-holder,corresp,funding-source,mixed-citation,on-behalf-of,principal-award-recipient,product,publisher-loc,publisher-

#### name, related-article, related-object, std-organization,

• but as structured element by address element-citation, institution-wrap

# <institution-id> <a href="mailto:spec">spec</a>

categories: text

# <institution-wrap> <a href="mailto:spec">spec</a>

• categories: structured, hybrid

considered as hybrid because:

- used inline by addr-line, aff, collab, conf-loc, conf-sponsor, copyright-holder, corresp, funding-source, mixed-citation, on-behalf-of, principal-award-recipient, product, publisher-loc, publisher-name, related-article, related-object, std-organization,
- o but as structured element by address, element-citation

# <isbn> spec

categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- o but as structured element by article-meta, element-citation, front-stub, journal-meta

# <issn> spec

categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation, journal-meta

# <issn-l> <a href="mailto:spec">spec</a>

categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- o but as structured element by element-citation, journal-meta

## <issue> <a href="mailto:spec">spec</a>

categories: text, hybrid

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by article-meta, element-citation, front-stub, nlm-citation, volume-issue-group

## <issue-id> spec

• categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- o but as structured element by article-meta, element-citation, front-stub, volume-issue-group

# <issue-part> <a href="mailto:spec">spec</a>

• categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by article-meta, element-citation, front-stub, volume-issue-group

# <issue-sponsor> <a href="mailto:spec">spec</a>

· categories: text

# <issue-title> <a href="mailto:spec">spec</a>

• categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by article-meta, element-citation, front-stub, volume-issue-group

# <italic> <a href="mailto:spec">spec</a>

• categories: text, hybrid

considered as hybrid because:

o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-

block, source, speaker, std, std-organization, strike, string-conf, string-date, string-name, styled-content, sub, subject, subtitle, suffix, sup, supplement, surname, target, td, term, term-head, textual-form, th, title, trans-source, trans-subtitle, trans-title, underline, unstructured-kwd-group, uri, verse-line, version, volume, volume-id, volume-series, x, xref,

but as structured element by element-citation

# <journal-id> spec

• categories: text, hybrid

considered as hybrid because:

- used inline by related-article,
- but as structured element by journal-meta

# <journal-meta> spec

• categories: structured

# <journal-subtitle> spec

· categories: text

# <journal-title> spec

· categories: text

# <journal-title-group> spec

• categories: structured

# <kwd> spec

· categories: text

# <kwd-group> <a href="mailto:spec">spec</a>

• categories: structured, hybrid

- used inline by disp-formula,
- but as structured element by app-group, article-meta, chem-struct-wrap, disp-formulagroup, fig, fig-group, front-stub, graphic, media, sec-meta, statement, supplementary-material, tablewrap, table-wrap-group



categories: text, hybrid

considered as hybrid because:

- used inline by aff,chem-struct,corresp,disp-formula,mixed-citation,product,related-article,related-object,textual-form,
- but as structured element by abstract,ack,address,app,app-group,array,author-notes,back,bio,boxed-text,chem-struct-wrap,def-item,def-list,disp-formula-group,disp-quote,element-citation,fig,fig-group,fn,fn-group,glossary,graphic,kwd-group,list,list-item,media,note,notes,ref,ref-list,sec,statement,supplementary-material,table-wrap,table-wrap-foot,table-wrap-group,trans-abstract,verse-group

# <license> spec

categories: structured

# <license-p> spec

• categories: text

# <list> spec

• categories: structured, hybrid

considered as hybrid because:

- used inline by chem-struct, license-p, named-content, p, styled-content, td, th,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,disp-quote,fig,front,glossary,list-item,notes,ref-list,sec,supplementary-material,table-wrap,trans-abstract

# t-item> spec

categories: structured

# long-desc> spec

• categories: text, hybrid

considered as hybrid because:

- used inline by chem-struct, disp-formula, inline-supplementary-material, preformat,
- but as structured element by array, chem-struct-wrap, disp-formula-group, fig, fig-group, graphic, media, supplementary-material, table-wrap, table-wrap-group

# <lpage> spec

• categories: text, hybrid

- o used inline by mixed-citation, product, related-article, related-object,
- but as structured element by article-meta, element-citation, front-stub, nlm-citation

# <media> spec

• categories: structured, hybrid

considered as hybrid because:

- used inline by chem-struct, disp-formula, license-p, named-content, p, sig, sig-block, styled-content, td, term, th,
- but as structured element by abstract,ack,alternatives,app,app-group,array,bio,body,boxed-text,chem-struct-wrap,disp-quote,fig,fig-group,floats-group,glossary,notes,ref-list,sec,supplementary-material,table-wrap,trans-abstract

#### <meta-name> <a href="mailto:spec">spec</a>

· categories: text

## <meta-value> spec

· categories: text

# <milestone-end> <a href="mailto:spec">spec</a>

• categories: structured, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by element-citation

# <milestone-start> <a href="mailto:spec"> spec</a>

• categories: structured, hybrid

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by element-citation

## <mixed-citation> <a href="mailto:spec">spec</a>

categories: text, hybrid

considered as hybrid because:

- used inline by license-p,p,td,th,title,
- but as structured element by citation-alternatives,ref

#### <monospace> <a href="mailto:spec"> spec</a>

categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation

# <month> <a href="mailto:spec">spec</a>

• categories: text, hybrid

- used inline by access-date,conf-date,date-in-citation,mixed-citation,product,related-article,related-object,std,string-date,time-stamp,
- but as structured element by date, element-citation, nlm-citation, pub-date

# <name> spec

• categories: structured, hybrid

considered as hybrid because:

- used inline by mixed-citation, person-group, principal-award-recipient, principal-investigator, product, related-article, related-object,
- but as structured element by contrib, element-citation, name-alternatives

# <name-alternatives> spec

• categories: structured, hybrid

considered as hybrid because:

- used inline by mixed-citation, person-group, principal-award-recipient, principal-investigator, product, related-article, related-object,
- but as structured element by contrib, element-citation

# <named-content> spec

categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation

## <nested-kwd> spec

• categories: structured

## <nl> <hr/> <hr/>

• categories: structured, hybrid

considered as hybrid because:

- o used inline by license-p,p,td,th,title,
- o but as structured element by citation-alternatives,ref

# <note> spec

• categories: structured

#### <notes> spec

• categories: structured

# <object-id> <a href="mailto:spec">spec</a>

• categories: text, hybrid

considered as hybrid because:

- used inline by chem-struct, mixed-citation, product, related-article, related-object,
- but as structured element by abstract, boxed-text, chem-struct-wrap, element-citation, fig, graphic, media, supplementary-material, table-wrap, trans-abstract

# <on-behalf-of> spec

categories: text, hybrid

considered as hybrid because:

- used inline by collab,
- but as structured element by contrib, contrib-group

#### <open-access> spec

• categories: structured, hybrid

considered as hybrid because:

- used inline by funding-statement, license-p,p,
- o but as structured element by funding-group

# <overline> spec

categories: text, hybrid

- used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation

## <overline-end> spec

• categories: structured, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation

# <overline-start> spec

• categories: structured, hybrid

considered as hybrid because:

o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-

content, sub, subject, subtitle, suffix, sup, supplement, surname, target, td, term, term-head, textual-form, th, title, trans-source, trans-subtitle, trans-title, underline, unstructured-kwd-group, uri, verse-line, version, volume, volume-id, volume-series, x, xref,

• but as structured element by element-citation

#### spec

• categories: text, hybrid

considered as hybrid because:

- used inline by td,th,
- but as structured element by abstract,ack,annotation,app,app-group,author-comment,author-notes,bio,body,boxed-text,caption,def,disp-quote,fig,fn,glossary,list-item,note,notes,open-access,ref-list,sec,speech,statement,supplementary-material,table-wrap-foot,trans-abstract

## <page-count> spec

• categories: structured

#### spec

• categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- o but as structured element by article-meta, element-citation, front-stub

# <part-title> spec

categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation

# <patent> spec

• categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation,nlm-citation

# <permissions> spec

categories: structured, hybrid

considered as hybrid because:

- used inline by disp-formula, preformat,
- but as structured element by app,array,article-meta,boxed-text,chem-struct-wrap,disp-quote,fig,front-stub,graphic,media,sec-meta,statement,supplementary-material,table-wrap,table-wrap-foot,verse-group

#### <person-group> spec

• categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation,nlm-citation

# <phone> spec

• categories: text, hybrid

considered as hybrid because:

- used inline by addr-line, aff, collab, conf-loc, corresp, publisher-loc,
- but as structured element by address

# <postal-code> spec

categories: text, hybrid

considered as hybrid because:

- used inline by addr-line, aff, collab, conf-loc, corresp, publisher-loc,
- o but as structured element by address

# spec

• categories: text, hybrid

considered as hybrid because:

- used inline by speaker, string-name,
- but as structured element by name

# spec

categories: text, hybrid

- used inline by chem-struct, disp-formula, license-p, named-content, p, styled-content, td, term, th,
- but as structured element by abstract,ack,alternatives,app,app-group,bio,body,boxed-text,chem-struct-wrap,disp-quote,fig,floats-group,glossary,notes,ref-list,sec,supplementary-material,table-

# spec

• categories: text,anno

# principal-award-recipient> spec

· categories: text

# cprincipal-investigator> spec

• categories: text

# spec

• categories: structured, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by alternatives, element-citation

# product> spec

• categories: text

# <pub-date> spec

• categories: structured

# <pub-id> spec

• categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object, std,
- but as structured element by element-citation,nlm-citation

# <publisher> spec

• categories: structured

# <publisher-loc> spec

• categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation,nlm-citation,publisher

# <publisher-name> spec

categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation,nlm-citation,publisher

# <rb> spec

· categories: text

# <ref> spec

categories: structured

# <ref-count> spec

categories: structured

# <ref-list> spec

• categories: structured

# <related-article> spec

categories: text,hybrid
 Should be structured element

#### considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,collab,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by abstract,ack,app,app-group,article-meta,bio,body,boxed-text,disp-quote,element-citation,front-stub,glossary,notes,ref-list,sec,trans-abstract

# <related-object> spec

categories: text,hybrid
 Should be structured element
 Use structured only

considered as hybrid because:

- used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,collab,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by abstract,ack,app,app-group,article-meta,bio,body,boxed-text,disp-quote,element-citation,front-stub,glossary,notes,ref-list,sec,trans-abstract

#### <response> <a href="mailto:spec">spec</a>

• categories: structured

# <role> spec

categories: text, hybrid

considered as hybrid because:

• used inline by collab,mixed-citation,person-group,product,related-article,related-object,sig-block,

• but as structured element by contrib, contrib-group, element-citation

#### <roman> spec

categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation



• categories: text



· categories: text

# <ruby> <a href="mailto:spec">spec</a>

• categories: structured, hybrid

considered as hybrid because:

o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,

• but as structured element by element-citation

# <sans-serif> <a href="mailto:spec">spec</a>

categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation

#### <sc> spec

categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation

#### <season> spec

• categories: text, hybrid

considered as hybrid because:

• used inline by access-date,conf-date,date-in-citation,mixed-citation,product,related-article,related-object,string-date,time-stamp,

• but as structured element by date, element-citation, nlm-citation, pub-date

#### <sec> spec

• categories: structured

#### <sec-meta> <a href="mailto:spec">spec</a>

• categories: structured

# <self-uri> <a href="mailto:spec">spec</a>

• categories: text

# <series> <a href="mailto:spec">spec</a>

categories: text,hybrid
 considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation,nlm-citation

# <series-text> spec

· categories: text

# <series-title> <a href="mailto:spec">spec</a>

• categories: text

# <sig> spec

• categories: text,anno

# <sig-block> spec

• categories: text

## <size> <a href="mailto:spec">spec</a>

categories: text, hybrid

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation

#### <source> <a href="mailto:spec">spec</a>

categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object, std,
- but as structured element by element-citation,nlm-citation

## <speaker> spec

· categories: text

### <speech> spec

• categories: structured, hybrid

considered as hybrid because:

- used inline by license-p,named-content,p,styled-content,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,disp-quote,fig,glossary,notes,ref-list,sec,supplementary-material,table-wrap,trans-abstract

#### <state> <a href="mailto:spec">spec</a>

categories: text, hybrid

considered as hybrid because:

- used inline by addr-line, aff, collab, conf-loc, corresp, publisher-loc,
- but as structured element by address

#### <statement> <a href="mailto:spec">spec</a>

• categories: structured, hybrid

considered as hybrid because:

- used inline by license-p,named-content,p,styled-content,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,disp-quote,fig,glossary,notes,ref-list,sec,statement,supplementary-material,table-wrap,trans-abstract



• categories: text, hybrid

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation

# <std-organization> <a href="mailto:spec">spec</a>

• categories: text,anno

#### <strike> spec

categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation

# <string-conf> <a href="mailto:spec">spec</a>

categories: text, hybrid

considered as hybrid because:

- used inline by string-conf,
- but as structured element by conference

# <string-date> <a href="mailto:spec">spec</a>

categories: text, hybrid

considered as hybrid because:

- o used inline by history, mixed-citation, product, related-article, related-object,
- o but as structured element by date, element-citation, pub-date

# <string-name> spec

categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, person-group, principal-award-recipient, principal-investigator, product, related-article, related-object,
- but as structured element by contrib, element-citation, name-alternatives

## <styled-content> <a href="mailto:spec">spec</a>

• categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation

# <sub> <spec

categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-holder,copyright-statement,corresp,data-title,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation

## <sub-article> <a href="mailto:spec">spec</a>

• categories: structured

# <subj-group> <a href="mailto:spec">spec</a>

• categories: structured

# <subject> spec

· categories: text

#### <subtitle> <a href="mailto:spec">spec</a>

· categories: text

# <suffix> spec

• categories: text, hybrid

considered as hybrid because:

- used inline by speaker, string-name,
- o but as structured element by name

#### <sup> spec

categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-holder,copyright-statement,corresp,data-title,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation

## <supplement> <a href="mailto:spec">spec</a>

• categories: text, hybrid

considered as hybrid because:

• used inline by mixed-citation, product, related-article, related-object,

• but as structured element by article-meta, element-citation, front-stub, nlm-citation

#### <supplementary-material> spec

• categories: structured, hybrid

considered as hybrid because:

- used inline by license-p,named-content,p,styled-content,
- but as structured element by abstract,ack,alternatives,app,app-group,articlemeta,bio,body,boxed-text,disp-quote,floats-group,front-stub,glossary,notes,ref-list,sec,transabstract

#### <surname> <a href="mailto:spec">spec</a>

• categories: text, hybrid

considered as hybrid because:

- used inline by speaker, string-name,
- but as structured element by name

# spec

categories: structured

#### <table-count> <a href="mailto:spec">spec</a>

• categories: structured

## <table-wrap> spec

• categories: structured, hybrid

considered as hybrid because:

- used inline by license-p,named-content,p,styled-content,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,disp-quote,fig,floats-group,glossary,notes,ref-list,sec,supplementary-material,table-wrap-group,trans-abstract

# <table-wrap-foot> <a href="mailto:spec">spec</a>

• categories: structured

## <table-wrap-group> <a href="mailto:spec">spec</a>

• categories: structured, hybrid

considered as hybrid because:

- used inline by license-p,named-content,p,styled-content,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,disp-quote,floats-group,glossary,notes,ref-list,sec,trans-abstract

### <target> spec

• categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by element-citation

# <a href="mailto:spec">spec</a>

• categories: structured

### spec

· categories: text

#### <term> <a href="mailto:spec">spec</a>

· categories: text

### <term-head> spec

• categories: text

# <tex-math> spec

• categories: text, hybrid

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,collab,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by abstract, ack, alternatives, app, app-group, bio, body, boxed-text, disp-quote, element-citation, glossary, notes, ref-list, sec, trans-abstract

### <textual-form> <a href="mailto:spec">spec</a>

• categories: text

# <tfoot> spec

• categories: structured

# spec

• categories: text

### <thead> spec

categories: structured

### <time-stamp> <a href="mailto:spec">spec</a>

• categories: text

# <title> spec

• categories: text, hybrid

- used inline by supplement,
- but as structured element by abstract,ack,app,app-group,author-comment,author-notes,back,bio,caption,def-list,disp-quote,fn-group,glossary,kwd-group,list,list-item,notes,ref-list,sec,statement,table-wrap-foot,trans-abstract,verse-group

# <title-group> <a href="mailto:spec">spec</a>

• categories: structured

#### spec

• categories: structured

#### <trans-abstract> <a href="mailto:spec">spec</a>

• categories: structured

#### <trans-source> <a href="mailto:spec">spec</a>

• categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation,nlm-citation

# <trans-subtitle> <a href="mailto:spec">spec</a>

· categories: text

# <trans-title> <a href="mailto:spec">spec</a>

categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by element-citation,nlm-citation,trans-title-group

# <trans-title-group> <a href="mailto:spec">spec</a>

categories: structured

### <underline> spec

categories: text, hybrid

considered as hybrid because:

o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-

theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,

• but as structured element by element-citation

### <underline-end> <a href="mailto:spec">spec</a>

categories: structured, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,
- but as structured element by element-citation

# <underline-start> <a href="mailto:spec">spec</a>

• categories: structured, hybrid

considered as hybrid because:

o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,compound-subject-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,price,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,textual-form,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,x,xref,

• but as structured element by element-citation

#### <unstructured-kwd-group> spec

· categories: text



categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,data-title,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by address, array, article-meta, chem-struct-wrap, contrib, contrib-group, disp-formula-group, element-citation, fig, fig-group, front-stub, graphic, media, supplementary-material, table-wrap, table-wrap-group

#### <verse-group> spec

categories: structured, hybrid
 considered as hybrid because:

- used inline by license-p,named-content,p,styled-content,
- but as structured element by abstract,ack,app,app-group,bio,body,boxed-text,disp-quote,fig,glossary,notes,ref-list,sec,supplementary-material,table-wrap,trans-abstract,verse-group

### <verse-line> spec

• categories: text

### <version> spec

categories: text, hybrid

considered as hybrid because:

• used inline by mixed-citation, product, related-article, related-object,

• but as structured element by element-citation

### <volume> spec

categories: text, hybrid

considered as hybrid because:

- o used inline by mixed-citation, product, related-article, related-object,
- but as structured element by article-meta, element-citation, front-stub, nlm-citation, volume-issue-group

### <volume-id> <a href="mailto:spec">spec</a>

categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by article-meta, element-citation, front-stub, volume-issue-group

### <volume-issue-group> spec

• categories: structured

## <volume-series> <a href="mailto:spec">spec</a>

categories: text, hybrid

considered as hybrid because:

- used inline by mixed-citation, product, related-article, related-object,
- but as structured element by article-meta, element-citation, front-stub, volume-issue-group

#### <word-count> <a href="mailto:spec">spec</a>

• categories: structured



categories: text,hybrid

considered as hybrid because:

used inline by abbrev,abbrev-journal-title,access-date,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,collab,comment,compound-kwd-part,conf-acronym,conf-date,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-holder,copyright-statement,corresp,country,date-in-citation,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,isbn,issn,issn-

l,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,long-desc,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,person-group,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,size,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-

- content, sub, subject, subtitle, suffix, sup, supplement, surname, target, td, term, term-head, th, time-stamp, title, trans-source, trans-subtitle, trans-title, underline, unstructured-kwd-group, uri, verse-line, version, volume, volume-id, volume-series, x, xref,
- but as structured element by abstract,ack,address,app,app-group,article-meta,author-notes,bio,body,boxed-text,conference,contrib,contrib-group,def-item,def-list,disp-quote,element-citation,fn-group,front-stub,glossary,kwd-group,list,notes,pub-date,ref,ref-list,sec,table-wrap-foot,trans-abstract

# <xref> spec

• categories: text, hybrid

considered as hybrid because:

- o used inline by abbrev,abbrev-journal-title,addr-line,aff,alt-title,anonymous,article-title,attrib,award-id,bold,chapter-title,chem-struct,code,collab,comment,compound-kwd-part,conf-acronym,conf-loc,conf-name,conf-num,conf-sponsor,conf-theme,copyright-statement,corresp,def-head,degrees,disp-formula,edition,email,etal,ext-link,fax,fixed-case,funding-source,funding-statement,given-names,gov,history,inline-formula,inline-supplementary-material,institution,issue,issue-part,issue-sponsor,issue-title,italic,journal-subtitle,journal-title,kwd,label,license-p,meta-name,meta-value,mixed-citation,monospace,named-content,on-behalf-of,overline,p,part-title,patent,phone,prefix,preformat,product,publisher-loc,publisher-name,rb,related-article,related-object,role,roman,sans-serif,sc,self-uri,series,series-text,series-title,sig,sig-block,source,speaker,std-organization,strike,string-conf,string-date,string-name,styled-content,sub,subject,subtitle,suffix,sup,supplement,surname,target,td,term,term-head,th,title,trans-source,trans-subtitle,trans-title,underline,unstructured-kwd-group,uri,verse-line,version,volume,volume-id,volume-series,xref,
- but as structured element by contrib, contrib-group, element-citation

#### <year> spec

• categories: text, hybrid

- used inline by access-date,conf-date,date-in-citation,mixed-citation,product,related-article,related-object,std,string-date,time-stamp,
- but as structured element by date, element-citation, nlm-citation, pub-date