Mini Project 2 – Mini Project 2 – Web page creation
User and Task List /Order List/ \* List HTML and CSS Layout with JS:

Use HTML to structure the page and CSS (with Bootstrap) to style it

- Create a responsive layout with a sidebar, navigation and content area for User Display information, Task list display, Date time display.
- Include sections for displaying user information, display user task/order/\* list in Table/Grid/Flex and a date/time display on user page.
- Add top priority pending task with a mouse-over colour effect or other effects of your choice. Basic I/O: Provide input fields with form to enter their name and city. Display required field validation.
- Display messages using alert() or confirm() or custom
   Bootstrap modals before submission.
   Provide List priority
   button P1, P2, P3, P4. Based on user selection show P1 as
   High priority, P2 and P3 as Medium priority and P4 as Low
   priority. Hint: Use Switch
- Date/Time Display:
- Display the current date and time.
- Update the time using setInterval

```
!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Task Management Page</title>
    <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
    <link rel="stylesheet" href="styles.css">
</head>
<body>
    <div class="container-fluid">
       <div class="row">
           <!-- Sidebar -->
           <nav id="sidebar" class="col-md-2 d-none d-md-block bg-light">
               <div class="sidebar-header">
                   <h4>Task Manager</h4>
               </div>
               class="nav flex-column">
                   <a class="nav-link active" href="#">User Info</a>
                   <a class="nav-link" href="#">Task List</a>
                   <a class="nav-link" href="#">Date/Time</a>
                   </nav>
           <!-- Main Content -->
           <main role="main" class="col-md-10 ml-sm-auto px-4">
               <div id="user-info" class="mb-4">
                   <h2>User Information</h2>
                   <form id="user-form">
                       <div class="form-group">
                           <label for="name">Name:</label>
                           <input type="text" id="name" class="form-control"</pre>
required>
                       </div>
                       <div class="form-group">
                           <label for="city">City:</label>
                           <input type="text" id="city" class="form-control"</pre>
required>
                       </div>
                       <button type="submit" class="btn btn-</pre>
primary">Submit</button>
```

```
</form>
              </div>
              <div id="task-list" class="mb-4">
                  <h2>Task List</h2>
                  <div class="form-group">
                      <label for="priority">Select Priority:</label>
                      <select id="priority" class="form-control">
                          <option value="P1">P1 - High Priority</option>
                          <option value="P2">P2 - Medium Priority</option>
                          <option value="P3">P3 - Medium Priority</option>
                          <option value="P4">P4 - Low Priority</option>
                      </select>
                  </div>
                  <button id="add-task" class="btn btn-secondary">Add
Task</button>
                  <thead>
                          Task
                             Priority
                          </thead>
                      <!-- Tasks will be appended here -->
                      </div>
              <div id="date-time" class="mb-4">
                  <h2>Date and Time</h2>
                  <div id="current-time" class="alert alert-info">
                      <!-- Date and time will be updated here -->
                  </div>
              </div>
           </main>
       </div>
   </div>
   <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"></script>
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.5.3/dist/umd/popper.min.js"
></script>
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"><</pre>
/script>
   <script src="scripts.js"></script>
</body>
```

## Style.css

```
#sidebar {
    height: 100vh;
    position: fixed;
    top: 0;
    left: 0;
    padding-top: 20px;
#user-info, #task-list, #date-time {
    padding: 20px;
   border: 1px solid #ddd;
    margin-bottom: 20px;
    background-color: #f8f9fa;
.table tbody tr:hover {
    background-color: #f1f1f1;
.alert-info {
    font-size: 1.5em;
    text-align: center;
```

## output

