INDEX

Added-variable plot, 95, 109	BLUE, 61, 83
Adjusted multiple correlation coefficient, 285 AIC, 287, 290–291, 295, 308, 320, 327, 343	C
bias corrected, 287	Centering, 239
Akaike Information Criteria, 287	Classification, 336 Coefficient of determination, 42, 61
Analysis of covariance, 12, 15	Collinearity-influential observations, 246
Analysis of variance, 12, 15, 67, 140 ANOVA, 140	Collinearity, 18, 88, 222
multiple regression, 67	Computer repair data, 26, 30-31, 35, 42
simple regression, 71	Concordance Index, 328
Assumption	Condition number, 244, 276, 288 Confidence
constant variance, 86	interval, 38
Homogeneity, 86 independent-errors, 87	interval for β_j , 63
linearity, 31, 86	region, 37
normality, 37, 86	Constant variance assumption, 86 Cook's Distance, 103
Autocorrelation, 18, 87, 180, 197, 201	Corrected sums of squares and products matrix,
B	60
Backward elimination, 289	Correlated errors, 141
Bayes Information Criteria, 287	Correlation coefficient, 21, 24, 240 between \hat{Y} and \hat{Y} , 40, 61
Best linear unbiased estimator, 61, 83	population, 36
BIC, 287, 290-291, 295, 308, 320, 327	sample, 36, 39
Binary	Correlation matrix, 117, 241, 243, 250, 252
response data, 195	$\operatorname{Cov}(\hat{\beta}_i \hat{\beta}_j)$, 83
response variable, 318, 321 variable, 12	Covariance, 21, 23 Cross-sectional data, 128, 214–215
· uniuo 10, 12	Cross Sectional data, 126, 21—215

371

Cumulative distribution function, 319	supervisor performance, 54–55, 63–64, 292 wind chill factor, 175
D	Data
Data set	collection, 11
advertising, 234, 236	re-expression, 13
air pollution, 300, 302	transformation, 13
Anscombe's quartet, 24	Degrees of freedom, 33, 58, 89
bacteria deaths, 155	DFITS, 104
bankruptcy, 320, 322	Discriminant analysis, 336
brain, 171–172	Distance
cigarette consumption, 1, 79–80, 312	Cook's, 103
college expense, 182	orthogonal, 29
computer repair (expanded), 116	perpendicular, 29
computer repair, 26–27	vertical, 29
consumer expenditure, 198, 216	Distribution
corn yields, 147	binomial, 342
cost of education, 182	chi-square, 323
diabetes, 330, 332	gamma, 342
DJIA, 216	inverse Gaussian, 342
domestic immigration, 6	Poisson, 160, 164, 342
education expenditure, 141, 143, 185	Dose-response curve, 180, 194
Egyptian skulls, 6	Draftsman's matrix, 94
equal educational opportunity, 223	Dummy variable, 121
examination, 75–76	Durbin-Watson statistic, 200
exponential growth, 108	
field goal kicking, 339	E
fuel consumption, 256	Eigenvalues, 243
Hald, 265–266	Eigenvector, 243
Hamilton, 95	Externally studentized residual, 90
hard disk prices, 177	
heights of husbands and wives, 47–48, 78	F
homicide, 296	F-test, 65
housing starts, 206	Fitted
import, 229, 260	regression equation, 37
injury incidents, 161	value, 15, 30, 57
labor force, 47	Fitting
Longley, 275–276	models to data, 14
magazine advertising, 174	Forecast interval, 38
milk production, 3	Forward selection, 289
new drugs, 343	Full model, 65
New York rivers, 10, 6, 99, 101, 105	Function
newspapers, 48	cumulative distribution, 319
nonlinear, 24	intrinsically nonlinear, 13
oil production, 176, 216	linear, 13
PCB. 348	linearizable, 13
preemployment testing, 132	link, 343
presidential election, 148–150, 176, 255, 312	logistic, 195
quantitative sensory testing, 14	nonlinear, 13, 195
real estate, 309	
right-to-work laws, 4	G
salary survey, 122–123	Generalized linear models, xv, 341
Scottish Hills Races, 111	Goodness-of-fit index, 42
ski sales, 140–141, 210–211	
Space Shuttle, 339	Н
students information, 147–148	Hadi's influence measure, 105
supervised workers, 164, 180	Hat matrix, 83, 89

Heteroscedasticity, 86, 159, 179 High leverage, 100, 265 Homogeneity (Homoscedasticity), 86, 159 I Independent-errors assumption, 87 Indicator variable, 118, 121, 211 Influence measures, 103 Welsch and Kuh (DFITS), 106 Cook's Distance, 103, 106, 117 Hadi's, 105–106, 117 Welsch and Kuh (DFITS), 104, 106 Influential observations, 91, 98 Interaction effects, 125 Intercept, 57 Internally studentized residual, 90 Interpretation of regression coefficients, 58 Iterative process, 16	draftsman's, 94 hat, 89 plot, 94, 117 projection, 89 variance-covariance, 241, 257 Maximum likelihood, 14, 320, 342 Maximum likelihood method, 335, 330 Model fitting, 14 full, 65 no-intercept, 183, 186 probit, 195, 319 random walk, 219 reduced, 65 through the origin, 42 Multicollinearity, 68, 222 Multinomial logit model, 329 Multiple correlation coefficient, 61, 67, 70, 87,
L L-R plot, 107 Ladder of transformation, 171 Lagged variables, 215 Least squares, 14	285 Multiple regression, 15, 54, 61 ANOVA table, 67 assumptions, 60 Multiplicative effect, 125 Multivariate regression, 14–15
estimates, 30 line, 30 method, 29–30, 57 properties, 60 weighted, 18, 167, 180 Leverage-residual plot, 107 Leverage values, 89 Linearity assumption, 31, 86 Link function, 343 Logistic regression, xv, 342 binary, xv, 18 multinomial, xv, 18 polytomous, 329 ordered response variable, xv, 18	N Nested models, 65, 326 No-intercept model, 42, 183, 186 Nominal model, 335 Nonlinear regression, 15 Nonparametric statistics, 200 Normal equations, 57, 82 property of, 160 scores, 97 Normality assumption, 33, 86 Normalizing transformations, 153
Logistic distribution, 319 function, 176, 195 models, 180, 195 regression, 12, 15, 18, 140, 317, 319 regression diagnostics, 323 response function, 318 Logit, 320 link function, 342 model, xv, 195, 343 transformation, 319	Odds ratio, 319 One-sample t-test, 44 Ordered response category, 334 Ordered response variable, xv, 18 Ordinal logistic regression, 334 Ordinal model, 335 Orthogonal predictors, 221, 239 regression, 29 Outliers, 100, 265
M Masking problem, 101 Matrix, 241 corrected sums of squares and products, 60 correlation, 241, 243, 250, 252	P-R plot, 107 P-value for F-test, 66 t-test, 63

P-value	Relationship between simple and multiple
for t-test, 34	regression coefficients, 76
Parameter estimation, 14	Residual
Parsimony, 69	adjusted, 105
Partial	internally studentized, 90
regression coefficients, 53, 58	mean square, 44, 285
regression plot, 110	ordinary least squares, 30, 57
residual plot, 110	plots, 90
Plot	plus component plot, 95, 109–110
added-variable, 95, 109	standardized, 89
L-R, 107	sum of squares, 33, 40, 89
matrix, 94, 117	Ridge
P-R, 107	bias of estimators, 278
partial regression, 110	method, 14
partial residual, 110	parameter, 268
potential-residual, 107, 117	regression, 268
residual plus component, 95	trace, 268–269
sequence, 199	variance of estimators, 278
Poisson regression, xv, 18, 342	Robust regression, xv, 115, 341, 345
Potential-residual plot, 107, 117	
Predicted value, 15	S
Prediction	Sample
errors, 219	mean, 22
interval, 38	standard deviation, 44
Principal components, 14, 239, 243, 255, 257	variance, 44
Probit model, 195, 319	
Projection matrix, 83, 89	Sampling distribution of
Proportional odds model, 329, 334–335	$\beta_0, 37$
Pure error, 184	$\beta_1, 33, 37$
R	Scaling, 239
-	unit length, 240
R^2 , 41, 61	Sequence plot, 199
Random walk model, 219	Shrinkage estimators, 269
Reduced model, 65	Simple regression, 15, 54, 63, 71, 74
Regression	ANOVA table, 71
assumptions, 86	Simultaneous confidence region, 37
coefficients, 2, 28, 53	Standard deviation, 33
definition, 1	sample, 23, 44
elements of, 7	Standard error of
examples of, 3	β , 83 estimate, 33
line, 30	esumale 11
linear, 15	
	Standard normal distribution, 90
logistic, 12, 15, 18	Standard normal distribution, 90 Standardized
logistic, 12, 15, 18 model through the origin, 42	Standard normal distribution, 90 Standardized deviance residuals, 323
logistic, 12, 15, 18 model through the origin, 42 multiple, 13, 15, 17, 54, 61	Standard normal distribution, 90 Standardized deviance residuals, 323 Personian residuals, 323
logistic, 12, 15, 18 model through the origin, 42 multiple, 13, 15, 17, 54, 61 multivariate, 14–15	Standard normal distribution, 90 Standardized deviance residuals, 323 Personian residuals, 323 residual, 89
logistic, 12, 15, 18 model through the origin, 42 multiple, 13, 15, 17, 54, 61 multivariate, 14–15 nonlinear, 15	Standard normal distribution, 90 Standardized deviance residuals, 323 Personian residuals, 323 residual, 89 variables, 240
logistic, 12, 15, 18 model through the origin, 42 multiple, 13, 15, 17, 54, 61 multivariate, 14–15 nonlinear, 15 parameters, 2, 28	Standard normal distribution, 90 Standardized deviance residuals, 323 Personian residuals, 323 residual, 89 variables, 240 Standardizing, 240
logistic, 12, 15, 18 model through the origin, 42 multiple, 13, 15, 17, 54, 61 multivariate, 14–15 nonlinear, 15 parameters, 2, 28 partial coefficients, 53	Standard normal distribution, 90 Standardized deviance residuals, 323 Personian residuals, 323 residual, 89 variables, 240 Standardizing, 240 Stepwise method, 289
logistic, 12, 15, 18 model through the origin, 42 multiple, 13, 15, 17, 54, 61 multivariate, 14–15 nonlinear, 15 parameters, 2, 28 partial coefficients, 53 Poisson, xv, 18, 342	Standard normal distribution, 90 Standardized deviance residuals, 323 Personian residuals, 323 residual, 89 variables, 240 Standardizing, 240 Stepwise method, 289 Stimulus-response relationships, 195
logistic, 12, 15, 18 model through the origin, 42 multiple, 13, 15, 17, 54, 61 multivariate, 14–15 nonlinear, 15 parameters, 2, 28 partial coefficients, 53 Poisson, xv, 18, 342 ridge, 268	Standard normal distribution, 90 Standardized deviance residuals, 323 Personian residuals, 323 residual, 89 variables, 240 Standardizing, 240 Stepwise method, 289 Stimulus-response relationships, 195 Sum of squared residuals, 58
logistic, 12, 15, 18 model through the origin, 42 multiple, 13, 15, 17, 54, 61 multivariate, 14–15 nonlinear, 15 parameters, 2, 28 partial coefficients, 53 Poisson, xv, 18, 342 ridge, 268 robust, 115	Standard normal distribution, 90 Standardized deviance residuals, 323 Personian residuals, 323 residual, 89 variables, 240 Standardizing, 240 Stepwise method, 289 Stimulus-response relationships, 195
logistic, 12, 15, 18 model through the origin, 42 multiple, 13, 15, 17, 54, 61 multivariate, 14–15 nonlinear, 15 parameters, 2, 28 partial coefficients, 53 Poisson, xv, 18, 342 ridge, 268 robust, 115 simple, 13, 15, 17, 54, 63, 71, 74	Standard normal distribution, 90 Standardized deviance residuals, 323 Personian residuals, 323 residual, 89 variables, 240 Standardizing, 240 Stepwise method, 289 Stimulus-response relationships, 195 Sum of squared residuals, 58
logistic, 12, 15, 18 model through the origin, 42 multiple, 13, 15, 17, 54, 61 multivariate, 14–15 nonlinear, 15 parameters, 2, 28 partial coefficients, 53 Poisson, xv, 18, 342 ridge, 268 robust, 115 simple, 13, 15, 17, 54, 63, 71, 74 sum of squares, 40	Standard normal distribution, 90 Standardized deviance residuals, 323 Personian residuals, 323 residual, 89 variables, 240 Standardizing, 240 Stepwise method, 289 Stimulus-response relationships, 195 Sum of squared residuals, 58 Swamping problem, 101
logistic, 12, 15, 18 model through the origin, 42 multiple, 13, 15, 17, 54, 61 multivariate, 14–15 nonlinear, 15 parameters, 2, 28 partial coefficients, 53 Poisson, xv, 18, 342 ridge, 268 robust, 115 simple, 13, 15, 17, 54, 63, 71, 74	Standard normal distribution, 90 Standardized deviance residuals, 323 Personian residuals, 323 residual, 89 variables, 240 Standardizing, 240 Stepwise method, 289 Stimulus-response relationships, 195 Sum of squared residuals, 58 Swamping problem, 101

Durbin-Watson, 200 F-, 65–68, 70 one-sample t, 44 runs, 200 t-, 33–34, 63–64, 67, 72 two-sample t, 45 Time series data, 130, 199, 214 Total mean square error, 277–279 sum of squares, 40 variance, 268 variance of OLS estimators, 269 variance of ridge estimators, 268 Transformation, 13, 18, 32 ladder of, 171	explanatory, 1 independent, 2 indicator, 12, 118, 121, 211 lagged, 215 predictor, 1 qualitative, 12, 18 quantitative, 12 regressor, 2 response, 1 role of, 313 selection, 18 selection procedures, 281 standardized, 240 Variance-covariance matrix, 241, 257 Variance-stabilizing transformations, 153
to achieve linearity, 153 to achieve normality, 153 variance-stabilizing, 153 Trivial regression models, 44 Two-sample t-test, 45	Variance inflation factor, 236, 278, 288 of ridge estimators, 278 sample, 44
U	W
Uniqueness of LS solution, 30, 57 Univariate regression, 14–15	Wald Test, 321 Web site book's, 3, xiv
V Variable binary, 12, 318, 321 dependent, 1 dummy, 12, 121	Case book, 2 DASL, 3 Electronic Dataset Service, 3 Weighted least squares, 18, 167, 180
dummy, 12, 121	leverages, 323 Welsch and Kuh measure, 104