

Item Line	Area	
		Routine/Non-Routine
1	Packing	Routine
2		Routine
3		Routine
4		Routine
5		Routine
6		Routine
7		Routine
8		Routine
9		Routine
10		Routine
11		Non-Routine
		Routine
12		Routine
13	Sorting	Routine
14		Routine
15		Routine
16		Routine
		Routine
17		Routine
18	Receiving	Routine
19		Routine
20		Routine
21		Routine
22		Routine
23		Non-Routine
24	Stampings/Press Room	Routine
25		Routine
26		Routine
27		Routine
28		routine
29		Routine
30	Stampings/Die Shop	Routine
31		Routine
32	Pressroom Scrap Shed	Routine
33		Routine
34	Open Scrap Shed	Routine
35	Nut Secondaries	Routine
36		Routine
37		Routine
38		Routine
39		Routine
40		Routine
41		Routine
42		Routine
43		Routine
44		routine

45	Nut Forming	Routine
46		Routine
47		routine
48	Nut Forming (750)	Routine
49		Routine
50	PDC Lab	Routine
51		Routine
52		Routine
53	WERCS Cell	Routine
54		Routine
55	Offices/Bathrooms	Routine
56	Café	Routine
57		Routine
58		Routine
59		Routine
60		Routine
61		Routine
62	Shipping (Product Staging Area)	Routine
63		Routine
64	Shipping Docks	Routine
65		Routine
66		Routine
67		Routine
68		Routine
69	Warehouse (Racks)	Routine
70		Routine
71		Routine
72		Routine
73		Routine
74	Maintenance	Routine
75		Routine
76		Routine
77		Routine
78		
79	Job Shop	Routine
80		Routine
81		Routine
82		Routine
83		Routine
84		Routine
85		Routine
86		Routine
87		Routine
88		Non-Routine
89		Routine
90		Routine
91		Routine
92		Routine
93		Routine
94		Routine
95		Routine
96		Routine
97		Routine
98	Building/Grounds/Parking Lot	Non-Routine
99		Routine
100		Non-Routine
101		Non-Routine
102		Non-Routine
103		Non-Routine
104		Non-Routine

[illegible]

HAZARD IDENTIFICATION

Hazard De

Hazard Name

Improper Forklift Operation and traffic
Ladders
Improper changing of forklift propane tank
Dust on floor
Electrical Wires
Lifting objects (boxes,skids)
Improper use of palletizer/robot cage doors
Equipment noise
Damaged tubs
Pedestal fan electric cords
water on floor
Skids stacked over six feet without being banded.
Debris, liquids on floor
No latch on door to Pace Sorter #8
Air hose on step ladder
Bins not stacked properly - tip over potential
Pace #6 hopper needs safety bars like #4 has so tubs won't fall over.
Cardboard and plastic cartons stored in front electrical panels.
Pace #1 & #2 Emergency switch broken
Improper Forklift Operation and traffic
Improper changing of forklift propane tank
Wet floor (oil, water)
Water pipe - flooding potential
Damaged tubs
Roof leaks - water on floor; forklift slipping
Uneven wood block flooring, expansion during hot weather
Scrap - webbing on floor
Cracked windows, falling glass
Machine Noise
Ladders
Scale at north east end by pressroom wire for pound monitor on floor. I tripped.
Pedestal fan electric cords
Dirty fans/motors, electrical hazard
Oil on floor
Slug, scrap on floor
Oil trays overflow
Forklift damage - tire blow out/lose control
Oil on floor around scale
Oil and parts on floor around tappers
Vibration, bowl noise
Poor housekeeping/clutter (tools, wires, computer, oil drum, pig mats, rags on floor)
Unstable load off sorters; fall/tip over potential
Hand scooping parts from bin
Manual lifting of boxes from sorters
Fluids/Oils in drums not covered
Ladders

NF 51 parts on floor/trays
Shop rags on floor
Ladders
Oil on floor
Machine noise
Use of grinder, hydraulic press
Use of soldering iron, heat gun, hot plate
Use of power tools, tester - flying debris
Leaking roof
EDM machines - chemical exposure; fumes
Computer cords
Water damaged carpet - potential for mold
Water on bathroom floor from handwashing; leaky sinks, toilets
Rusted pipes in mens bathroom above shipping - burst potential
Damaged floor; loose, cracked tiles
Computer routing station above copier in inspection office sticks out
A/C unit in Receiving Office extends out too far in walk area
Floor cracks
Wet floor (oil, water)
Inoperable dock locks - potential for forklift fall off dock, trailer
Forklift traffic - potential for collision
Wet dock plates
Bin storage; stacking - fall/tip over potential
Heat exposure
Roof leaks - water on floor; forklift slipping
Manual lifting of cartons
Plant noise
Pallets with sharp nails
Red brick floor coming up in aisle 31
Motor on shelf - potential to fall/tip over
Items on floor (boxes, pipe, metal, wood, air lines, etc)
Sander/grinder foot pedal sticks
Improper storage of flammable pain cans
Arc Flash from buss bar
Welding - flying debris (metal)
Airborne particles/debris
Blind spot / forklift/ moving equipment
Blocked exits
clutter (cords, hoses, skids, pans, trays, bins) - blocked pathways
Coils falling over
Contact with hot parts, hot machinery/equipment/tanks
Contact with oils, drawing compounds
Contact with parts washing solvent, corrosive soap
Contractor Equipment Repairs
Cracked glass panels falling due to wind and wear
Equipment Noise
Overloading circuit breakers, extension cords/ power strips
Removing metal banding from wire coils
Roof leaks - water logged ceiling tiles can fall
Uncovered electrical boxes, exposed wires, broken switches, etc.
Use of parts cleaning solvent, chemicals
Welding - combustible materials (paper, wood, dust, chemicals)
Welding - heat, sparks, non-ionizing radiation
Ice, snow, rain on lot, walkways
Outside Warehouse - Gypsum falling
Excavation of water mains
New fire and domestic water mains routed overhead throughout the plant.
New burner installed in boiler room
Window replacement/Siding added to building façade.
The replacement of 240M square foot roof.

[illegible]

[illegible]

Description	
Hazard Consequence	Hazard Input Date
Crush injury, death	8/15/2013
slip & fall injuries	4/4/2014
Burn potential to eyes, hands, body	8/15/2013
Slip and fall injuries; pain	8/15/2013
Trip & fall injuries; electrical shock	8/15/2013
Strain injuries	8/15/2013
Crush injury, death	8/15/2013
Hearing loss	8/15/2013
Contusions; impact injuries	8/15/2013
Trip & fall injuries	8/15/2013
Slip and fall injuries; pain	8/15/2013
fall injuries	5/15/2015
trip & fall injuries	8/15/2013
impact injuries	8/15/2013
trip & fall injuries	8/15/2013
crush injury; death	8/15/2013
impact injuries	2/27/2014
Fire; burns, smoke inhalation	5/15/2015
Contact with electrical current	3/27/2014
Crush injury, death	8/15/2013
Burn potential to eyes, hands, body	8/15/2013
Slip & fall injuries; pain	8/15/2013
Slip & fall injuries	8/15/2013
Contusions; impact injuries	8/15/2013
Slip & fall injuries; pain; collision injuries	8/15/2013
trip and fall injuries	8/13/2013
fall injuries	8/13/2013
Laceration, puncture wounds	8/13/2013
Hearing loss	8/13/2013
Slip & fall injuries; pain	5/27/2014
trip and fall injuries	2/27/2014
trip and fall injuries	8/13/2013
electrical shock	8/13/2013
slip & fall injuries	8/13/2013
slip & fall injuries	8/13/2013
slip, fall, truck collision	8/13/2013
Serious Injury, death	8/14/2013
Slip & fall injuries; pain	8/14/2013
Slip & fall injuries; pain	8/14/2013
Hearing loss	8/14/2013
Trip & fall injuries; pain	8/14/2013
impact injuries	8/14/2013
sprains, strains	8/14/2013
Strain injuries	8/14/2013
chemical burns; fume inhalation	5/11/2015
Slip & fall injuries; pain	5/27/2014

trip & fall injuries	8/14/2013
slip & fall injuries	8/14/2013
Head laceration from losing balance on steps.	5/27/2014
slip & fall injuries; pain	8/14/2013
Hearing loss	2/27/2015
FB in eye, cuts, impact injuries	8/22/2013
Fire; burns, smoke inhalation	8/22/2013
cuts; impact injury	8/22/2013
electrical shock; slip & fall	8/22/2013
chemical burns; fume inhalation	8/22/2013
trip & fall injuries	3/25/2015
allergies	8/12/2013
slip & fall injuries	8/12/2013
flooding, slip and fall injuries	8/12/2013
trip & fall injuries	8/12/2013
impact injuries	4/15/2015
impact injuries	8/12/2013
trip & fall injuries	4/20/2015
slip & fall injuries	8/16/2013
crush injury; death	8/16/2013
crush injury; death	8/16/2013
slip & fall injuries	4/29/2015
crush injury; death	8/16/2013
Heat cramps, exhaustion, stroke	8/16/2013
impact injuries	8/16/2013
back strain	8/16/2013
Hearing loss	8/16/2013
splinters; cuts	8/16/2013
trip&fall injuries	8/16/2013
impact, crush injuries	8/16/2013
trip & fall injuries	4/8/2015
cuts; lacerations	8/16/2013
Fire; burns, smoke inhalation	8/16/2013
Fire; burns, death	11/14/2014
Eye, face injuries due to impact	8/16/2013
Foreign body in eye(s), nose and throat irritation	8/16/2013
Forklift accidents	8/16/2013
Fire hazard	8/16/2013
Trip and fall injuries; pain	8/16/2013
Crush injury due to impact; death	8/16/2013
Burns to skin	8/16/2013
Skin irritation, rash, burn	8/16/2013
Skin irritation, rash, burn	8/16/2013
Multiple type injuries	8/16/2013
Cuts, crush injuries	8/16/2013
Loss of hearing	8/16/2013
Fire hazard, burns	8/16/2013
Cuts, abrasions, contusions	8/16/2013
Impact injuries to head	8/16/2013
Electrical Shock	8/16/2013
Skin irritation, rash, burn	8/16/2013
Fire	8/16/2013
Burns to skin, eyes; fire	8/16/2013
Slip and fall injuries; pain	8/16/2013
Impact injuries to head	8/16/2013
trip & fall injuries & impact injuries	2/25/2014
Crush injury; death	2/25/2014
Explosion, Death	4/15/2014
trip & fall injuries , impact injuries, and Body struck by object.	5/30/2014
Body struck by object	6/9/2014

[illegible]

[illegible]

HAZARD REGULATION

Regulatory & Other Requirements?

1910.178(l) ; 1910.178(m) ; 1910.178(n)

29CFR1910.25-1910.27 ; 1926.1053

1910.178(f) ; 1910.132(d)

1910.22(a)

1910.22 ; 1910.303(b)

OSH Act of 1970(5)(j)(1)

1910.147

1910.95

OSH Act of 1970(5)(j)(1)

1910.22(a)

1910.22(a)

1910.22(a)

1910.22(a)

OSH Act of 1970(5)(j)(1)

1910.25(d)

OSH Act of 1970(5)(j)(1)

1910.212 ; 1910.147

1910.1200 ; 1910.157(c) ; 1910.132(d)

1910.178(l) ; 1910.178(m) ; 1910.178(n)

1910.178(f) ; 1910.132(d)

1910.22(a)

1910.22(a)

1910.132(d)

1910.178(l) ; 1910.178(m) ; 1910.178(n) ; 1910.22(a)

1910.22(a)

1910.22(a)

1910.132(d)

1910.95

29CFR1910.25-1910.27 ; 1926.1053

1910.22(a)

1910.22(a)

1910.303(b)

1910.22(a)

1910.22(a)

1910.22(a)

1910.178(l)

1910.22(a)

1910.22(a)

1910.95

1910.22(a)

OSH Act of 1970(5)(j)(1)

OSH Act of 1970(5)(j)(1)

OSH Act of 1970(5)(j)(1)

1910.1200

29CFR1910.25-1910.27 ; 1926.1053

1910.22(a)
1910.22(a)
29CFR1910.25-1910.27 ; 1926.1053
1910.22(a)
1910.95
1910.243 ; 1910.132(d) ; 1910.133 ; 1910.138
1910.1200 ; 1910.157(c) ; 1910.132(d)
1910.132(d) ; 1910.138 ; 1910.243
1910.22(a) ; 1910.303(b)
1910.1200
1910.22(a)
OSH Act of 1970(5)(1)
1910.22(a)
OSH Act of 1970(5)(1)
1910.22(a)
OSH Act of 1970(5)(1)
OSH Act of 1970(5)(1)
OSH Act of 1970(5)(1)
1910.22(a)
1910.178(l) ; 1910.178(m) ; 1910.178(n)
1910.178(l) ; 1910.178(m) ; 1910.178(n)
1910.22(a)
OSH Act of 1970(5)(1)
OSH Act of 1970(5)(1)
OSH Act of 1970(5)(1)
OSH Act of 1970(5)(1)
1910.95
1910.132(d) ; 1910.138
AIHA Guidelines
1910.22(a)
1910.242 ; 1910.132(d)
1910.106(d)
1910.252(b) ; 1910.132(d) ; 1910.133
1910.132(d) ; 1910.133 ; 1910.94
1910.178(l) ; 1910.178(m) ; 1910.178(n)
1910.37(f)
1910.22
1910.178(l) ; 1910.178(m) ; 1910.178(n)
1910.132(d)
1910.12
1910.12
29 CFR OSHA
OSH Act of 1970(5)(a)(1)
1910.95
1910.304(e)
1910.132(d) ; 1910.138
OSH Act of 1970(5)(a)(1)
1910.305(b) ; 1910.303(b)
1910.12
1910.252(a)
1910.252(a) ; 1910.252(b) ; 1910.132(d) ; 1910.133
OSH Act of 1970(5)(a)(1)
OSH Act of 1970(5)(a)(1)
1910.22
OSH Act of 1970(5)(a)(1)
OSH Act of 1970(5)(1)

[illegible]

[illegible]

Incident History

(2 year review)

None

None

None

None

None

None

None

None

None

None

None

None

L groin strain - slipped on floor when coming down machine steps - 6-10-13

None

None

L abdominal strain from dumping barrel of washers - 7-24-13

None

None

None

None

None

None

None

None

None

None

None

None

None

None

None

None

None

None

None

None

None

None

Acute spine contusion from striking back against machine - 12-3-12

None

Sharp pain in R elbow from scooping parts - 6-27-11

L wrist strain from carrying pan of parts and dumping into bowl - 4-26-13

Slip & Fall injuries pain, contusions, death.

None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
Scalp laceration from striking beam w forklift - 4-27-11
None
None
None
None
None
None
None
None
None
None
None
None
None
Electrician removing a fuse disconnect box from buss bar had an arc flash incident
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
None
Back strain, head & knee contusion from slip & fall on ice - 1-28-13
None
None
None
None
None
None

[illegible]

[illegible]

ASSESSMENT	RISK ASSESSMENT	Hazard Frequency
Hazard Controls	Hazard Severity	
	(H/M/L)	(H/M/L)
Powered Industrial Lift Truck Program; Safety Rules; Inspections	High	Medium
Purchased an articulating/ Scissors	Low	Low
Powered Industrial Lift Truck Program; Safety Rules; Inspections	Medium	Low
Safety Rules; Training/Discipline; Housekeeping	Low	Medium
Electrical Awareness Training; Safety Rules; Training/Discipline	Medium	Low
Safety Rules; Training/Discipline; Housekeeping	High	Medium
Safety Rules; Training/Discipline; Housekeeping	High	Medium
Hearing Conservation Program, Training/Discipline, Noise Surveys	Low	High
Safety Rules; Training/Discipline; Housekeeping	High	Low
Safety Rules; Training/Discipline; Housekeeping	Low	Low
Safety Rules; Training/Discipline; Housekeeping	Medium	Low
Safety Rules; Training/Discipline; Housekeeping	Medium	Low
Safety Rules; Training/Discipline; Housekeeping	Medium	Low
Building Maintenance; Inspections	Low	Low
Safety Rules; Training/Discipline; Housekeeping	Low	Low
Safety Rules; Training/Discipline; Housekeeping	High	Low
Guarding Inspection, Repairs; Employee Training/Discipline	Medium	Low
Safety Rules; Training/Discipline; Housekeeping	Medium	Low
Maintenance to repair/replace.	Medium	Low
Powered Industrial Lift Truck Program; Safety Rules; Inspections	High	Medium
Powered Industrial Lift Truck Program; Safety Rules; Inspections	Medium	Low
Safety Rules; Training/Discipline; Housekeeping	Medium	Low
Building Maintenance; Inspections	Medium	Low
Safety Rules; Training/Discipline; Housekeeping	High	Low
Building Maintenance; Inspections	Medium	Low
Building Maintenance; Inspections	Low	Medium
Safety Rules; Training/Discipline; Housekeeping	Low	Low
Building Maintenance; Inspections	Medium	Low
Hearing Conservation Program, Training/Discipline, Noise Surveys	Low	High
Quarterly ladder inspections.	Low	Low
	Medium	Medium
Safety Rules; Training/Discipline; Housekeeping	Low	Medium
Electrical Awareness Training; Safety Rules; Training/Discipline	Low	Medium
Safety Rules; Training/Discipline; Housekeeping	Low	High
Safety Rules; Training/Discipline; Housekeeping	Low	High
Safety Rules; Training/Discipline; Housekeeping	Low	Medium
Powered Industrial Lift Truck Program; Safety Rules; Inspections	High	Medium
Safety Rules; Training/Discipline; Housekeeping	Low	High
Safety Rules; Training/Discipline; Housekeeping	Low	High
Hearing Conservation Program, Training/Discipline, Noise Surveys	High	Medium
Safety Rules; Training/Discipline; Housekeeping	Low	High
Safety Rules; Training/Discipline; Housekeeping	Medium	Low
Safety Rules; Training/Discipline; Housekeeping; PPE	Low	Low
Safety Rules; Training/Discipline; Housekeeping	Low	High
Secure ladders to floor or machines.	Low	Low

[illegible]

[illegible]

Risk Acceptability				
(Y/N)	Severity	Probability	Risk Assessment	Action Date
Yes			-	8/15/2013
Yes			-	11/13/2014
Yes			-	8/19/2013
Yes			-	8/15/2013
Yes			-	8/18/2013
Yes			-	8/20/2013
Yes			-	8/18/2013
Yes			-	8/15/2013
Yes			-	8/14/2013
Yes			-	8/15/2013
Yes			-	8/15/2013
Yes			-	5/11/2015
Yes			-	8/15/2013
Yes			-	8/19/2013
Yes			-	8/19/2013
Yes			-	8/15/2013
Yes			-	2/27/2014
No			-	5/11/2015
No			-	4/4/2014
Yes			-	8/19/2013
Yes			-	8/19/2013
Yes			-	8/21/2013
Yes			-	9/25/2013
Yes			-	8/20/2013
Yes			-	9/30/2014
Yes			-	9/25/2013
Yes			-	8/19/2013
Yes			-	10/1/2014
Yes			-	8/15/2013
Yes			-	8/11/2014
Yes			-	3/19/2014
Yes			-	8/16/2013
Yes			-	8/22/2013
Yes			-	8/15/2013
Yes			-	8/15/2013
Yes			-	8/16/2013
Yes			-	8/22/2013
Yes			-	8/14/2013
Yes			-	8/14/2013
Yes			-	8/16/2013
Yes			-	8/14/2013
Yes			-	8/16/2013
Yes			-	1/29/2014
Yes			-	8/20/2013
			-	
Yes			-	1/15/2015

Yes			-	8/16/2013
Yes			-	9/19/2013
Yes			-	5/27/2014
Yes			-	8/14/2013
Yes			-	2/27/2015
Yes			-	8/22/2013
Yes			-	8/22/2013
Yes			-	8/22/2013
Yes			-	9/30/2014
Yes			-	8/22/2013
Yes			-	3/15/2015
Yes			-	8/28/2013
Yes			-	10/15/2014
Yes			-	3/30/2015
Yes			-	8/28/2013
Yes			-	
Yes			-	8/16/2013
Yes			-	5/11/2015
Yes			-	8/16/2013
Yes			-	9/30/2013
Yes			-	
Yes			-	
Yes			-	8/19/2013
Yes			-	8/19/2013
Yes			-	10/16/2014
Yes			-	8/16/2013
Yes			-	8/16/2013
Yes			-	8/16/2013
Yes			-	10/11/2014
Yes			-	9/13/2013
Yes			-	4/29/2015
Yes			-	8/20/2013
Yes			-	9/10/2013
No			-	11/14/2014
Yes			-	9/10/2013
Yes			-	8/30/2013
Yes			-	10/3/2013
Yes			-	8/30/2013
Yes			-	8/20/2013
Yes			-	8/19/2013
Yes			-	8/19/2013
Yes			-	8/20/2013
Yes			-	8/20/2013
Yes			-	8/19/2013
Yes			-	8/28/2013
Yes			-	8/19/2013
Yes			-	8/30/2013
Yes			-	8/19/2013
Yes			-	9/30/2014
Yes			-	8/20/2013
Yes			-	8/19/2013
Yes			-	8/16/2013
Yes			-	8/16/2013
Yes			-	Seasonal
Yes			-	Sep-13
Yes			-	4/13/2014
Yes			-	4/13/2014
Yes			-	4/15/2014
Yes			-	10/1/2014
Yes			-	10/1/2014

[illegible]

[illegible]

RECOMMENDED ACTIONS		
Action Details	Hazard Severity	
	(H/M/L)	
Annual operators training and safety committee monitoring.	Medium	
Purchased an articulating/ Scissors	Low	
Employees were retrained and are now required to wear PPE.	Low	
Daily cleaning per shift, sweeper, mopping.	Low	
moved wires and secured them with zip-Ties	Low	
Ongoing carton weight reduction under 40lbs. Use of forklift to move skids.	Low	
Lockout/Tagout procedure and danger signage posted.	Medium	
Noise assessment were done and ear protection is required in areas over 85dbs.	Low	
All damaged tubs are to be taken out of service and repaired before re-use.	Low	
Removed from service area.	Low	
Re-enforce safety training of making sure that spills are cleaned up right away.	Low	
Reduce skid height below 6 feet	Low	
Housekeeping sweep/mop floors and clean machines at the end of each shift.	Low	
Latch were repaired.	Low	
All air hoses were secured to the machines with clamps.	Low	
Employee were instructed to not stack bins more than 3 high and the bins are to leveled when stacked.	Low	
Retention bars were welded to the hopper to prevent bin slippage.	Low	
Department mgr. was advised and direction was given to team member. Also signs will be posted to keep area clear.	Low	
Switched were replace and a secondary emergency shut off swith was added.	Low	
Annual operators training and safety committee monitoring.	Medium	
Employees were retrained and are now required to wear PPE.	Low	
Housekeeping sweep/mop floors and clean machines at the end of each shift.	Low	
Repaired broken pipe	Low	
Damaged was collected and sent out for repairs. This will be an on going process.	Low	
New roof installed in September 2014 no more leaks.	Low	
Over 95% of wooden blocks have been removed from the shop floor.	Low	
Housekeeping sweep/mop floors and clean machines at the end of each shift.	Low	
Panels and glass replacement were started 5/30/2014 and completed 10/1/2014	Low	
hearing protection was made mandatory in this area.	Low	
Reducing ladder use in the plant by using scissor lift and articulating lift. Ladder use down 70%.	Low	
Paint yellow around scale	Low	
Pedestal fan removed and replaced with a larger industrial fan.	Low	
Fans motors were cleaned.	Low	
Re-enforce safety training of making sure that spills are cleaned up right away.	Low	
Re-enforce housekeeping.	Low	
Housekeeping sweep floor and clean machines at the end of each shift.		
Tires on forklift were replaced and daily checks are performed on all lift trucks and other equipment.	Low	
Re-enforce safety/housekeeping procedures.	Low	
Re-enforce safety/housekeeping procedures.	Low	
Re-inforced safety procedure. Hearing must be worn in this area at all times.	Low	
Re-enforce safety/housekeeping procedures.	Low	
This area was reviewed for bin and wire stacking and instructions were given to not stack more than 3 high.	Low	
Bin loaders and feed hopper was added to all production equipment.	Low	
All ladders in the factory was inspected for unsafe usage and was repaired or replaced.	Low	
Quarterly safety checks/Removing damaged ladders from service.	Low	

Department Mgr. to reinforce housekeeping sweep floor and clean machines at the end of each shift.	Low
Housekeeping, red containers were added to all departments for used dirty rags. Container to be emptied on a weekly basis.	Low
Quarterly safety checks/Removing damaged ladders from service.	Low
Housekeeping sweep floor and clean machines at the end of each shift.	Low
Hearing protection was made mandatory throughout the plant as most areas exceed the OSHA'S (PEL).	Low
High impact plastic guards were added to this equipment 10 years ago.	Low
A small air filter was added to reduce the small amount of fumes and proper PPE is required.	Low
Proper PPE's are always in use when operating this equipment.	Low
New roof installed in September 2014 no more leaks.	Low
Only experienced engineer are allowed using the proper PPE's	Low
All computer cords were securely wrapped and stored or removed.	Low
The Carpet was shampooed and will be replaced with new carpeting in 2015	Low
Both the men and women washrooms were renovated.	Low
Abandon old galvanized piping and re-routed water line with new copper piping.	Low
Damaged and cracked tile were replaced	Low
Guards installed to prevent walking through the area.	Low
Concrete patch was applied to affected areas.	Low
Housekeeping sweep floor and clean machines at the end of each shift.	Low
Safety gates were installed on all dock opening.	Low
Mirrors and stop signs were installed at main crossing areas and mirrors were added to all other blind spots as well.	High
The materials handlers were retrained on stacking bins no more than 3 high, and skids no more than 6 feet high loose.	Low
Use of area fans and additional breaks on very hot days.	Low
Warehouse was repaired.	Low
Ongoing project to reduce carton weight to 30 pounds or less.	Low
Hearing protection was made mandatory in this area.	Low
Monitoring all incoming pallets and working with suppliers to correct the problem.	Low
Broken bricks and loose bricks were removed and the area was repaired.	Low
Relocated motor to a lower level in order to reduce injury.	Low
This was the result of the manufacturing expansion, the clean up process is complete	Low
The grinder foot pedal was repaired.	Low
All paints and flammable materials are stored in a fire cabinet.	Low
PPE purchased Dec. 2014 Arc Flash training conducted 1/14/2015	Medium
Only the authorized trained personnel with the proper PPE are allowed to perform hot work tasks.	Medium
Mandatory safety glasses are required throughout the plant. The optional face masks are available as needed.	Low
Additional mirrors installed in every blind spot in the plant as well as stop signs.	Low
All employees were retrained on keeping exits clear as well as not blocking any fire extinguishers.	Low
All department employees and managers were instructed not to store anything past the yellow border lines into the aisles.	Low
Employees were retrained on stacking of wire coils. They were instructed not to stack more than three high.	Low
Employees were instructed to use proper PPE's when dealing with any hot parts or equipment.	Low
Employees were instructed to use proper PPE's when dealing with fluids or any types of chemicals.	Low
Employees were instructed to use proper PPE's when dealing with fluids or any types of chemicals.	Low
All contractors are required to go through our company's safety requirements and procedures before starting work.	Low
All damaged window glass was replaced.	Low
Reinforce safety procedures of wearing protection in this area.	Low
Eliminate all drop cords and added additional outlets in this area.	Low
Some employees were not using the proper PPE. All employees working with banding are required to use PPE's.	Low
Installed new roof	Low
Electrical boxes were covered	Low
Safety Rules; Training/Discipline; PPE Program	Low
Only the authorized trained personnel with the proper PPE are allowed to perform hot work tasks.	Medium
Only the authorized trained personnel with the proper PPE are allowed to perform hot work tasks.	Medium
Snow removal and salt are applied immediately when conditions arise.	Low
Ceiling was cleared of all loose and hanging debris.	Low
The area was fenced off by contractor and monitored by members of the safety committee daily.	Low
All affected areas of construction were cordoned off and all pedestrian traffic re-routed.	Low
Gas valves/line was shut down and the area was cordoned off. Only authorized personnel only allowed to enter.	Low
All affected areas of construction were cordoned off and all pedestrian traffic re-routed and employees were provided hard hats.	Low
All affected areas of construction were cordoned off and all pedestrian traffic re-routed and employees were provided hard hats.	Low

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

