

ASPECT	REQUIREMENT	CITATION / SOURCE	F / S / L	REQUIREMENT	FACILITY ACTION	DATE LAST REVISED	ACTION REQUIRED	ANNUAL REVIEW 8/29/2024
Material Use or Exposure	Universal Waste	Rule 228, Part 111 of the Michigan Hazardous waste rules	S	Aerosol cans, antifreeze, batteries, consumer electronics, mercury containing devices, lamps, pesticides, and pharmaceuticals	Not Currently a Company's Name Requirement		No new applicable revisions.	We are in compliance with the Michigan Universal Waste Rules
Material Use or Exposure	Parts Cleaners	40 CFR 262.30; .31; .32; .33; .34	F	Flammable & combustible liquids must be handled in an approved manner (includes parts cleaners).	Ensure parts washer materials are handled in the appropriate manner.		Revised, but no new applicable revisions.	No Changes
Material Use or Exposure	Use & Management of SDS	29 CFR 1910.1200	F	Facilities must keep SDS's for every hazardous material used on site.	Ensure SDS's are accessible to employees for all hazardous chemicals used		No new applicable revisions.	No Changes
Material Use or Exposure	Hazardous Substances Notification	40 CFR Part 302	F	Designation, determination of reportable quantities, notification of EPA if spills exceed threshold quantities of listed chemicals.	Not currently a Company's Name requirement.		No new applicable revisions.	No Changes
Material Use or Exposure	Emergency Planning and Notification (Extremely Hazardous Substances)	40 CFR 355	F	- Emergency Planning and Notification	Not currently a Company's Name requirement.		No new applicable revisions.	No Changes
Material Use or Exposure	Toxic Chemical Release (Form R)	40 CFR Part 372	F	Community Right to Know (SARA Title III). Companies are required to submit Form R if they import, manufacture at least 25,000 lbs, or "otherwise use" at least 10,000 lbs of a listed chemical over the course of a year.	Submit Toxic Chemical Release Form (Form R) to MDEQ by July 1 st annually for methanol tank.		Minor revisions. posted 7/18/13. No new applicable revisions.	No Changes
Material Use or Exposure	Community Right-To-Know MSDS and Inventory Reporting, Tier II Chemical Inventory Forms	40 CFR 370	F	Community Right to Know (SARA Title III). Companies are required to submit Tier II chemical inventory forms if the chemical is subject to OSHA materials safety data sheet laws and is stored in quantities greater than the RQ at any time during the year.	Submit Tier II Chemical Inventory Form (Tier II) to MDEQ by March 1 st annually for methanol, nitrogen, sulfuric acid (batteries) and Tellus Oil.		No new applicable revisions.	No Changes
Material Use or Exposure	Ingham County Pollution Prevention Program	Resolution #11-074	L	The identification and disclosure of toxic, hazardous or polluting materials.	Submit or update the Facility, Material Manufacturers, New and Waste Chemical sheets to Ingham County by March 1 st of each year		New requirement as of 3/8/11	No Changes
Material Use or Exposure	PCB-Containing/Contaminated Equipment	40 CFR Part 761	F	Regulates use and/or exposure to PCBs.	Not currently a Company's Name requirement.		No new applicable revisions.	No PCBs on site
Material Use or Exposure	Asbestos-Containing Materials (ACMs)	40 CFR Part 763 29 CFR 1910 Parts 1001, 1101 MI Rule R 336.1942	F F S	Regulates use and/or exposure to asbestos-containing materials.	Not currently a Company's Name requirement.		No new applicable revisions.	No ACM on site
Solid and Liquid Waste	Waste Requirements: Resource Conservation and Recovery Act (RCRA): Establishes regulations and permit requirements for the generation of: hazardous waste generation; liquid industrial waste (lubricants); solid waste material management (rubbish, refuse, scrap metal); medical waste (blood/similar bodily fluids and contaminated clean-up/response materials)	40 CFR Part 260	F	Hazardous Waste Management: General		5/2/2018	New revisions but not applicable.	No Changes
Solid and Liquid Waste		40 CFR Part 261	F	Identification and Listing of Hazardous Waste	Identify and classify all waste streams Maintain waste characterization or letters of waste acceptance from TSDF	5/2/2018	New revisions but not applicable.	No Changes

ASPECT	REQUIREMENT	CITATION / SOURCE	F / S / L	REQUIREMENT	FACILITY ACTION	DATE LAST REVISED	ACTION REQUIRED	ANNUAL REVIEW 8/29/2024
Solid and Liquid Waste		40 CFR Part 262	F	Standards applicable to Generators of Hazardous Waste	Manifest hazardous and liquid industrial waste Maintain generator 1st and 2nd copies for a period of at least 3 years. Provide DOT (HM126F) training every 3 years to personnel who sign hazardous waste manifests. Provided annual RCRA training to personnel who are responsible for managing hazardous wastes.	5/2/2018	No new applicable revisions.	No Changes
Solid and Liquid Waste		40 CFR Part 268	F	Land disposal restrictions (LDR) of certain liquid waste products.	Maintain documentation of LDR determination for each hazardous waste stream	5/2/2018	No new applicable revisions.	No Changes
Solid and Liquid Waste		40 CFR Part 273	F	Disposal requirements for universal waste materials	Label and properly dispose of Universal Waste, ensure waste is shipped at least yearly	5/2/2018	No new applicable revisions.	No Changes
Solid and Liquid Waste		40 CFR Part 279	F	Management of Used Oil	Label all used oil containers as "Used Oil."	5/2/2018	No new applicable revisions.	No Changes
Solid and Liquid Waste		MI MDEQ Part 111 - Hazardous Waste of the Natural Resources & Environmental Protection Act, 1994, PA 451, as amended (Act 451)	S	Waste recycling options (NREPA Part 111).		5/2/2018	No new applicable revisions	No Changes
Solid and Liquid Waste		MI MDEQ Part 115 - Solid Waste of the Natural Resources & Environmental Protection Act, 1994 PA 451 - as amended (Act 451)	S	Disposal requirements for certain types of solid waste materials (general refuse) -- (NREPA Part 115)		5/2/2018	No new applicable revisions	No Changes
Solid and Liquid Waste		MI MDEQ Part 121 - Liquid Waste of the Natural Resources & Environmental Protection Act, 1994 PA 451, as amended (Act 451)	S	Disposal of non-hazardous liquid wastes (40 CFR 279 & NREPA Part 121)		5/2/2018	Recent changes effective 3/16/16. LIW waste codes no longer used. Uniform Waste Manifest no longer req'd, but documentation is the same.	No Changes
Solid and Liquid Waste		MI Public Health Code, Public Act 368	S	Disposal of Medical Waste		5/2/2018	No new applicable revisions	No Changes
Solid and Liquid Waste		MAC R 299.9201 - 30 Part 2	S	Identification and Listing of Hazardous Waste: 'Waste' explained, 'Hazardous Waste' explained, exclusions, special requirements for hazardous waste generated by CESQGs, requirements for recyclable materials, et al.		5/2/2018	No new applicable revisions.	No Changes

ASPECT	REQUIREMENT	CITATION / SOURCE	F / S / L	REQUIREMENT	FACILITY ACTION	DATE LAST REVISED	ACTION REQUIRED	ANNUAL REVIEW 8/29/2024
Oil Management & Spillage	Establishes a program to require generators and processors of oil and oil products to establish spill prevention, control and countermeasures plan (SPCC).	40 CFR 112 (EPA Regulations on oil pollution prevention)	F	Oil spill planning, control for cumulative oil storage over 1,320 gallons, development of Spill Prevention Control & Countermeasures (SPCC) Plan.	Maintain and periodically update a SPCC Plan. PE Certification required every 5 years. VERIFY THE DATE NEW CERTIFICATION IS REQUIRED	5/2/2018	No new applicable revisions.	No Changes
Oil Management & Spillage			F		Perform monthly inspections	5/2/2018		No Changes
Oil Management & Spillage			F		Provide training to affected employees (maintenance and tooling): initial within 6 months of hire, annual refresher.	5/2/2018		No Changes
Oil Management & Spillage			F		Complete daily oil waster separator checks.	5/2/2018		No Changes
Oil Management & Spillage			F		Maintain and periodically updated (per process change) a Pollution Incident Prevention Plan (PIPP). Must be updated every 3 years. Integrated into SPCC Plan.	5/2/2018		No Changes
Oil Management & Spillage		MI MDEQ Part 5 – Spillage of Oil and Polluting Materials – R324.2001 – R324.2009	S	Prevention planning, secondary containment, surveillance, and release reporting requirements for threshold management quantities (TMGs) for both indoor and outdoor use, storage and other management areas of MI Critical Materials.		5/2/2018	No new applicable revisions	No Changes
Air Quality	Establishes ambient and source emission standards and permit requirements for conventional and hazardous Air Pollutants	MI MDEQ Rule336.1201 - Air Pollution Control of the Natural Resources & Environmental Protection Act, 1994 PA 451, As amended (Act 451)	S	Requires permit-to- operate for painting operations. Must submit permit-to-operate for any process that generates air emissions that may exceed thresholds as defined by the MDEQ.	Not currently a Company's Name requirement. Calculate emissions inventory annually to ensure facility air emission sources are below regulatory thresholds.	5/2/2018	No new applicable revisions.	No Changes
Air Quality	Establishes parameters for controlling the usage of Ozone Depleting Substances (ODS)	40 CFR 82 Part B Appendix B	F	Regulates use of Class I and II Ozone Depleting Substances (ODS's). Requires that persons, including contractors, handling ODS's attain EPA certification. Requires that usage and maintenance records be kept for equipment containing 50 lbs or more of Class I or Class II ODS's.	Ensure ODSs are handled by EPA certified contractors for removal or recharge. Ensure that all required records are maintained for equipment with Class I and Class II Ozone Depleting Substances		No new applicable revisions.	No Changes
Air Quality	Establishes requirements industrial boiler for certain fuels (not if using only natural gas).	40 CFR Part 63 Subpart JJJJJJ	F	Defines boiler maintenance and record keeping requirements.	Not currently a Company's Name requirement for Boiler MACT.		Minor changes that do not affect Company's Name.	No Changes
Air Quality	Establishes exemptions to the MDEQ requirements for obtaining Permits to Install	R336.1278a Scope of Permit Exemptions	S	Rules 280 thru 290 provide various exemptions to the MDEQ permitting requirements and details the requirements for applicability.	The facility must keep records as described in the applicable exemptions		No new applicable revisions.	No Changes
Air Quality	Establishes criteria for reciprocating internal combustion engines (RICE) MACT requirements.	40 CFR Part 63 Subpart ZZZZ	F	Affected facilities must determine the applicability of the requirements and then document with the appropriate data	RICE MACT applies. Facility must have records of RICE installation dates, # and size of cylinders, hours of non-emergency operation (limit of 100 hours/yr)		Minor changes that do not affect Company's Name Mason.	No Changes
Air Quality	Provide annual report of Green House Gas discharges.	40 CFR part 98	F	GHG sources above threshold levels monitor and report emissions. Annual report due date is now March 31	Initial assessment indicated facility is below threshold level and not reportable.		Minor changes that do not affect Company's Name Mason	No Changes

ASPECT	REQUIREMENT	CITATION / SOURCE	F / S / L	REQUIREMENT	FACILITY ACTION	DATE LAST REVISED	ACTION REQUIRED	ANNUAL REVIEW 8/29/2024
Water Quality & Spillage Prevention	Establishes ambient and point source effluent standards and permit requirements for water pollutants, including those discharged directly to a body of water, to a public sewer, or to groundwater	Clean Water Act (CWA) 40 CFR Parts 100-135 40 CFR Parts 136-149	F F F	Prevention of contamination caused from ambient and point source water pollution, defines permit requirements.	Maintain a NPDES permit for stormwater discharges from an industrial site.	5/2/2018	Minor changes that do not affect Company's Name Mason.	No Changes
Water Quality & Spillage Prevention		MI MDEQ Part 31 - Water Resources Control of the Natural Resources & Environmental Protection Act, 1994, PA 451, as amended, (Act 451)	S	Mitigation of groundwater contaminated from an unplanned release.	Maintain and administer a Storm Water Pollution Prevention Plan (SWPPP). Ensure the facility has at least one certified stormwater operator. Pay annual permit fees Provide SWPPP Training to all employees (New Hire Orientation, 2-3 year refresher). Complete Monthly Inspections Perform Quarterly stormwater inspections by Certified Storm Water Operator Complete annual storm water report and send to EGLE by Jan 10.		Conducting visual assessments of storm water discharges from areas of industrial activity is a <u>new permit</u> requirement for facilities in Michigan with industrial storm water permit coverage.	Utilizing Clean Stormwater for compliance
Water Quality & Spillage Prevention		MI MDEQ Part 201 - Environmental Remediation of The Natural Resources & Environmental Protection Act 1994, as amended (Act 451)	S	Establishes activities relevant to the development of commercial or industrial properties	Not currently a Company's Name requirement.		No new applicable revisions.	No Changes
Water Quality & Spillage Prevention		MI MDEQ Part 31 - Water Resources Control, R299.9001-299.9008 of the Natural Resources & Environmental Protection Act, 1994, PA 451, as amended, (Act 451)	S	Annual Wastewater Reporting	Submit standard or abbreviated Annual Wastewater Report (AWR) to AWR Program, Environmental Assistance Division, MDEQ, P.O. Box 30457, Lansing, MI 48909-7959 by August 1 st of every year.		No new applicable revisions.	
Water Quality & Spillage Prevention		City of Mason Code Utilities, Divisions 3 & 4. – (or call City and ask at 517-676-9155)	L	Wastewater Code	Comply with requirements.		No new applicable revisions.	No Changes
Health and Safety Requirements	Compressed Gases/Natural Gas	Occupational Safety and Health Act, 29 CFR 1910.101 – Compressed Gases	F	Defines inspection, handling, storage and in-plant utilization requirements for compressed gases (29 CFR 1910.101); Liquefied Petroleum Gases (29 CFR 1910.110).	Store compressed gases in a secure way to avoid tipping. Incompatible gases should be segregated. Provide Compressed Gas training (tooling, maintenance, production and leads). Required for those moving/working with compressed gas, refusers are optional	5/2/2018	No new applicable revisions.	No Changes

ASPECT	REQUIREMENT	CITATION / SOURCE	F / S / L	REQUIREMENT	FACILITY ACTION	DATE LAST REVISED	ACTION REQUIRED	ANNUAL REVIEW 8/29/2024
Health and Safety Requirements	Flammable/Combustible Liquids	Occupational Safety and Health Act, 29 CFR 1910.106 – Flammable and Combustible Liquids	F	Defines storage and handling requirements for combustible and flammable liquids. (77 FR 17573) OSHA is modifying its Hazard Communication Standard (HCS) to conform to the United Nations' Globally Harmonized System of Classification and Labelling of Chemicals (GHS). Employers must complete all training regarding the new label elements and SDS format by December 1, 2013 since, as supported by record, employees will begin seeing the new style labels considerably earlier than the compliance date for labeling. Second, OSHA is requiring compliance with all of the provisions for preparation of new labels and safety data sheets by June 1, 2015. However, distributors will have an additional six months (by December 1, 2015) to distribute containers with manufacturers' labels in order to accommodate those they receive very close to the compliance date. Employers will also be given an additional year (by June 1, 2016) to update their hazard communication programs or any other workplace signs, if applicable.	Ensure flammable and Combustible liquids are stored and handled properly.		No new applicable revisions.	No Changes
Health and Safety Requirements		MIOSHA General Industry Safety Standards – Part 75: Flammable & Combustible Liquids MI MDEQ Act 207- Storage and Handling of Flammable and Combustible Liquids, Natural Resources & Environmental Protection Act, 1994 PA 451, As amended (Act 451)	S	Establishes requirements for the storage of flammable and combustible liquids for newly constructed ASTs. Defines storage and handling requirements for drums and other containers that do not exceed 60 gallons individual capacity and portable tanks that do not exceed 660 gallons individual capacity.	Ensure Methanol tank is inspected to comply with FL/CL standard.		No new applicable revisions.	No Changes
Health and Safety Requirements	Fixed Fire Suppression Equipment	Occupational Safety and Health Act– Fixed Fire Suppression Equipment: 29 CFR 1910. 159 29 CFR 1910. 162	F	Establishes requirements for the placement, inspection and maintenance of fixed fire suppression equipment.	Fire suppression systems are installed. Ensure system is correctly inspected and maintained regularly.		No new applicable revisions.	No Changes
Health and Safety Requirements	Portable Fire Extinguishers	29 CFR 1910.157 MIOSHA General Industry Safety Standards	S	Establishes requirements for the placement, use, inspection, maintenance and testing of portable fire extinguishers	Inspect fire extinguishers at least monthly.		No new applicable revisions.	No Changes
Health and Safety Requirements		Part 8: Fire Extinguisher	S	(Updated to match OSHA language)			No new applicable revisions.	No Changes
Health and Safety Requirements		Part 9: Fixed Fire Equipment	S	(Updated to match OSHA language)			No new applicable revisions.	No Changes

ASPECT	REQUIREMENT	CITATION / SOURCE	F / S / L	REQUIREMENT	FACILITY ACTION	DATE LAST REVISED	ACTION REQUIRED	ANNUAL REVIEW 8/29/2024
Health and Safety Requirements	Noise Exposure	Occupational Safety and Health Act, 29 CFR 1910.95 Noise Exposure	F	Requires Hearing protection at levels above the permissible noise exposures.	Ensure noise levels have been evaluated and provide appropriate hearing protection if required.		No new applicable revisions.	No Changes
Health and Safety Requirements		MIOSHA General Industry Occupational Health Standards – Part 380: Occupational Noise Exposure	S	Establishes standards for nuisance noise which may be generated from facility operation.	Employee testing (maintenance, tooling, operators, select others): New Hire Orientation, annually.		No new applicable revisions.	No Changes
Health and Safety Requirements	Sanitation	29 CFR 1910.141	F	Defines minimum requirements for waste (garbage) disposal, housekeeping, vermin control, potable water sources, and sanitary waste disposal.	Ensure sanitation facilities comply with the defined requirements.		No new applicable revisions.	No Changes
Health and Safety Requirements		MIOSHA General Industry Occupational Health Standards – Part 474: Sanitation	S				Minor changes do not affect Company's Name Mason	
Health and Safety Requirements	Process Safety Management	Occupational Safety and Health Act, 29 CFR 1910.119 Process Safety Management	F	Establishes requirements for preventing or minimizing the consequences of catastrophic releases of toxic, reactive, flammable, or explosive chemicals.	Facility is not subject to PSM requirements due to the exemption at 29 CFR 1910.119(a)(1)(ii)(B)		No new applicable revisions.	No Changes
Health and Safety Requirements		MIOSHA General Industry Safety Standards – Part 91: Process Safety Management	S		Facility is not subject to PSM requirements.		No new applicable revisions.	No Changes
Health and Safety Requirements	Hazard Communication (HAZCOM)	29 CFR 1910.1200	F	Facilities must keep MSDS for every hazardous material used on site. (77FR 17786) OSHA is modifying its Hazard Communication Standard (HCS) to conform to the United Nations' Globally Harmonized System of Classification and Labeling of Chemicals (GHS). Employers must complete all training regarding the new label elements and SDS format by December 1, 2013 since, as supported by record, employees will begin seeing the new style labels considerably earlier than the compliance date for labeling. Second, OSHA is requiring compliance with all of the provisions for preparation of new labels and safety data sheets by June 1, 2015. However, distributors will have an additional six months (by December 1, 2015) to distribute containers with manufacturers' labels in order to accommodate those they receive very close to the compliance date. Employers will also be given an additional year (by June 1, 2016) to update their hazard communication programs or any other workplace signs, if applicable.	Ensure MSDS sheets are current as new/updates are received.		No new applicable revisions.	No Changes

ASPECT	REQUIREMENT	CITATION / SOURCE	F / S / L	REQUIREMENT	FACILITY ACTION	DATE LAST REVISED	ACTION REQUIRED	ANNUAL REVIEW 8/29/2024
Health and Safety Requirements		MIOSHA General Industry Safety Standards – Right to Know/Hazard Communication/Retention of DOT Markings, Placards and Labels: Part 92, Part 430	S	Facilities must develop a method for labeling.			No new applicable revisions.	No Changes
Health and Safety Requirements				Facilities must have a means of informing contractors of safety issues at the facility.	Provide HAZCOM training (all affected): New Hire Orientation, refresher required for changes in physical/health hazards.		No new applicable revisions.	No Changes
Health and Safety Requirements					Provide Contractor Safety Training (Purchasing, Maintenance, MR): annually, with initial work PO attachments and letters to contractors		No new applicable revisions.	No Changes
Health and Safety Requirements	Hazardous Materials Transportation Act (HMTA) Department of Transportation	49 CFR 171 49 CFR 172	F F	Establishes requirements for offering of hazardous materials for transportation. PHMSA is amending the Hazardous Materials Regulations to maintain alignment with international standards by incorporating various amendments, including changes to proper shipping names, hazard classes, packing groups, special provisions, packaging authorizations, air transport quantity limitations, and vessel stowage requirements.	Ensure compliance with DOT requirements for shipping Hazardous materials. Personnel preparing shipping papers, labeling and loading or unloading hazardous materials must be DOT (HM126F) trained every 3 years.		Minor changes to definitions, Lithium Batteries, in 80 FR 80 FR 1116, Jan. 8, 2015.	No Changes
Health and Safety Requirements	Bloodborne Pathogens	29 CFR 1910.1030 Bloodborne Pathogen Standard MIOSHA General Industry Safety Standards – Part 554: Bloodborne Infectious Diseases	F S	Establishes requirements to protect employees from all occupational exposure to blood or other potentially infectious materials.	Provide Medical First Aid training (all): New Hire Orientation Provide First Aid Responder Training (voluntary, various shifts); NEO, 2 year refresher		No new applicable revisions.	No Changes
Health and Safety Requirements	Personal Protective Equipment (PPE)	MIOSHA General Industry Safety Standards – Part 33 and 433: Personal Protective Equipment	S	PPE for eyes, face, head, and extremities, respiratory, shall be provided, used, and maintained wherever it is necessary by reason of chemical hazards, radiological hazards, or mechanical irritants encountered in a manner capable of causing injury or impairment. PPE assessment shall have a written certification.	Provide PPE Training; initial – on the job training, refresher as required based on work Complete hazard assessments and ensure they are signed and dated		Minor changes – Differences from OSHA	No Changes
Health and Safety Requirements	Hydraulic Power Press	MIOSHA General Industry Safety Standards – Part 23: Hydraulic Power Presses	S	Requires safe operating procedures, guards and equipment to protect employees from hazards of operation.	Conduct inspections on a regular basis		No new applicable revisions.	No Changes
Health and Safety Requirements	Welding	MIOSHA General Industry Safety Standards – Part 12: Welding and Cutting 29 CFR 1910.251-255	S F	Welding operations shall provide for fire protection, personnel protection, and ventilation.	Control fumes/smoke in the plant. Filter lenses must meet the test for transmission of radiant energy prescribed by any of the consensus standards listed in 29 CFR 1910.133(b)(1)		No new applicable revisions.	No Changes
ASPECT	REQUIREMENT	CITATION / SOURCE	F / S / L	REQUIREMENT	FACILITY ACTION	DATE LAST REVISED	ACTION REQUIRED	ANNUAL REVIEW 8/29/2024
Health and Safety Requirements	Lock-out/Tag-out (LOTO) Program	29 CFR 1910.147	F	A required written program covering the unexpected energization of machinery during servicing or maintenance.	Provide LOTO Training (all, maintenance, tooling): New Hire Orientation (all), initial – on the job training (maintenance), annually for authorized, if equipment changes.		No new applicable revisions.	No Changes

Health and Safety Requirements	Crane and Sling Safety	29 CFR 1910.179 29 CFR 1910.180 29 CFR 1910.184 MIOSHA General Industry Safety Standards Part 18, Part 19 Part 20, Part 49	F F F S, S S, S	Provides for the proper use, maintenance and inspection of cranes and slings and operator training.	Provide Crane & Sling training (tooling, maintenance): initial – on the job training, 3 year refresher		No new applicable revisions.	No Changes
Health and Safety Requirements	Manlift	29 CFR 1910.68	F	Manlift equipment must be maintained, inspected, and operated according to safe work practices outlined in this regulation including operator training.	Man lift training (maintenance): initial – on the job training, 3 year refresher		No new applicable revisions.	No Changes
Health and Safety Requirements	Fork Truck	29 CFR 1910.178 MIOSHA General Industry Safety Standards – Part 21: Powered Industrial Trucks	F S	Powered industrial trucks must be inspected, maintained and operated by trained personnel.	Provide Fork Truck training (all truck drivers): initial – on the job training, 3 year refresher		No new applicable revisions.	No Changes
Health and Safety Requirements	Confined Space	29 CFR 1910.146 MIOSHA General Industry Safety Standards – Part 90: Confined Space Entry	F S	Confined spaces shall be identified when it poses a hazard to the employee along with a program and training.	Provide confined space training to affected personnel (maintenance): awareness, New Hire Orientation, maintenance specific, when any changes.		No new applicable revisions.	No Changes
Health and Safety Requirements	Emergency Action Plan	29 CFR 1910.38	F	Emergency Action Plan is required to provide direction during an emergency.	Provide general awareness training (all): New Hire Orientation, Evacuation drills annually Responders training (maintenance, leads, & managers): Annually, Emergency drills annually.		No new applicable revisions.	No Changes
Health and Safety Requirements	OSHA 300 – Occupational Illness and Injury	29 CFR 1904	F	OSHA recordkeeping requires all recordable injury, illness or deaths be reported and recorded.	Record compliance with 300 log forms.		No new applicable revisions.	No Changes
Other Applicable Requirements	Environmental Management System (EMS): ISO 14001: 2004	ISO 14001: 2015 Standard		Defines EMS standards Updated November 15, 2015.	Awareness Training (all) : New Hire Orientation, or on 6 month schedule, yearly optional review. Internal Audits (Internal Auditors): Initial Contractor Safety Training (Purchasing, Maintenance, MR): Annually, with Initial work PO attachments and letter to contractors	5/2/2018	Standard revised in 2015. Organizations accredited to previous edition have until Sept. 2018 to meet new req'ts.	No Changes

ASPECT	REQUIREMENT	CITATION / SOURCE	F / S / L	REQUIREMENT	FACILITY ACTION	DATE LAST REVISED	ACTION REQUIRED	ANNUAL REVIEW 8/29/2024
Other Applicable Requirements	Chrysler (Regulatory Substances)	QP 5.0 F001;CS-9003 (ETI-101 & 102)		Restrict material usage to IMDS list of approved materials. (Recently Updated.)	Use approved materials		Review revised documents when applicable.	No Changes
Other Applicable Requirements	General Motors (Restricted & Reportable Substances for Parts)	QP 5.0 F002; GMW3059		Restrict material usage to IMDS list of approved materials	Use only approved materials		Review revised documents when applicable.	No Changes
Other Applicable Requirements	General Motors (Recyclability Guidelines)	QP 5.0 F002; GMW3116		Material usage must comply with recyclability goal	Use only approved materials		Review revised documents when applicable.	No Changes