# in1intest

#### Go Up

#### **Table of Contents**

```
example_2.ecl
Basic Inheritance documentation: mod_3 inherits both mod_1 and mod_2

example_3.ecl
Example: Inheritance across files

example_4.ecl
Example: Inheritance across files

example_6.ecl
Module Hierarchy Example: mod_1 -> mod_11 -> mod_111

example_7.ecl
Basic Type Example

example_8.ecl
Three level Hierarchy Example
```

#### intest/ in1intest/

# example\_2

Go Up

#### **DESCRIPTIONS**

#### MODULE example\_2

```
example_2
```

Basic Inheritance documentation :  $mod_3$  inherits both  $mod_1$  and  $mod_2$  . Inherits  $v2_m1$ ,  $v2_m2$ , Overrides  $v1_m1$ , new locals  $v2_m3$  . Interface Inheritance :  $mod_4$  inherits interface iface\_1, overrides  $v1_i1$ 

#### Children

- 1. rec 1: No Documentation Found
- 2. rec 2: No Documentation Found
- 3. rec 3: No Documentation Found
- 4. mod 1: No Documentation Found
- 5. mod 2: No Documentation Found
- 6. mod 3: No Documentation Found
- 7. iface 1: No Documentation Found
- 8. mod\_4: No Documentation Found

#### RECORD rec\_1

example\_2 \

 $rec\_1$ 

No Documentation Found

FIELD v1 || REAL8 — No Doc

## RECORD rec\_2

example $_2$  \

 $rec\_2$ 

No Documentation Found

FIELD v2 ||| REAL8 — No Doc

FIELD v1 || REAL8 — No Doc

## RECORD rec\_3

example\_2  $\setminus$ 

 $rec\_3$ 

No Documentation Found

FIELD v3 || REAL8 — No Doc

FIELD v1 || REAL8 — No Doc

example\_2 \

 $mod\_1$ 

No Documentation Found

#### Children

- 1. v1\_m1: No Documentation Found
- 2. v2\_m1: No Documentation Found

## ATTRIBUTE v1\_m1

 $example_2 \setminus mod_1 \setminus$ 

real8 v1\_m1

No Documentation Found

RETURN REAL8 —

## ATTRIBUTE v2\_m1

 $example_2 \setminus mod_1 \setminus$ 

v2\_m1

No Documentation Found

RETURN REAL8 —

example\_2 \

 $\mod 2$ 

No Documentation Found

#### Children

- 1. v1\_m1: No Documentation Found
- 2. v2\_m2: No Documentation Found

## ATTRIBUTE v1\_m1

example $_2 \setminus \text{mod}_2 \setminus$ 

v1 m1

No Documentation Found

RETURN REAL8 —

## ATTRIBUTE v2\_m2

 $example_2 \setminus mod_2 \setminus$ 

v2\_m2

No Documentation Found

RETURN REAL8 —

example\_2 \

 $mod_3$ 

No Documentation Found

PARENT intest.in1intest.example\_2.mod\_1 <example\_2.ecl.tex>

PARENT intest.in1intest.example\_2.mod\_2 <example\_2.ecl.tex>

#### Children

1. v2\_m1: No Documentation Found

2. v2\_m2: No Documentation Found

3. v1 m1: No Documentation Found

4. v2\_m3: No Documentation Found

## ATTRIBUTE v2\_m1

 $example_2 \setminus mod_3 \setminus$ 

v2\_m1

No Documentation Found

RETURN REAL8 —

INHERITED

## ATTRIBUTE v2\_m2

example $_2 \setminus \text{mod}_3 \setminus$ 

v2\_m2

No Documentation Found

RETURN REAL8 —

INHERITED

## ATTRIBUTE v1\_m1

example $_2 \setminus \text{mod}_3 \setminus$ 

v1\_m1

No Documentation Found

RETURN REAL8 —

OVERRIDE

#### ATTRIBUTE v2\_m3

 $example_2 \setminus mod_3 \setminus$ 

v2\_m3

No Documentation Found

RETURN REAL8 —

## INTERFACE iface\_1

example\_2 \

 $iface_1$ 

No Documentation Found

#### Children

1. v1\_i1: No Documentation Found

## ATTRIBUTE v1\_i1

example $_2 \setminus iface_1 \setminus$ 

real8 v1\_i1

No Documentation Found

RETURN REAL8 —

#### MODULE mod\_4

example $_2$  \

 $mod\_4$ 

No Documentation Found

PARENT intest.in1intest.example\_2.iface\_1 <example\_2.ecl.tex>

Children

1. v1\_i1: No Documentation Found

2. v2\_m4: No Documentation Found

# ATTRIBUTE v1\_i1

 $example_2 \setminus mod_4 \setminus$ 

v1\_i1

No Documentation Found

RETURN REAL8 —

OVERRIDE

## ATTRIBUTE v2\_m4

 $example_2 \setminus mod_4 \setminus$ 

STRING20 v2\_m4

No Documentation Found

RETURN STRING20 —

# $\begin{array}{c} {\rm intest/\ in1intest/} \\ example\_3 \end{array}$

Go Up

## **DESCRIPTIONS**

#### MODULE Example\_3

Example\_3

Example : Inheritance across files mod\_1 in Example\_4 inherits mod\_1 in Example\_3

#### Children

1. mod\_1: No Documentation Found

## MODULE mod\_1

Example\_3 \

 $mod\_1$ 

No Documentation Found

#### Children

- 1. v1 m1: No Documentation Found
- 2. v2\_m1\_ex3: No Documentation Found

# ATTRIBUTE v1\_m1

Example\_3  $\setminus$  mod\_1  $\setminus$ 

v1\_m1

No Documentation Found

RETURN REAL8 —

## ATTRIBUTE v2\_m1\_ex3

Example $_3 \setminus \text{mod}_1 \setminus$ 

 $v2\_m1\_ex3$ 

No Documentation Found

RETURN REAL8 —

# $\begin{array}{c} {\rm intest/\ in1intest/} \\ example\_4 \end{array}$

Go Up

## **IMPORTS**

 $Example_3.mod_1$ 

#### **DESCRIPTIONS**

## MODULE example\_4

 $example_4$ 

Example : Inheritance across files mod\_1 in Example\_4 inherits mod\_1 in Example\_3

#### Children

1. mod\_1: No Documentation Found

## MODULE mod\_1

example $_4$  \

 $mod\_1$ 

No Documentation Found

PARENT Example\_3.mod\_1 <../../example\_3.ecl.tex>

#### Children

- 1. v2 m1 ex4: No Documentation Found
- 2. v1\_m1 : Doc test 2
- 3. v2 m1 ex3: DOC Test 3
- 4. abc: No Documentation Found
- 5. long\_name: No Documentation Found

#### ATTRIBUTE v2\_m1\_ex4

 $example_4 \setminus mod_1 \setminus$ 

 $v2_m1_ex4$ 

No Documentation Found

RETURN REAL8 —

#### ATTRIBUTE v1\_m1

 $example\_4 \setminus mod\_1 \setminus$ 

 $v1_m1$ 

Doc test 2. Title end by period not newline

ABCD ||||
CDEF ||||

RETURN REAL8 —

INHERITED

## ATTRIBUTE v2\_m1\_ex3

 $example_4 \setminus mod_1 \setminus$ 

 $v2\_m1\_ex3$ 

DOC Test 3 No Period title

RETURN REAL8 —

INHERITED

## **FUNCTION** abc

 $example_4 \setminus mod_1 \setminus$ 

REAL8 abc

(REAL8 x)

No Documentation Found

PARAMETER <u>x</u> ||| REAL8 — No Doc

RETURN REAL8 —

INHERITED

#### **FUNCTION** long\_name

#### $example_4 \setminus mod_1 \setminus$

#### long\_name

(DATASET({REAL8 u}) X, DATASET({REAL8 u}) IntW, DATASET({REAL8 u}) Intb, REAL8 BETA=0.1, REAL8 sparsityParam=0.1 , REAL8 LAMBDA=0.001, REAL8 ALPHA=0.1, UNSIGNED2 MaxIter=100)

#### No Documentation Found

PARAMETER <u>x</u> ||| TABLE ( { REAL8 u } ) — No Doc

PARAMETER <u>lambda</u> ||| REAL8 — No Doc

PARAMETER beta || REAL8 — No Doc

PARAMETER alpha ||| REAL8 — No Doc

PARAMETER sparsityparam ||| REAL8 — No Doc

PARAMETER intw || TABLE ( { REAL8 u } ) — No Doc

PARAMETER intb || TABLE ( { REAL8 u } ) — No Doc

PARAMETER maxiter || UNSIGNED2 — No Doc

RETURN REAL8 —

#### INHERITED

# intest/ in1intest/

# example\_6

Go Up

#### **DESCRIPTIONS**

#### MODULE example\_6

example\_6

 $\label{linear_mod_11} \begin{tabular}{ll} Module Hierarchy Example: $mod_1$ -> $mod_11$ -> $mod_111$ . Inheritance across Hierarchy: $mod_2$ inherits $mod_1$.mod_11 , $mod_3$.mod_31 inherits $mod_1$.mod_11 , $mod_4$ inherits $mod_3$.mod_31, $mod_2$ , $mod_5$ inherits $mod_1$ and $mod_1$.mod_11 \\ \end{tabular}$ 

#### Children

- 1. mod 1: No Documentation Found
- 2. mod 2: No Documentation Found
- 3. mod 3: No Documentation Found
- 4. mod 4: No Documentation Found
- 5. mod 5: No Documentation Found

#### MODULE mod\_1

example\_6  $\setminus$ 

 $mod\_1$ 

#### No Documentation Found

#### Children

```
1. v1_m1: No Documentation Found
```

```
2. mod_11: No Documentation Found
```

#### ATTRIBUTE v1\_m1

```
example_6 \ mod_1 \
```

```
v1_m1
```

No Documentation Found

RETURN REAL8 —

#### MODULE mod\_11

 $example_6 \setminus mod_1 \setminus$ 

```
mod_11 (real8 a_11)
```

No Documentation Found

PARAMETER a\_11 ||| REAL8 — No Doc

#### Children

- 1. v1 m11: No Documentation Found
- 2. mod 111: No Documentation Found

## ATTRIBUTE v1\_m11

example\_6 \ mod\_1 \ mod\_11 \ \

v1\_m11

No Documentation Found

RETURN REAL8 —

#### MODULE mod\_111

example\_6 \ mod\_1 \ mod\_11 \

 $mod_1111$ 

(real8 a\_111)

No Documentation Found

PARAMETER a\_111 ||| REAL8 — No Doc

#### Children

1. v1 m111: No Documentation Found

#### ATTRIBUTE v1\_m111

 $example\_6 \ \backslash \ mod\_11 \ \backslash \ mod\_111 \ \backslash$ 

 $v1\_m111$ 

No Documentation Found

example\_6  $\setminus$ 

 $mod\_2$ 

No Documentation Found

PARENT intest.in1intest.example\_6.mod\_1.mod\_11 <example\_6.ecl.tex>

#### Children

- 1. v1\_m11: No Documentation Found
- 2. mod\_111: No Documentation Found
- 3. v1\_m2: No Documentation Found

## ATTRIBUTE v1\_m11

example\_6 \ mod\_2 \

v1\_m11

No Documentation Found

RETURN REAL8 —

INHERITED

example\_6  $\setminus$  mod\_2  $\setminus$ 

 $mod\_111$ 

(real8 a\_111)

No Documentation Found

PARAMETER a\_111 ||| REAL8 — No Doc

INHERITED

## ATTRIBUTE v1\_m2

example\_6 \  $mod_2$  \

v1\_m2

No Documentation Found

RETURN REAL8 —

## MODULE mod\_3

example\_6  $\setminus$ 

 $mod\_3$ 

No Documentation Found

Children

- 1. v1\_m3: No Documentation Found
- 2. mod\_31: No Documentation Found

## ATTRIBUTE v1\_m3

example\_6 \ mod\_3 \

 $v1_m3$ 

No Documentation Found

RETURN REAL8 —

#### MODULE mod\_31

example\_6 \ mod\_3 \

 $mod\_31$ 

No Documentation Found

PARENT intest.in1intest.example\_6.mod\_1.mod\_11 <example\_6.ecl.tex>

#### Children

- 1. v1\_m11: No Documentation Found
- 2. mod 111: No Documentation Found
- 3. v1\_m31: No Documentation Found

#### ATTRIBUTE v1\_m11

example\_6 \  $mod_3 \setminus mod_31 \setminus$ 

v1 m11

No Documentation Found

RETURN REAL8 —

INHERITED

#### MODULE mod\_111

example\_6 \  $mod_3 \setminus mod_31 \setminus$ 

 $mod_1111$ 

(real8 a\_111)

No Documentation Found

PARAMETER a\_111 ||| REAL8 — No Doc

INHERITED

# ATTRIBUTE v1\_m31

example\_6 \ mod\_3 \ mod\_31 \

 $v1_m31$ 

No Documentation Found

example\_6 \

 $\mod 4$ 

No Documentation Found

PARENT intest.in1intest.example\_6.mod\_3.mod\_31 <example\_6.ecl.tex>

PARENT intest.in1intest.example\_6.mod\_2 <example\_6.ecl.tex>

#### Children

1. v1 m11: No Documentation Found

2. mod 111: No Documentation Found

3. v1 m2: No Documentation Found

4. v1 m31: No Documentation Found

5. v1\_m4: No Documentation Found

#### ATTRIBUTE v1\_m11

example\_6 \  $mod_4$  \

v1 m11

No Documentation Found

RETURN REAL8 —

INHERITED

example\_6  $\setminus$  mod\_4  $\setminus$ 

mod 111

(real8 a\_111)

No Documentation Found

PARAMETER a\_111 ||| REAL8 — No Doc

INHERITED

## ATTRIBUTE v1\_m2

example\_6 \  $mod_4$  \

 $v1\_m2$ 

No Documentation Found

RETURN REAL8 —

INHERITED

# ATTRIBUTE v1\_m31

example\_6 \ mod\_4 \

v1\_m31

No Documentation Found

```
RETURN REAL8 —
```

#### INHERITED

#### ATTRIBUTE v1\_m4

```
example_6 \setminus mod_4 \setminus
```

```
v1\_m4
```

No Documentation Found

RETURN REAL8 —

#### MODULE mod\_5

example\_6  $\setminus$ 

 $mod\_5$ 

No Documentation Found

PARENT intest.in1intest.example\_6.mod\_1 <example\_6.ecl.tex>

PARENT intest.in1intest.example\_6.mod\_1.mod\_11 <example\_6.ecl.tex>

#### Children

- 1. v1 m1: No Documentation Found
- 2. mod 11: No Documentation Found
- 3. v1 m11: No Documentation Found
- 4. mod\_111: No Documentation Found
- 5. v1\_m5: No Documentation Found

## ATTRIBUTE v1\_m1

example\_6  $\setminus$  mod\_5  $\setminus$ 

 $v1_m1$ 

No Documentation Found

RETURN REAL8 —

INHERITED

#### MODULE mod\_11

example\_6 \  $mod_5$  \

 $mod_11$ 

(real8 a\_11)

No Documentation Found

PARAMETER a\_11 ||| REAL8 — No Doc

INHERITED

# ATTRIBUTE v1\_m11

example\_6 \ mod\_5 \

 $v1\_m11$ 

No Documentation Found

RETURN REAL8 —

INHERITED

## MODULE mod\_111

example\_6  $\setminus$  mod\_5  $\setminus$ 

 $mod_1111$ 

(real8 a\_111)

No Documentation Found

PARAMETER <u>a\_111</u> ||| REAL8 — No Doc

INHERITED

## ATTRIBUTE v1\_m5

example\_6 \ mod\_5 \

 $v1\_m5$ 

No Documentation Found

RETURN REAL8 —

# $\begin{array}{c} {\rm intest/\ in1intest/} \\ example\_{7} \end{array}$

Go Up

## **DESCRIPTIONS**

#### MODULE example\_7

example\_7

Basic Type Example Source Code copied from ECL Documentation

#### Children

1. R: No Documentation Found

#### RECORD R

example\_7 \

 $\mathbf{R}$ 

No Documentation Found

FIELD <u>f3</u> ||| SCALEINT — No Doc

FIELD <u>f2</u> ||| NEEDC — No Doc

FIELD <u>f1</u> ||| REVERSESTRING4 — No Doc

# $\begin{array}{c} {\rm intest/\ in1intest/} \\ example\_8 \end{array}$

Go Up

#### **DESCRIPTIONS**

#### MODULE example\_8

example\_8

Three level Hierarchy Example . Inheritance across Hierarchy . Problems with Type System – PROJECT Expression does not maintain record typename (rec\_2) but do maintain record structure . IE  $mod_2.v1_m2$  should be but shown . has same structure as record .

#### Children

- 1. mod 1: No Documentation Found
- 2. mod\_2: No Documentation Found

#### MODULE mod\_1

example\_8 \

 $\mod 1$ 

No Documentation Found

#### Children

1. rec 1: No Documentation Found

2. mod\_11: No Documentation Found

## RECORD rec\_1

example\_8 \  $mod_1$  \

 $rec\_1$ 

No Documentation Found

FIELD <u>a</u> ||| REAL8 — No Doc

## MODULE mod\_11

example $_8 \setminus \text{mod}_1 \setminus$ 

 $mod\_11$ 

No Documentation Found

#### Children

1. v1\_m11: No Documentation Found

#### ATTRIBUTE v1\_m11

example\_8 \ mod\_1 \ mod\_11 \

v1\_m11

No Documentation Found

RETURN TABLE (  $rec_1$  ) —

## MODULE mod\_2

example\_8 \

 $mod\_2$ 

No Documentation Found

PARENT intest.in1intest.example\_8.mod\_1.mod\_11 <example\_8.ecl.tex>

#### Children

- 1. v1\_m11: No Documentation Found
- 2. rec\_2: No Documentation Found
- 3. v1 m2: No Documentation Found

## ATTRIBUTE v1\_m11

 $example\_8 \setminus mod\_2 \setminus$ 

 $v1\_m11$ 

No Documentation Found

RETURN TABLE (  $rec_1$  ) —

INHERITED

# RECORD rec\_2

example\_8  $\setminus$  mod\_2  $\setminus$ 

 $rec_2$ 

No Documentation Found

FIELD **b** ||| REAL8 — No Doc

# FUNCTION v1\_m2

example\_8 \  $mod_2$  \

v1\_m2

(REAL8 ag\_1)

No Documentation Found

PARAMETER ag\_1 ||| REAL8 — No Doc

RETURN TABLE ( { REAL8 b } ) —