inintest

Go Up

Table of Contents

```
example_2.ecl
Basic Inheritance documentation: mod_3 inherits both mod_1 and mod_2

example_3.ecl
Example: Inheritance across files

example_4.ecl
Example: Inheritance across files

example_6.ecl
Module Hierarchy Example: mod_1 -> mod_11 -> mod_111

example_7.ecl
Basic Type Example

example_8.ecl
Three level Hierarchy Example
```

intest/ inintest/

example_2

Go Up

DESCRIPTIONS

MODULE example_2

```
example_2
```

Basic Inheritance documentation : mod_3 inherits both mod_1 and mod_2 . Inherits $v2_m1$, $v2_m2$, Overrides $v1_m1$, new locals $v2_m3$. Interface Inheritance : mod_4 inherits interface iface_1, overrides $v1_i1$

Children

- 1. rec 1: No Documentation Found
- 2. rec 2: No Documentation Found
- 3. rec 3: No Documentation Found
- 4. mod 1: No Documentation Found
- 5. mod 2: No Documentation Found
- 6. mod 3: No Documentation Found
- 7. iface 1: No Documentation Found
- 8. mod 4: No Documentation Found

RECORD rec_1

example_2 \

 rec_1

No Documentation Found

FIELD v1 || REAL8 — No Doc

RECORD rec_2

example $_2$ \

 rec_2

No Documentation Found

FIELD v2 ||| REAL8 — No Doc

FIELD v1 || REAL8 — No Doc

RECORD rec_3

example_2 \setminus

 rec_3

No Documentation Found

FIELD v3 || REAL8 — No Doc

FIELD v1 || REAL8 — No Doc

example_2 \

 mod_1

No Documentation Found

Children

- 1. v1_m1: No Documentation Found
- 2. v2_m1: No Documentation Found

ATTRIBUTE v1_m1

 $example_2 \setminus mod_1 \setminus$

real8 v1_m1

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m1

 $example_2 \setminus mod_1 \setminus$

v2_m1

No Documentation Found

RETURN REAL8 —

example_2 \

 $\mod 2$

No Documentation Found

Children

- 1. v1_m1: No Documentation Found
- 2. v2_m2: No Documentation Found

ATTRIBUTE v1_m1

example $_2 \setminus \text{mod}_2 \setminus$

v1 m1

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m2

 $example_2 \setminus mod_2 \setminus$

v2_m2

No Documentation Found

RETURN REAL8 —

example_2 \

 mod_3

No Documentation Found

PARENT intest.inintest.example_2.mod_1 <example_2.ecl.tex>

PARENT intest.inintest.example_2.mod_2 <example_2.ecl.tex>

Children

1. v2_m1: No Documentation Found

2. v2_m2: No Documentation Found

3. v1 m1: No Documentation Found

4. v2_m3: No Documentation Found

ATTRIBUTE v2_m1

 $example_2 \setminus mod_3 \setminus$

v2_m1

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v2_m2

example $_2 \setminus \text{mod}_3 \setminus$

v2_m2

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v1_m1

example $_2 \setminus \text{mod}_3 \setminus$

v1_m1

No Documentation Found

RETURN REAL8 —

OVERRIDE

ATTRIBUTE v2_m3

 $example_2 \setminus mod_3 \setminus$

v2_m3

No Documentation Found

RETURN REAL8 —

INTERFACE iface_1

example_2 \

 $iface_1$

No Documentation Found

Children

1. v1_i1: No Documentation Found

ATTRIBUTE v1_i1

example $_2 \setminus iface_1 \setminus$

real8 v1_i1

No Documentation Found

RETURN REAL8 —

MODULE mod_4

example $_2$ \

 $\bmod _4$

No Documentation Found

PARENT intest.inintest.example_2.iface_1 < example_2.ecl.tex>

Children

1. v1_i1: No Documentation Found

2. v2_m4: No Documentation Found

ATTRIBUTE v1_i1

 $example_2 \setminus mod_4 \setminus$

v1_i1

No Documentation Found

RETURN REAL8 —

OVERRIDE

ATTRIBUTE v2_m4

 $example_2 \setminus mod_4 \setminus$

STRING20 v2_m4

No Documentation Found

RETURN STRING20 —

$\begin{array}{c} {\rm intest/\ inintest/} \\ example_3 \end{array}$

Go Up

IMPORTS

std.Str |

DESCRIPTIONS

MODULE Example_3

Example_3

Example : Inheritance across files mod_1 in Example_4 inherits mod_1 in Example_3

Children

1. mod_1: No Documentation Found

MODULE mod_1

Example_3 \

 mod_1

No Documentation Found

Children

1. v1 m1: No Documentation Found

2. v2_m1_ex3: No Documentation Found

ATTRIBUTE v1_m1

Example $_3 \setminus \text{mod}_1 \setminus$

 $v1_m1$

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m1_ex3

Example_3 \setminus mod_1 \setminus

 $v2_m1_ex3$

No Documentation Found

RETURN REAL8 —

$\begin{array}{c} {\rm intest/\ inintest/} \\ example_4 \end{array}$

Go Up

IMPORTS

 $Example_3.mod_1$

DESCRIPTIONS

MODULE example_4

 $example_4$

Example : Inheritance across files mod_1 in Example_4 inherits mod_1 in Example_3

Children

1. mod_1: No Documentation Found

MODULE mod_1

example $_4$ \

 mod_1

No Documentation Found

PARENT Example_3.mod_1 <../../example_3.ecl.tex>

Children

- 1. v2 m1 ex4: No Documentation Found
- 2. v1_m1 : Doc test 2
- 3. v2 m1 ex3: DOC Test 3
- 4. abc: No Documentation Found
- 5. long_name: No Documentation Found

ATTRIBUTE v2_m1_ex4

 $example_4 \setminus mod_1 \setminus$

 $v2_m1_ex4$

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v1_m1

 $example_4 \setminus mod_1 \setminus$

 $v1_m1$

Doc test 2. Title end by period not newline

ABCD ||||
CDEF ||||

RETURN REAL8 —

INHERITED

ATTRIBUTE v2_m1_ex3

 $example_4 \setminus mod_1 \setminus$

 $v2_m1_ex3$

DOC Test 3 No Period title

RETURN REAL8 —

INHERITED

FUNCTION abc

 $example_4 \setminus mod_1 \setminus$

REAL8 abc

(REAL8 x)

No Documentation Found

PARAMETER <u>x</u> ||| REAL8 — No Doc

RETURN REAL8 —

INHERITED

FUNCTION long_name

$example_4 \setminus mod_1 \setminus$

long_name

(DATASET({REAL8 u}) X, DATASET({REAL8 u}) IntW, DATASET({REAL8 u}) Intb, REAL8 BETA=0.1, REAL8 sparsityParam=0.1 , REAL8 LAMBDA=0.001, REAL8 ALPHA=0.1, UNSIGNED2 MaxIter=100)

No Documentation Found

PARAMETER <u>x</u> ||| TABLE ({ REAL8 u }) — No Doc

PARAMETER <u>lambda</u> ||| REAL8 — No Doc

PARAMETER beta || REAL8 — No Doc

PARAMETER alpha ||| REAL8 — No Doc

PARAMETER sparsityparam ||| REAL8 — No Doc

PARAMETER intw || TABLE ({ REAL8 u }) — No Doc

PARAMETER intb || TABLE ({ REAL8 u }) — No Doc

PARAMETER maxiter || UNSIGNED2 — No Doc

RETURN REAL8 —

INHERITED

intest/ inintest/

example_6

Go Up

IMPORTS

Example_3 |

DESCRIPTIONS

MODULE example_6

example_6

 $\label{lem:mod_1} \begin{tabular}{ll} Module Hierarchy Example: mod_1 -> mod_111 . Inheritance across Hierarchy: mod_2 inherits mod_1.mod_11 , mod_3.mod_31 inherits mod_1.mod_11 , mod_4 inherits mod_3.mod_31, mod_2 , mod_5 inherits mod_1 and mod_1.mod_11 \\ \end{tabular}$

Children

- 1. mod_1: No Documentation Found
- 2. mod 2: No Documentation Found
- 3. mod_3: No Documentation Found
- 4. mod 4: No Documentation Found
- 5. mod_5: No Documentation Found

example_6 \

 mod_1

No Documentation Found

Children

- 1. v1_m1: No Documentation Found
- 2. mod_11: No Documentation Found

ATTRIBUTE v1_m1

example_6 \setminus mod_1 \setminus

v1 m1

No Documentation Found

RETURN REAL8 —

MODULE mod_11

example_6 \ mod_1 \

mod_11

(real8 a_11)

No Documentation Found

PARAMETER a_11 ||| REAL8 — No Doc

Children

- 1. v1 m11: No Documentation Found
- 2. mod 111: No Documentation Found

ATTRIBUTE v1_m11

```
example_6 \ mod_1 \ mod_11 \
```

```
v1 m11
```

No Documentation Found

RETURN REAL8 —

MODULE mod_111

example_6 \ mod_1 \ mod_11 \

mod_111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

Children

1. v1_m111: No Documentation Found

ATTRIBUTE v1_m111

 $example_6 \setminus mod_1 \setminus mod_11 \setminus mod_111 \setminus$

v1_m111

No Documentation Found

RETURN REAL8 —

MODULE mod_2

example_6 \

mod 2

No Documentation Found

PARENT intest.inintest.example_6.mod_1.mod_11 <example_6.ecl.tex>

Children

- 1. v1 m11: No Documentation Found
- 2. mod 111: No Documentation Found
- 3. v1_m2: No Documentation Found

ATTRIBUTE v1_m11

example_6 \ mod_2 \

v1_m11

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \setminus mod_2 \setminus

 mod_111

(real8 a_111)

No Documentation Found

PARAMETER <u>a_111</u> ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m2

example_6 \ mod_2 \

 $v1_m2$

No Documentation Found

RETURN REAL8 —

example_6 \

 $\mod 3$

No Documentation Found

Children

- 1. v1_m3: No Documentation Found
- 2. mod_31: No Documentation Found

ATTRIBUTE v1_m3

example_6 \setminus mod_3 \setminus

 $v1_m3$

No Documentation Found

RETURN REAL8 —

MODULE mod_31

example_6 \setminus mod_3 \setminus

 mod_31

No Documentation Found

PARENT intest.inintest.example_6.mod_1.mod_11 <example_6.ecl.tex>

Children

```
1. v1_m11: No Documentation Found
```

2. mod 111: No Documentation Found

3. v1_m31: No Documentation Found

ATTRIBUTE v1_m11

```
example_6 \ mod_3 \ mod_31 \
```

```
v1_m11
```

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \ $mod_3 \setminus mod_31 \setminus$

 mod_1111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m31

example_6 \ $mod_3 \setminus mod_31 \setminus$

 $v1_m31$

No Documentation Found

RETURN REAL8 —

MODULE mod_4

example_6 \setminus

 $\mod 4$

No Documentation Found

PARENT intest.inintest.example_6.mod_3.mod_31 <example_6.ecl.tex>

PARENT intest.inintest.example_6.mod_2 <example_6.ecl.tex>

Children

- 1. v1 m11: No Documentation Found
- 2. mod 111: No Documentation Found
- 3. v1_m2: No Documentation Found
- 4. v1 m31: No Documentation Found
- 5. v1 m4: No Documentation Found

ATTRIBUTE v1_m11

example_6 \setminus mod_4 \setminus

v1 m11

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \setminus mod_4 \setminus

 mod_111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m2

example_6 \ mod_4 \

 $v1_m2$

No Documentation Found

RETURN REAL8 — INHERITED ATTRIBUTE v1_m31 example_6 \setminus mod_4 \setminus $v1_m31$ No Documentation Found RETURN REAL8 — INHERITED ATTRIBUTE v1_m4 example_6 \setminus mod_4 \setminus $v1_m4$ No Documentation Found RETURN REAL8 —

MODULE mod_5

example_6 \setminus

```
mod\_5
```

No Documentation Found

```
PARENT intest.inintest.example_6.mod_1 <example_6.ecl.tex>
```

PARENT intest.inintest.example_6.mod_1.mod_11 <example_6.ecl.tex>

Children

```
1. v1_m1: No Documentation Found
```

2. mod 11: No Documentation Found

3. v1_m11: No Documentation Found

4. mod 111: No Documentation Found

5. v1_m5: No Documentation Found

ATTRIBUTE v1_m1

example_6 \ mod_5 \

 $v1_m1$

No Documentation Found

RETURN REAL8 —

INHERITED

example_6 \setminus mod_5 \setminus

 mod_11

(real8 a_11)

No Documentation Found

PARAMETER <u>a_11</u> ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m11

example_6 \ mod_5 \

 $v1_m11$

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \ mod_5 \

 mod_111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m5

example_6 \ mod_5 \

 $v1_m5$

No Documentation Found

RETURN REAL8 —

$\begin{array}{c} {\rm intest/\ inintest/} \\ {\rm example_7} \end{array}$

Go Up

DESCRIPTIONS

MODULE example_7

example_7

Basic Type Example Source Code copied from ECL Documentation

Children

1. R: No Documentation Found

RECORD R

example $_7$ \

 \mathbf{R}

No Documentation Found

FIELD <u>f3</u> ||| SCALEINT — No Doc

FIELD <u>f2</u> ||| NEEDC — No Doc

FIELD <u>f1</u> ||| REVERSESTRING4 — No Doc

intest/inintest/

example_8

Go Up

DESCRIPTIONS

MODULE example_8

example_8

Three level Hierarchy Example . Inheritance across Hierarchy . Problems with Type System – PROJECT Expression does not maintain record typename (rec_2) but do maintain record structure . IE $mod_2.v1_m2$ should be but shown . has same structure as record .

Children

- 1. mod 1: No Documentation Found
- 2. mod_2: No Documentation Found

MODULE mod_1

example_8 \

 $\mod 1$

No Documentation Found

Children

1. rec 1: No Documentation Found

2. mod_11: No Documentation Found

RECORD rec_1

example $_8 \setminus \text{mod}_1 \setminus$

 rec_1

No Documentation Found

FIELD <u>a</u> ||| REAL8 — No Doc

MODULE mod_11

example $_8 \setminus \text{mod}_1 \setminus$

 mod_11

No Documentation Found

Children

1. v1_m11: No Documentation Found

ATTRIBUTE v1_m11

example_8 \ mod_1 \ mod_11 \

 $v1_m11$

No Documentation Found

RETURN TABLE (rec_1) —

MODULE mod_2

example_8 \

 mod_2

No Documentation Found

PARENT intest.inintest.example_8.mod_1.mod_11 <example_8.ecl.tex>

Children

- 1. v1_m11: No Documentation Found
- 2. rec 2: No Documentation Found
- 3. v1 m2: No Documentation Found

ATTRIBUTE v1_m11

example_8 \ mod_2 \

v1_m11

No Documentation Found

RETURN TABLE (rec_1) —

INHERITED

RECORD rec_2

example_8 \setminus mod_2 \setminus

 rec_2

No Documentation Found

FIELD b ||| REAL8 — No Doc

FUNCTION v1_m2

example_8 \setminus mod_2 \setminus

v1_m2
(REAL8 ag_1)

No Documentation Found

PARAMETER ag_1 ||| REAL8 — No Doc

RETURN TABLE ({ REAL8 b }) —