root

Go Up

Table of Contents

example.ecl
Basic Example with:
example_10.ecl
example_11.ecl
example_2.ecl
Basic Inheritance documentation: mod_3 inherits both mod_1 and mod_2
example_3.ecl
Documentation Testing Multiline Title
example_4.ecl
Example: Inheritance across files
example_6.ecl
Module Hierarchy Example : mod_1 -> mod_11 -> mod_111
example_7.ecl
Basic Type Example
example_8.ecl
Three level Hierarchy Example
Math.ecl
test.ecl
test module
types.ecl
Inintest
intest

example

Go Up

DESCRIPTIONS

MODULE example

example

Basic Example with: records, interface, function, modules, transform, embed, macros and functionmacro

- 1. rec 1: No Documentation Found
- 2. rec_2: No Documentation Found
- 3. interface ex: No Documentation Found
- 4. func 1: No Documentation Found
- 5. func_2: No Documentation Found
- 6. mod 1: No Documentation Found
- 7. mod 2: No Documentation Found
- 8. cpp_1: No Documentation Found
- 9. funcmacro_1: No Documentation Found
- 10. macro 1: No Documentation Found
- 11. macro_2: No Documentation Found

RECORD rec_1

example \

 rec_1

No Documentation Found

FIELD g ||| REAL8 — No Doc

FIELD $\underline{\mathbf{f}} \parallel \parallel \text{REAL8} - \text{No Doc}$

RECORD rec_2

example \

 rec_2

No Documentation Found

FIELD <u>a</u> ||| UNSIGNED4 — No Doc

FIELD g ||| REAL8 — No Doc

FIELD $\underline{\mathbf{b}} \parallel \parallel \text{REAL8} - \text{No Doc}$

INTERFACE interface_ex

example \

 $interface_ex$

No Documentation Found

1. iface_v3: No Documentation Found

ATTRIBUTE iface_v3

example \setminus interface_ex \setminus

STRING25 | iface_v3

No Documentation Found

RETURN STRING25 —

FUNCTION func_1

example \

func_1

(REAL8 x, STRING25 y)

No Documentation Found

PARAMETER $\underline{\mathbf{x}} \parallel \parallel \text{REAL8} - \text{No Doc}$

PARAMETER y || STRING25 — No Doc

RETURN REAL8 —

FUNCTION func_2

example \setminus

DATASET(rec_2) func_2

(DATASET(rec_1) d)

No Documentation Found

RETURN TABLE ({ UNSIGNED4 a , REAL8 b , REAL8 g }) —

MODULE mod_1

example \setminus

mod_1
(REAL8 a)

No Documentation Found

PARAMETER <u>a</u> ||| REAL8 — No Doc

Children

1. pi_w: No Documentation Found

ATTRIBUTE pi_w

example $\setminus \text{mod}_1 \setminus$

 $\mathbf{pi}_{\mathbf{w}}$

No Documentation Found

RETURN REAL8 —

example \

 $\mod 2$

No Documentation Found

Children

1. pi_wo: No Documentation Found

ATTRIBUTE pi_wo

example $\setminus \text{mod}_2 \setminus$

pi_wo

No Documentation Found

RETURN REAL8 —

EMBED cpp_1

example \

DATA | cpp_1

(REAL8 varcpp)

No Documentation Found

PARAMETER varcpp ||| REAL8 — No Doc

RETURN DATA —

MACRO funcmacro_1

example \

 $funcmacro_1$

(num)

No Documentation Found

PARAMETER <u>num</u> ||| INTEGER8 — No Doc

RETURN BOOLEAN —

MACRO macro_1

example \

 $macro_1$

(num_1, num_2)

No Documentation Found

PARAMETER num_1 || INTEGER8 — No Doc

PARAMETER num_2 || INTEGER8 — No Doc

RETURN —

MACRO macro_2

example \

 $macro_2$

No Documentation Found

RETURN —

example_10

Go Up

IMPORTS

intest |

DESCRIPTIONS

MODULE example_10

 $example_10$

No Documentation Found

PARENT intest.Example_3 <intest/example_3.ecl.tex>

Children

1. mod_1: No Documentation Found

MODULE mod_1

example_10 \

 mod_1

No Documentation Found

INHERITED

example_11

Go Up

IMPORTS

```
Inintest | Example_3 | intest.Example_3 | intest.inintest.Example_3 |
Inintest.Example_3 |
```

DESCRIPTIONS

MODULE example_11

 $example_11$

No Documentation Found

PARENT Inintest

</home/sarthak/Documents/ecl-ml/ECLDoc/testing/test-docs/tex/root/Inintest/pkg.toc.tex>

Children

1. Example_3: No Documentation Found

MODULE Example_3

example_11 \

$Example_3$

No Documentation Found

INHERITED

example_2

Go Up

DESCRIPTIONS

MODULE example_2

```
example_2
```

Basic Inheritance documentation : mod_3 inherits both mod_1 and mod_2 . Inherits $v2_m1$, $v2_m2$, Overrides $v1_m1$, new locals $v2_m3$. Interface Inheritance : mod_4 inherits interface iface_1, overrides $v1_i1$

Children

- 1. rec_1 : No Documentation Found
- 2. rec_2: No Documentation Found
- 3. rec_3 : No Documentation Found
- 4. mod_1 : No Documentation Found
- 5. mod_2 : No Documentation Found
- 6. mod_3 : No Documentation Found
- 7. iface_1 : No Documentation Found
- 8. mod_4: No Documentation Found

RECORD rec_1

example_2 \

 rec_1

No Documentation Found

FIELD v1 || REAL8 — No Doc

RECORD rec_2

example $_2$ \

 rec_2

No Documentation Found

FIELD v2 ||| REAL8 — No Doc

FIELD v1 || REAL8 — No Doc

RECORD rec_3

example_2 \setminus

 rec_3

No Documentation Found

FIELD v3 || REAL8 — No Doc

FIELD <u>v1</u> ||| REAL8 — No Doc

example_2 \

 mod_1

No Documentation Found

Children

- 1. v1_m1: No Documentation Found
- 2. v2_m1: No Documentation Found

ATTRIBUTE v1_m1

 $example_2 \setminus mod_1 \setminus$

real8 v1_m1

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m1

 $example_2 \setminus mod_1 \setminus$

v2_m1

No Documentation Found

RETURN REAL8 —

example_2 \

 mod_2

No Documentation Found

Children

- 1. v1_m1: No Documentation Found
- 2. v2_m2: No Documentation Found

ATTRIBUTE v1_m1

 $example_2 \setminus mod_2 \setminus$

v1 m1

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m2

 $example_2 \setminus mod_2 \setminus$

v2_m2

No Documentation Found

RETURN REAL8 —

example_2 \

 mod_3

No Documentation Found

PARENT example_2.mod_2 <example_2.ecl.tex>

PARENT example_2.mod_1 <example_2.ecl.tex>

Children

1. v2_m1: No Documentation Found

2. v2_m2: No Documentation Found

3. v1 m1: No Documentation Found

4. v2_m3: No Documentation Found

ATTRIBUTE v2_m1

 $example_2 \setminus mod_3 \setminus$

v2_m1

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v2_m2

example $_2 \setminus \text{mod}_3 \setminus$

v2 m2

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v1_m1

 $example_2 \setminus mod_3 \setminus$

v1_m1

No Documentation Found

RETURN REAL8 —

OVERRIDE

ATTRIBUTE v2_m3

 $example_2 \setminus mod_3 \setminus$

 $v2_m3$

No Documentation Found

RETURN REAL8 —

INTERFACE iface_1

example_2 \

 $iface_1$

No Documentation Found

Children

1. v1_i1: No Documentation Found

ATTRIBUTE v1_i1

example $_2 \setminus iface_1 \setminus$

real8 v1_i1

No Documentation Found

RETURN REAL8 —

MODULE mod_4

example $_2$ \

 mod_4

No Documentation Found

PARENT example 2.iface 1 < example 2.ecl.tex>

1. v1_i1: No Documentation Found

2. v2_m4: No Documentation Found

ATTRIBUTE v1_i1

example_2 \ mod_4 \

v1_i1

No Documentation Found

RETURN REAL8 —

OVERRIDE

ATTRIBUTE v2_m4

 $example_2 \setminus mod_4 \setminus$

STRING20 v2_m4

No Documentation Found

RETURN STRING20 —

example_3

Go Up

DESCRIPTIONS

MODULE Example_3

Example_3

Documentation Testing Multiline Title. link@myspace.com

Sentence 1 blablalbla bbblaaaa

Sentence 2

blablalbla

bbbblaaaaa

bblaaaaaaaaa

PARAMETER third || - okay_3

FIELD <u>**f2**</u> ||| − oka_f2

FIELD <u>f1</u> ||| — oka_f1

RETURN — rec_1

AUTHOR example_1.sarthakjain

```
SEE example_1.mod_1
```

Children

1. mod_1: No Documentation Found

MODULE mod_1

Example_3 \

 mod_1

No Documentation Found

Children

1. v1_m1 : Doc test 2

2. v2_m1_ex3 : DOC Test 3

3. abc: No Documentation Found

4. long_name: No Documentation Found

ATTRIBUTE v1_m1

Example_3 \setminus mod_1 \setminus

 $v1_m1$

Doc test 2. Title end by period not newline

ABCD ||||
CDEF ||||

ATTRIBUTE v2_m1_ex3

Example_3 \setminus mod_1 \setminus

 $v2_m1_ex3$

DOC Test 3 No Period title

RETURN REAL8 —

FUNCTION abc

 $Example_3 \setminus mod_1 \setminus$

REAL8 abc

(REAL8 x)

No Documentation Found

PARAMETER <u>x</u> ||| REAL8 — No Doc

RETURN REAL8 —

FUNCTION long_name

 $Example_3 \setminus mod_1 \setminus$

long_name

(DATASET({REAL8 u}) X, DATASET({REAL8 u}) IntW, DATASET({REAL8 u}) Intb, REAL8 BETA=0.1, REAL8 sparsityParam=0.1 , REAL8 LAMBDA=0.001, REAL8 ALPHA=0.1, UNSIGNED2 MaxIter=100)

No Documentation Found

```
PARAMETER <u>x</u> ||| TABLE ( { REAL8 u } ) — No Doc
```

RETURN REAL8 —

example_4

Go Up

IMPORTS

Inintest.Example_3.mod_1 |

DESCRIPTIONS

MODULE example_4

example_4

Example: Inheritance across files mod_1 in Example_4 inherits mod_1 in Example_3

Children

1. mod 1: No Documentation Found

MODULE mod_1

example_4 \

 mod_1

No Documentation Found

PARENT Inintest.Example_3.mod_1 < Inintest/Example_3.ecl.tex>

Children

- 1. v2_m1_ex3: No Documentation Found
- 2. v2_m1_ex4: No Documentation Found

ATTRIBUTE v2_m1_ex3

 $example_4 \setminus mod_1 \setminus$

 $v2_m1_ex3$

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v2_m1_ex4

 $example_4 \setminus mod_1 \setminus$

 $v2_m1_ex4$

No Documentation Found

RETURN REAL8 —

example_6

Go Up

DESCRIPTIONS

MODULE example_6

example_6

 $\label{linear_mod_1} \begin{tabular}{ll} Module Hierarchy Example: mod_1 -> mod_11 -> mod_111 . Inheritance across Hierarchy: mod_2 inherits mod_1.mod_11 , mod_3.mod_31 inherits mod_1.mod_11 , mod_4 inherits mod_3.mod_31, mod_2 , mod_5 inherits mod_1 and mod_1.mod_11 \\ \end{tabular}$

Children

- 1. mod_1: No Documentation Found
- 2. mod 2: No Documentation Found
- 3. mod 3: No Documentation Found
- 4. mod 4: No Documentation Found
- 5. mod_5: No Documentation Found

MODULE mod_1

example_6 \setminus

 mod_1

No Documentation Found

- 1. v1_m1: No Documentation Found
- 2. mod_11: No Documentation Found

ATTRIBUTE v1_m1

example_6 \ mod_1 \

```
v1_m1
```

No Documentation Found

RETURN REAL8 —

MODULE mod_11

example_6 \ mod_1 \

mod_11 (real8 a_11)

No Documentation Found

PARAMETER a_11 ||| REAL8 — No Doc

- 1. v1_m11: No Documentation Found
- 2. mod 111: No Documentation Found

ATTRIBUTE v1_m11

example_6 \ mod_1 \ mod_11 \ \

v1_m11

No Documentation Found

RETURN REAL8 —

MODULE mod_111

example_6 \ mod_1 \ mod_11 \

 mod_1111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

Children

1. v1 m111: No Documentation Found

ATTRIBUTE v1_m111

example_6 \ mod_1 \ mod_11 \ mod_111 \

 $v1_m111$

No Documentation Found

example_6 \

 mod_2

No Documentation Found

PARENT example_6.mod_1.mod_11 <example_6.ecl.tex>

Children

- 1. v1_m11: No Documentation Found
- 2. mod 111: No Documentation Found
- 3. v1 m2: No Documentation Found

ATTRIBUTE v1_m11

example_6 \ mod_2 \

 $v1_m11$

No Documentation Found

RETURN REAL8 —

INHERITED

example_6 \setminus mod_2 \setminus

 mod_1111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m2

example_6 \ mod_2 \

v1_m2

No Documentation Found

RETURN REAL8 —

MODULE mod_3

example_6 \

 mod_3

No Documentation Found

- 1. v1_m3: No Documentation Found
- 2. mod_31: No Documentation Found

ATTRIBUTE v1_m3

example_6 \ mod_3 \

 $v1_m3$

No Documentation Found

RETURN REAL8 —

MODULE mod_31

example_6 \ mod_3 \

 mod_31

No Documentation Found

PARENT example_6.mod_1.mod_11 <example_6.ecl.tex>

- 1. v1_m11: No Documentation Found
- 2. mod 111: No Documentation Found
- 3. v1_m31: No Documentation Found

ATTRIBUTE v1_m11

example_6 \ $mod_3 \setminus mod_31 \setminus$

v1 m11

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \ $mod_3 \setminus mod_31 \setminus$

 mod_1111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m31

example_6 \ mod_3 \ mod_31 \

 $v1_m31$

No Documentation Found

example_6 \

 $\mod 4$

No Documentation Found

PARENT example_6.mod_3.mod_31 <example_6.ecl.tex>

PARENT example_6.mod_2 <example_6.ecl.tex>

Children

1. v1 m11: No Documentation Found

2. mod 111: No Documentation Found

3. v1 m2: No Documentation Found

4. v1 m31: No Documentation Found

5. v1_m4: No Documentation Found

ATTRIBUTE v1_m11

example_6 \ mod_4 \

 $v1_m11$

No Documentation Found

RETURN REAL8 —

INHERITED

example_6 \setminus mod_4 \setminus

mod_111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m2

example_6 \ mod_4 \

 $v1_m2$

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v1_m31

example_6 \ mod_4 \

v1_m31

No Documentation Found

```
RETURN REAL8 —
```

INHERITED

ATTRIBUTE v1_m4

```
example_6 \setminus mod_4 \setminus
```

```
v1 m4
```

No Documentation Found

RETURN REAL8 —

MODULE mod_5

example_6 \setminus

 mod_5

No Documentation Found

PARENT example_6.mod_1 <example_6.ecl.tex>

PARENT example_6.mod_1.mod_11 <example_6.ecl.tex>

- 1. v1 m1: No Documentation Found
- 2. mod 11: No Documentation Found
- 3. v1_m11: No Documentation Found
- 4. mod_111: No Documentation Found
- 5. v1_m5: No Documentation Found

ATTRIBUTE v1_m1

example_6 \setminus mod_5 \setminus

 $v1_m1$

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_11

example_6 \ mod_5 \

mod_11

(real8 a_11)

No Documentation Found

PARAMETER a_11 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m11

example_6 \ mod_5 \

v1_m11

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \setminus mod_5 \setminus

 mod_{111}

(real8 a_111)

No Documentation Found

PARAMETER <u>a_111</u> ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m5

example_6 \ mod_5 \

 $v1_m5$

No Documentation Found

RETURN REAL8 —

example_7

Go Up

DESCRIPTIONS

MODULE example_7

 $example_7$

Basic Type Example Source Code copied from ECL Documentation

Children

1. R: No Documentation Found

RECORD R

example $_7$ \

 \mathbf{R}

No Documentation Found

FIELD <u>f3</u> ||| SCALEINT — No Doc

FIELD <u>f2</u> ||| NEEDC — No Doc

FIELD <u>f1</u> ||| REVERSESTRING4 — No Doc

example_8

Go Up

DESCRIPTIONS

MODULE example_8

example_8

Three level Hierarchy Example . Inheritance across Hierarchy . Problems with Type System – PROJECT Expression does not maintain record typename (rec_2) but do maintain record structure . IE mod_2.v1_m2 should be but shown . has same structure as record .

Children

- 1. mod 1: No Documentation Found
- 2. mod_2: No Documentation Found

MODULE mod_1

example_8 \setminus

 mod_1

No Documentation Found

Children

- 1. rec 1: No Documentation Found
- 2. mod 11: No Documentation Found

RECORD rec_1

example_8 \ mod_1 \

 rec_1

No Documentation Found

FIELD <u>a</u> ||| REAL8 — No Doc

MODULE mod_11

example_8 \ mod_1 \

 mod_11

No Documentation Found

Children

1. v1 m11: No Documentation Found

ATTRIBUTE v1_m11

example_8 \ mod_1 \ mod_11 \

v1_m11

No Documentation Found

RETURN TABLE (rec_1) —

MODULE mod_2

example_8 \setminus

 mod_2

No Documentation Found

PARENT example_8.mod_1.mod_11 <example_8.ecl.tex>

Children

- 1. v1_m11: No Documentation Found
- 2. rec 2: No Documentation Found
- 3. v1_m2: No Documentation Found

ATTRIBUTE v1_m11

example_8 \setminus mod_2 \setminus

 $v1_m11$

No Documentation Found

RETURN TABLE (rec_1) —

INHERITED

RECORD rec_2

example_8 \setminus mod_2 \setminus

 rec_2

No Documentation Found

FIELD b ||| REAL8 — No Doc

FUNCTION v1_m2

example_8 \ mod_2 \

v1_m2

(REAL8 ag_1)

No Documentation Found

PARAMETER ag_1 ||| REAL8 — No Doc

RETURN TABLE ({ REAL8 b }) —

Math

Go Up

DESCRIPTIONS

MODULE Math

Math

No Documentation Found

Children

- 1. Infinity: Return a real "infinity" value
- 2. NaN : Return a non-signalling NaN (Not a Number)value
- 3. isInfinite: Return whether a real value is infinite (positive or negative)
- 4. isNaN : Return whether a real value is a NaN (not a number) value
- 5. is Finite : Return whether a real value is a valid value (neither infinite not $\mathrm{NaN})$
- 6. FMod : Returns the floating-point remainder of numer/denom (rounded towards zero)
- 7. FMatch: Returns whether two floating point values are the same, within margin of error epsilon

ATTRIBUTE Infinity

Math \

REAL8 Infinity

Return a real "infinity" value.

RETURN	REAL8 —
--------	---------

ATTRIBUTE NaN

Math \

REAL8 NaN

Return a non-signalling NaN (Not a Number)value.

RETURN REAL8 —

FUNCTION isInfinite

Math \

BOOLEAN isInfinite

(REAL8 val)

Return whether a real value is infinite (positive or negative).

PARAMETER <u>val</u> ||| REAL8 — The value to test.

RETURN BOOLEAN —

FUNCTION isNaN

Math \

BOOLEAN isNaN

(REAL8 val)

Return whether a real value is a NaN (not a number) value.

PARAMETER <u>val</u> ||| REAL8 — The value to test.

RETURN BOOLEAN —

FUNCTION isFinite

Math \

BOOLEAN | isFinite

(REAL8 val)

Return whether a real value is a valid value (neither infinite not NaN).

PARAMETER <u>val</u> ||| REAL8 — The value to test.

RETURN BOOLEAN —

FUNCTION FMod

Math \

REAL8 FMod

(REAL8 numer, REAL8 denom)

Returns the floating-point remainder of numer/denom (rounded towards zero). If denom is zero, the result depends on the -fdivideByZero flag: 'zero' or unset: return zero. 'nan': return a non-signalling NaN value 'fail': throw an exception

PARAMETER <u>numer</u> ||| REAL8 — The numerator.

RETURN REAL8 —

FUNCTION FMatch

Math \

BOOLEAN FMatch

(REAL8 a, REAL8 b, REAL8 epsilon=0.0)

Returns whether two floating point values are the same, within margin of error epsilon.

PARAMETER <u>a</u> ||| REAL8 — The first value.

PARAMETER b ||| REAL8 — The second value.

PARAMETER epsilon ||| REAL8 — The allowable margin of error.

RETURN BOOLEAN —

test

Go Up

DESCRIPTIONS

MODULE test

test

test module

types

Go Up

DESCRIPTIONS

MODULE types

types

No Documentation Found

Children

v1: No Documentation Found
 mod_1: No Documentation Found
 mod_1_1: No Documentation Found
 mod_2: No Documentation Found
 mod_3: No Documentation Found
 mod_4: No Documentation Found
 mod_41: No Documentation Found
 mod_5: mod_5
 mod_6: No Documentation Found
 mod_7: No Documentation Found
 mod_8: No Documentation Found
 mod_9: No Documentation Found
 mod_9: No Documentation Found
 mod_90: No Documentation Found
 mod_10: No Documentation Found
 mod_11: No Documentation Found
 mod_10: No Documentation Found

```
16. D1: No Documentation Found
17. mod 12: No Documentation Found
18. mod 13: No Documentation Found
19. v2: No Documentation Found
20. v1tov2: No Documentation Found
21. mod 14: No Documentation Found
22. mod_15: No Documentation Found
23. v4: No Documentation Found
24. v5: No Documentation Found
25. v5 1: No Documentation Found
26. mod 17: No Documentation Found
27. mod_18: No Documentation Found
28. mod 19: No Documentation Found
29. mod 20: No Documentation Found
30. mod 21: No Documentation Found
31. mod 22: No Documentation Found
32. mod 23: No Documentation Found
33. mod 24: No Documentation Found
34. mod 25: No Documentation Found
35. mod 26: No Documentation Found
36. mod 27: No Documentation Found
```

RECORD v1

types \

 $\mathbf{v1}$

No Documentation Found

```
FIELD \underline{\mathbf{u}} \parallel \parallel \text{REAL8} - \text{No Doc}
FIELD \underline{\mathbf{v}} \parallel \parallel \text{REAL8} - \text{No Doc}
```

ATTRIBUTE mod_1

types \

```
DATASET(v1) mod_1
```

No Documentation Found

```
RETURN TABLE ( { REAL8 u , REAL8 v } ) —
```

FUNCTION mod_1_1

types \

```
mod_1_1
(TYPEOF(mod_1) x)
```

No Documentation Found

```
PARAMETER \underline{\mathbf{x}} ||| TABLE ( { REAL8 u , REAL8 v } ) — No Doc
```

RETURN TABLE ({ REAL8 u , REAL8 v }) -

ATTRIBUTE mod_2

types \

DATASET({STRING20 a})

 mod_2

No Documentation Found

RETURN TABLE ({ STRING20 a }) —

ATTRIBUTE mod_3

types \

 mod_3

No Documentation Found

RETURN UNSIGNED8 —

ATTRIBUTE mod_4

types \

 mod_4

No Documentation Found

RETURN UNSIGNED8 —

MODULE mod_41

types \

 mod_41

No Documentation Found

Children

1. v41: No Documentation Found

ATTRIBUTE v41

types $\setminus \text{mod}_41 \setminus$

v41

No Documentation Found

RETURN REAL8 —

MODULE mod_5

types \

 mod_5

(REAL8 x)

 mod_5

RETURN — module

Children

1. v6: No Documentation Found

ATTRIBUTE v6

types $\setminus \text{mod}_5 \setminus$

v6

No Documentation Found

RETURN REAL8 —

MODULE mod_6

types \

 mod_6

(REAL8 x)

No Documentation Found

PARAMETER <u>x</u> ||| REAL8 — No Doc

Children

1. v6: No Documentation Found

ATTRIBUTE v6

types $\setminus \mod_6 \setminus$

v6

No Documentation Found

RETURN REAL8 —

FUNCTION mod_7

types \

 mod_7

 $(mod_5 y, REAL8 z)$

No Documentation Found

PARAMETER <u>z</u> ||| REAL8 — No Doc

PARAMETER y || FUNCTION [REAL8] (MODULE (mod_5)) — No Doc

RETURN REAL8 —

FUNCTION mod_8

types \

 mod_8

(mod_3 a1)

No Documentation Found

PARAMETER <u>a1</u> ||| UNSIGNED8 — No Doc

RETURN INTEGER8 —

FUNCTION mod_9

types \

mod_9
(mod_7 x)

No Documentation Found

PARAMETER $\underline{\mathbf{x}}$ ||| FUNCTION [FUNCTION [REAL8] (MODULE (mod_5)) , REAL8] (REAL8) — No Doc

RETURN REAL8 —

FUNCTION mod_90

types \

mod_90
(REAL8 z)

No Documentation Found

PARAMETER <u>z</u> ||| REAL8 — No Doc

RETURN REAL8 —

RECORD mod_10

types \

 mod_10

No Documentation Found

FUNCTION mod_11

types \

 mod_11

(DATASET(mod_10) y)

No Documentation Found

PARAMETER y ||| TABLE (mod_10) — No Doc

RETURN TABLE (mod_10) —

ATTRIBUTE D1

types \

D1

No Documentation Found

RETURN TABLE ({ UNSIGNED4 F1 , REAL8 f2 , REAL8 f3 }) -

RECORD mod_12

types \

 mod_12

No Documentation Found

FIELD gcount || INTEGER8 — No Doc

FIELD <u>f1</u> || UNSIGNED4 — No Doc

ATTRIBUTE mod_13

types \

 mod_13

No Documentation Found

RETURN TABLE ({ UNSIGNED4 F1 , INTEGER8 gcount }) —

RECORD v2

types \

v2

No Documentation Found

FIELD w3 || UNSIGNED4 — No Doc

FIELD <u>w1</u> ||| UNSIGNED4 — No Doc

FIELD w2 || UNSIGNED4 — No Doc

TRANSFORM v1tov2

types \

v2 v1tov2

(v1 x)

No Documentation Found

RETURN v2 —

ATTRIBUTE mod_14

types \

TYPEOF(mod_1) | mod_14

No Documentation Found

RETURN TABLE (v1) -

ATTRIBUTE mod_15

types \

DATASET(v3) mod_15

No Documentation Found

RETURN TABLE (v3)—

RECORD v4

types \

v4

No Documentation Found

- FIELD w3 || UNSIGNED4 No Doc
- FIELD w1 || UNSIGNED4 No Doc
- FIELD w2 || UNSIGNED4 No Doc
- FIELD w4 ||| REAL8 No Doc

RECORD v5

types \

v5

No Documentation Found

- FIELD w5 || TABLE (v2) No Doc
- FIELD w2 || UNSIGNED4 No Doc
- FIELD w3 || UNSIGNED4 No Doc
- FIELD w1 || UNSIGNED4 No Doc
- **FIELD** <u>u</u> ||| REAL8 No Doc
- FIELD <u>v</u> ||| REAL8 No Doc
- FIELD <u>w4</u> ||| REAL8 No Doc

FUNCTION v5_1

types \

```
v5_1
(DATASET({v5, real8 y}) x)
```

No Documentation Found

```
PARAMETER <u>x</u> ||| TABLE ( { REAL8 u , REAL8 v , UNSIGNED4 w1 , UNSIGNED4 w2 , UNSIGNED4 w3 , REAL8 w4 , TABLE ( v2 ) w5 , REAL8 y } ) — No Doc
```

```
RETURN TABLE ( { REAL8 u , REAL8 v , UNSIGNED4 w1 , UNSIGNED4 w2 , UNSIGNED4 w3 , REAL8 w4 , TABLE ( v2 ) w5 , REAL8 y } ) —
```

TRANSFORM mod_17

types \

```
{ REAL8 a } mod_17

(v1 x)
```

No Documentation Found

```
PARAMETER <u>x</u> ||| ROW (v1) — No Doc
```

RETURN { REAL8 a } —

FUNCTION mod_18

types \

```
mod_18

(REAL8 x(REAL8 z), REAL8 y)
```

No Documentation Found

PARAMETER <u>x</u> || FUNCTION [REAL8] (REAL8) — No Doc

PARAMETER y || REAL8 — No Doc

RETURN REAL8 —

FUNCTION mod_19

types \

 mod_19

(REAL8 w)

No Documentation Found

PARAMETER w || REAL8 — No Doc

RETURN REAL8 —

FUNCTION mod_20

types \

 $\mod 20$

(mod_19 x)

No Documentation Found

PARAMETER $\underline{\mathbf{x}}$ ||| FUNCTION [REAL8] (REAL8) — No Doc

RETURN REAL8 —

ATTRIBUTE mod_21

types \

 $\mod 21$

No Documentation Found

RETURN REAL8 —

FUNCTION mod_22

types \

 mod_22

(REAL8 w)

No Documentation Found

PARAMETER w || REAL8 — No Doc

RETURN REAL8 —

ATTRIBUTE mod_23

types \

 mod_23

No Documentation Found

RETURN REAL8 —

FUNCTION mod_24

types \

 $\mod 24$

(REAL8 y(REAL8 z(REAL8 u)), REAL8 x(REAL8 y))

No Documentation Found

PARAMETER <u>x</u> ||| FUNCTION [REAL8] (REAL8) — No Doc

PARAMETER y || FUNCTION [FUNCTION [REAL8] (REAL8)] (REAL8) — No Doc

RETURN REAL8 —

FUNCTION mod_25

types \

REAL8 mod 25

(REAL8 x(REAL8 y))

No Documentation Found

PARAMETER <u>x</u> ||| FUNCTION [REAL8] (REAL8) — No Doc

RETURN REAL8 —

ATTRIBUTE mod_26

types \

mod 26

No Documentation Found

ATTRIBUTE mod_27

types \

mod_1 | mod_27

No Documentation Found

RETURN TABLE ({ REAL8 u , REAL8 v }) -

Inintest

Go Up

Table of Contents

 $Example_3.ecl$

Inintest/

Example_3

Go Up

DESCRIPTIONS

MODULE Example_3

Example_3

No Documentation Found

Children

1. mod 1: No Documentation Found

MODULE mod_1

Example_3 \setminus

 mod_1

No Documentation Found

Children

1. v2_m1_ex3: No Documentation Found

ATTRIBUTE v2_m1_ex3

Example_3 \setminus mod_1 \setminus

 $v2_m1_ex3$

No Documentation Found

RETURN REAL8 —

intest

Go Up

Table of Contents

example_11.ecl	
example_2.ecl	
Basic Inheritance documentation : mod_3 inherits both mod_1 and mod_2	
example_3.ecl	
Example: Inheritance across files	
example_4.ecl	
Example: Inheritance across files	
example_6.ecl	
Module Hierarchy Example : mod_1 -> mod_11 -> mod_111	
example_7.ecl	
Basic Type Example	
example_8.ecl	
Three level Hierarchy Example	
in1intest	
inintest	

$\begin{array}{c} {}_{\rm intest/} \\ example_11 \end{array}$

Go Up

IMPORTS

std | intest | Example_3 | intest.Example_3 | intest.inintest | intest.inintest.Example_3 | test | Inintest | Inintest | Example_3 |

DESCRIPTIONS

MODULE example_11

 $example_11$

No Documentation Found

intest/

example_2

Go Up

DESCRIPTIONS

MODULE example_2

```
example_2
```

Basic Inheritance documentation : mod_3 inherits both mod_1 and mod_2 . Inherits $v2_m1$, $v2_m2$, Overrides $v1_m1$, new locals $v2_m3$. Interface Inheritance : mod_4 inherits interface iface_1, overrides $v1_i1$

Children

- 1. rec 1: No Documentation Found
- 2. rec 2: No Documentation Found
- 3. rec 3: No Documentation Found
- 4. mod 1: No Documentation Found
- 5. mod 2: No Documentation Found
- 6. mod 3: No Documentation Found
- 7. iface 1: No Documentation Found
- 8. mod 4: No Documentation Found

RECORD rec_1

example_2 \

 rec_1

No Documentation Found

FIELD v1 || REAL8 — No Doc

RECORD rec_2

example $_2$ \

 rec_2

No Documentation Found

FIELD v2 || REAL8 — No Doc

FIELD v1 || REAL8 — No Doc

RECORD rec_3

example_2 \setminus

 rec_3

No Documentation Found

FIELD v3 || REAL8 — No Doc

FIELD v1 || REAL8 — No Doc

example_2 \

 mod_1

No Documentation Found

Children

- 1. v1_m1: No Documentation Found
- 2. v2_m1: No Documentation Found

ATTRIBUTE v1_m1

 $example_2 \setminus mod_1 \setminus$

real8 v1_m1

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m1

 $example_2 \setminus mod_1 \setminus$

v2_m1

No Documentation Found

example $_2$ \

 mod_2

No Documentation Found

Children

- 1. v1_m1: No Documentation Found
- 2. v2_m2: No Documentation Found

ATTRIBUTE v1_m1

 $example_2 \setminus mod_2 \setminus$

v1 m1

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m2

 $example_2 \setminus mod_2 \setminus$

v2_m2

No Documentation Found

example_2 \

 mod_3

No Documentation Found

PARENT intest.example_2.mod_1 <example_2.ecl.tex>

PARENT intest.example_2.mod_2 <example_2.ecl.tex>

Children

1. v2_m1: No Documentation Found

2. v2_m2: No Documentation Found

3. v1 m1: No Documentation Found

4. v2_m3: No Documentation Found

ATTRIBUTE v2_m1

 $example_2 \setminus mod_3 \setminus$

v2_m1

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v2_m2

example $_2 \setminus \text{mod}_3 \setminus$

v2 m2

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v1_m1

 $example_2 \setminus mod_3 \setminus$

 $v1_m1$

No Documentation Found

RETURN REAL8 —

OVERRIDE

ATTRIBUTE v2_m3

 $example_2 \setminus mod_3 \setminus$

v2_m3

No Documentation Found

INTERFACE iface_1

example_2 \

 $iface_1$

No Documentation Found

Children

1. v1_i1: No Documentation Found

ATTRIBUTE v1_i1

example $_2 \setminus iface_1 \setminus$

real8 v1_i1

No Documentation Found

RETURN REAL8 —

MODULE mod_4

example $_2$ \

 mod_4

No Documentation Found

PARENT intest.example 2.iface 1 < example 2.ecl.tex>

Children

1. v1_i1: No Documentation Found

2. v2_m4: No Documentation Found

ATTRIBUTE v1_i1

 $example_2 \setminus mod_4 \setminus$

 $v1_i1$

No Documentation Found

RETURN REAL8 —

OVERRIDE

ATTRIBUTE v2_m4

 $example_2 \setminus mod_4 \setminus$

STRING20 v2_m4

No Documentation Found

RETURN STRING20 —

$\begin{array}{c} {}_{\rm intest/} \\ example_3 \end{array}$

Go Up

DESCRIPTIONS

MODULE Example_3

 $Example_3$

Example: Inheritance across files mod_1 in Example_4 inherits mod_1 in Example_3

Children

1. mod_1: No Documentation Found

MODULE mod_1

Example_3 \setminus

 mod_1

No Documentation Found

Children

- 1. v1 m1: No Documentation Found
- 2. v2_m1_ex3: No Documentation Found

ATTRIBUTE v1_m1

Example_3 \setminus mod_1 \setminus

v1_m1

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m1_ex3

Example $_3 \setminus \text{mod}_1 \setminus$

 $v2_m1_ex3$

No Documentation Found

$\begin{array}{c} {}_{intest/} \\ example_4 \end{array}$

Go Up

IMPORTS

 $Example_3.mod_1$

DESCRIPTIONS

MODULE example_4

 $example_4$

Example : Inheritance across files mod_1 in Example_4 inherits mod_1 in Example_3

Children

1. mod_1: No Documentation Found

MODULE mod_1

example_4 \

 mod_1

No Documentation Found

PARENT Example_3.mod_1 <../example_3.ecl.tex>

Children

- 1. v2 m1 ex4: No Documentation Found
- 2. v1_m1 : Doc test 2
- 3. v2 m1 ex3: DOC Test 3
- 4. abc: No Documentation Found
- 5. long_name: No Documentation Found

ATTRIBUTE v2_m1_ex4

 $example_4 \setminus mod_1 \setminus$

 $v2_m1_ex4$

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v1_m1

 $example_4 \setminus mod_1 \setminus$

 $v1_m1$

Doc test 2. Title end by period not newline

ABCD ||||

CDEF ||||

RETURN REAL8 —

INHERITED

ATTRIBUTE v2_m1_ex3

 $example_4 \setminus mod_1 \setminus$

 $v2_m1_ex3$

DOC Test 3 No Period title

RETURN REAL8 —

INHERITED

FUNCTION abc

 $example_4 \setminus mod_1 \setminus$

REAL8 abc

(REAL8 x)

No Documentation Found

PARAMETER <u>x</u> ||| REAL8 — No Doc

RETURN REAL8 —

INHERITED

FUNCTION long_name

$example_4 \setminus mod_1 \setminus$

long_name

(DATASET({REAL8 u}) X, DATASET({REAL8 u}) IntW, DATASET({REAL8 u}) Intb, REAL8 BETA=0.1, REAL8 sparsityParam=0.1 , REAL8 LAMBDA=0.001, REAL8 ALPHA=0.1, UNSIGNED2 MaxIter=100)

No Documentation Found

PARAMETER <u>x</u> ||| TABLE ({ REAL8 u }) — No Doc

PARAMETER <u>lambda</u> ||| REAL8 — No Doc

PARAMETER beta || REAL8 — No Doc

PARAMETER alpha ||| REAL8 — No Doc

PARAMETER sparsityparam ||| REAL8 — No Doc

PARAMETER intw || TABLE ({ REAL8 u }) — No Doc

PARAMETER intb || TABLE ({ REAL8 u }) — No Doc

PARAMETER maxiter || UNSIGNED2 — No Doc

RETURN REAL8 —

INHERITED

$\begin{array}{c} {\rm intest/} \\ {\rm example_6} \end{array}$

Go Up

DESCRIPTIONS

MODULE example_6

example_6

 $\label{linear_mod_11} \begin{tabular}{ll} Module Hierarchy Example: mod_1 -> mod_11 -> mod_111 . Inheritance across Hierarchy: mod_2 inherits mod_1.mod_11 , mod_3.mod_31 inherits mod_1.mod_11 , mod_4 inherits mod_3.mod_31, mod_2 , mod_5 inherits mod_1 and mod_1.mod_11 \\ \end{tabular}$

Children

- 1. mod_1: No Documentation Found
- 2. mod_2: No Documentation Found
- 3. mod_3: No Documentation Found
- 4. mod_4: No Documentation Found
- 5. mod 5: No Documentation Found

MODULE mod_1

example_6 \setminus

 $\mod 1$

No Documentation Found

Children

```
1. v1_m1: No Documentation Found
```

```
2. mod_11: No Documentation Found
```

ATTRIBUTE v1_m1

```
example_6 \ mod_1 \
```

```
v1_m1
```

No Documentation Found

RETURN REAL8 —

MODULE mod_11

example_6 \ mod_1 \

```
mod_11
(real8 a_11)
```

No Documentation Found

PARAMETER <u>a_11</u> ||| REAL8 — No Doc

Children

- 1. v1 m11: No Documentation Found
- 2. mod 111: No Documentation Found

ATTRIBUTE v1_m11

example_6 \ mod_1 \ mod_11 \ \

v1_m11

No Documentation Found

RETURN REAL8 —

MODULE mod_111

example_6 \ mod_1 \ mod_11 \

 mod_111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

Children

1. v1 m111: No Documentation Found

ATTRIBUTE v1_m111

 $example_6 \ \backslash \ mod_11 \ \backslash \ mod_111 \ \backslash$

 $v1_m111$

No Documentation Found

example_6 \setminus

 mod_2

No Documentation Found

PARENT intest.example_6.mod_1.mod_11 <example_6.ecl.tex>

Children

- 1. v1_m11: No Documentation Found
- 2. mod 111: No Documentation Found
- 3. v1 m2: No Documentation Found

ATTRIBUTE v1_m11

example_6 \ mod_2 \

 $v1_m11$

No Documentation Found

RETURN REAL8 —

INHERITED

example_6 \setminus mod_2 \setminus

mod_111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m2

example_6 \ mod_2 \

v1_m2

No Documentation Found

RETURN REAL8 —

MODULE mod_3

example_6 \setminus

 mod_3

No Documentation Found

Children

- 1. v1_m3: No Documentation Found
- 2. mod_31: No Documentation Found

ATTRIBUTE v1_m3

example_6 \ mod_3 \

```
v1\_m3
```

No Documentation Found

RETURN REAL8 —

MODULE mod_31

example_6 \ mod_3 \

 mod_31

No Documentation Found

PARENT intest.example_6.mod_1.mod_11 <example_6.ecl.tex>

Children

- 1. v1_m11: No Documentation Found
- 2. mod 111: No Documentation Found
- 3. v1_m31: No Documentation Found

ATTRIBUTE v1_m11

example_6 \ $mod_3 \setminus mod_31 \setminus$

v1 m11

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \ $mod_3 \setminus mod_31 \setminus$

 mod_1111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m31

example_6 \ mod_3 \ mod_31 \

 $v1_m31$

No Documentation Found

example_6 \

 $\mod 4$

No Documentation Found

PARENT intest.example_6.mod_3.mod_31 <example_6.ecl.tex>

PARENT intest.example_6.mod_2 <example_6.ecl.tex>

Children

1. v1 m11: No Documentation Found

2. mod 111: No Documentation Found

3. v1 m2: No Documentation Found

4. v1 m31: No Documentation Found

5. v1_m4: No Documentation Found

ATTRIBUTE v1_m11

example_6 \ mod_4 \

v1 m11

No Documentation Found

RETURN REAL8 —

INHERITED

example_6 \setminus mod_4 \setminus

 mod_{111}

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m2

example_6 \ mod_4 \

 $v1_m2$

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v1_m31

example_6 \ mod_4 \

v1_m31

No Documentation Found

```
RETURN REAL8 —
```

INHERITED

ATTRIBUTE v1_m4

```
example_6 \setminus mod_4 \setminus
```

```
v1_m4
```

No Documentation Found

RETURN REAL8 —

MODULE mod_5

example_6 \setminus

 mod_5

No Documentation Found

PARENT intest.example_6.mod_1 <example_6.ecl.tex>

PARENT intest.example_6.mod_1.mod_11 <example_6.ecl.tex>

Children

- 1. v1 m1: No Documentation Found
- 2. mod 11: No Documentation Found
- 3. v1 m11: No Documentation Found
- 4. mod_111: No Documentation Found
- 5. v1_m5: No Documentation Found

ATTRIBUTE v1_m1

example_6 \setminus mod_5 \setminus

 $v1_m1$

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_11

example_6 \ mod_5 \

 mod_11

(real8 a_11)

No Documentation Found

PARAMETER <u>a_11</u> ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m11

example_6 \ mod_5 \

 $v1_m11$

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \setminus mod_5 \setminus

 mod_{111}

(real8 a_111)

No Documentation Found

PARAMETER <u>a_111</u> ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m5

example_6 \ mod_5 \

 $v1_m5$

No Documentation Found

$\begin{array}{c} {}_{intest/} \\ example_{7} \end{array}$

Go Up

DESCRIPTIONS

MODULE example_7

example_7

Basic Type Example Source Code copied from ECL Documentation

Children

1. R: No Documentation Found

RECORD R

example $_7$ \

 \mathbf{R}

No Documentation Found

FIELD <u>f3</u> ||| SCALEINT — No Doc

FIELD <u>f2</u> ||| NEEDC — No Doc

FIELD <u>f1</u> ||| REVERSESTRING4 — No Doc

$\begin{array}{c} {\rm intest/} \\ example_8 \end{array}$

Go Up

DESCRIPTIONS

MODULE example_8

example_8

Three level Hierarchy Example . Inheritance across Hierarchy . Problems with Type System – PROJECT Expression does not maintain record typename (rec_2) but do maintain record structure . IE $mod_2.v1_m2$ should be but shown . has same structure as record .

Children

- 1. mod 1: No Documentation Found
- 2. mod_2: No Documentation Found

MODULE mod_1

example_8 \

 mod_1

No Documentation Found

Children

1. rec 1: No Documentation Found

2. mod_11: No Documentation Found

RECORD rec_1

example_8 \ mod_1 \

 rec_1

No Documentation Found

FIELD <u>a</u> ||| REAL8 — No Doc

MODULE mod_11

example $_8 \setminus \text{mod}_1 \setminus$

 mod_11

No Documentation Found

Children

1. v1_m11: No Documentation Found

ATTRIBUTE v1_m11

example_8 \ mod_1 \ mod_11 \

v1_m11

No Documentation Found

```
RETURN TABLE ( rec_1 ) —
```

example_8 \

 mod_2

No Documentation Found

PARENT intest.example_8.mod_1.mod_11 <example_8.ecl.tex>

Children

- 1. v1_m11: No Documentation Found
- 2. rec 2: No Documentation Found
- 3. v1 m2: No Documentation Found

ATTRIBUTE v1_m11

example_8 \ mod_2 \

v1_m11

No Documentation Found

RETURN TABLE (rec_1) —

INHERITED

RECORD rec_2

example_8 \setminus mod_2 \setminus

 rec_2

No Documentation Found

FIELD b ||| REAL8 — No Doc

FUNCTION v1_m2

example_8 \setminus mod_2 \setminus

v1_m2

(REAL8 ag_1)

No Documentation Found

PARAMETER ag_1 ||| REAL8 — No Doc

RETURN TABLE ({ REAL8 b }) —

in1intest

Go Up

Table of Contents

```
example_2.ecl
Basic Inheritance documentation: mod_3 inherits both mod_1 and mod_2
example_3.ecl
Example: Inheritance across files
example_4.ecl
Example: Inheritance across files
example_6.ecl
Module Hierarchy Example: mod_1 -> mod_11 -> mod_111
example_7.ecl
Basic Type Example
example_8.ecl
Three level Hierarchy Example
```

intest/ in1intest/

example_2

Go Up

DESCRIPTIONS

MODULE example_2

```
example_2
```

Basic Inheritance documentation : mod_3 inherits both mod_1 and mod_2 . Inherits $v2_m1$, $v2_m2$, Overrides $v1_m1$, new locals $v2_m3$. Interface Inheritance : mod_4 inherits interface iface_1, overrides $v1_i1$

Children

- 1. rec 1: No Documentation Found
- 2. rec 2: No Documentation Found
- 3. rec 3: No Documentation Found
- 4. mod 1: No Documentation Found
- 5. mod 2: No Documentation Found
- 6. mod 3: No Documentation Found
- 7. iface 1: No Documentation Found
- 8. mod_4: No Documentation Found

RECORD rec_1

example_2 \

 rec_1

No Documentation Found

FIELD v1 || REAL8 — No Doc

RECORD rec_2

example $_2$ \

 rec_2

No Documentation Found

FIELD v2 ||| REAL8 — No Doc

FIELD v1 || REAL8 — No Doc

RECORD rec_3

example_2 \setminus

 rec_3

No Documentation Found

FIELD v3 || REAL8 — No Doc

FIELD v1 || REAL8 — No Doc

example_2 \

 mod_1

No Documentation Found

Children

- 1. v1_m1: No Documentation Found
- 2. v2_m1: No Documentation Found

ATTRIBUTE v1_m1

 $example_2 \setminus mod_1 \setminus$

real8 v1_m1

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m1

 $example_2 \setminus mod_1 \setminus$

v2_m1

No Documentation Found

example_2 \

 mod_2

No Documentation Found

Children

- 1. v1_m1: No Documentation Found
- 2. v2_m2: No Documentation Found

ATTRIBUTE v1_m1

example $_2 \setminus \text{mod}_2 \setminus$

v1 m1

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m2

 $example_2 \setminus mod_2 \setminus$

v2_m2

No Documentation Found

example_2 \

 mod_3

No Documentation Found

PARENT intest.in1intest.example_2.mod_1 <example_2.ecl.tex>

PARENT intest.in1intest.example_2.mod_2 <example_2.ecl.tex>

Children

1. v2_m1: No Documentation Found

2. v2_m2: No Documentation Found

3. v1 m1: No Documentation Found

4. v2_m3: No Documentation Found

ATTRIBUTE v2_m1

 $example_2 \setminus mod_3 \setminus$

v2_m1

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v2_m2

example $_2 \setminus \text{mod}_3 \setminus$

v2 m2

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v1_m1

example $_2 \setminus \text{mod}_3 \setminus$

v1_m1

No Documentation Found

RETURN REAL8 —

OVERRIDE

ATTRIBUTE v2_m3

 $example_2 \setminus mod_3 \setminus$

v2_m3

No Documentation Found

INTERFACE iface_1

example_2 \

 $iface_1$

No Documentation Found

Children

1. v1_i1: No Documentation Found

ATTRIBUTE v1_i1

example $_2 \setminus iface_1 \setminus$

real8 v1_i1

No Documentation Found

RETURN REAL8 —

MODULE mod_4

example $_2$ \

 mod_4

No Documentation Found

PARENT intest.in1intest.example_2.iface_1 <example_2.ecl.tex>

Children

1. v1_i1: No Documentation Found

2. v2_m4: No Documentation Found

ATTRIBUTE v1_i1

 $example_2 \setminus mod_4 \setminus$

 $v1_i1$

No Documentation Found

RETURN REAL8 —

OVERRIDE

ATTRIBUTE v2_m4

 $example_2 \setminus mod_4 \setminus$

STRING20 v2_m4

No Documentation Found

RETURN STRING20 —

$\begin{array}{c} {\rm intest/\ in1intest/} \\ example_3 \end{array}$

Go Up

DESCRIPTIONS

MODULE Example_3

Example_3

Example: Inheritance across files mod_1 in Example_4 inherits mod_1 in Example_3

Children

1. mod_1: No Documentation Found

MODULE mod_1

Example_3 \

 mod_1

No Documentation Found

Children

- 1. v1 m1: No Documentation Found
- 2. v2_m1_ex3: No Documentation Found

ATTRIBUTE v1_m1

Example_3 \setminus mod_1 \setminus

v1_m1

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m1_ex3

Example $_3 \setminus \text{mod}_1 \setminus$

 $v2_m1_ex3$

No Documentation Found

RETURN REAL8 —

$\begin{array}{c} {\rm intest/\ in1intest/} \\ example_4 \end{array}$

Go Up

IMPORTS

 $Example_3.mod_1$

DESCRIPTIONS

MODULE example_4

 $example_4$

Example : Inheritance across files mod_1 in Example_4 inherits mod_1 in Example_3

Children

1. mod_1: No Documentation Found

MODULE mod_1

example_4 \

 mod_1

No Documentation Found

PARENT Example_3.mod_1 <../../example_3.ecl.tex>

Children

- 1. v2 m1 ex4: No Documentation Found
- 2. v1_m1 : Doc test 2
- 3. v2 m1 ex3: DOC Test 3
- 4. abc: No Documentation Found
- 5. long_name: No Documentation Found

ATTRIBUTE v2_m1_ex4

 $example_4 \setminus mod_1 \setminus$

 $v2_m1_ex4$

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v1_m1

 $example_4 \setminus mod_1 \setminus$

 $v1_m1$

Doc test 2. Title end by period not newline

ABCD ||||
CDEF ||||

RETURN REAL8 —

INHERITED

ATTRIBUTE v2_m1_ex3

example $_4 \setminus \text{mod}_1 \setminus$

 $v2_m1_ex3$

DOC Test 3 No Period title

RETURN REAL8 —

INHERITED

FUNCTION abc

 $example_4 \setminus mod_1 \setminus$

REAL8 abc

(REAL8 x)

No Documentation Found

PARAMETER <u>x</u> ||| REAL8 — No Doc

RETURN REAL8 —

INHERITED

FUNCTION long_name

```
example_4 \setminus mod_1 \setminus
```

long_name

(DATASET({REAL8 u}) X, DATASET({REAL8 u}) IntW, DATASET({REAL8 u}) Intb, REAL8 BETA=0.1, REAL8 sparsityParam=0.1 , REAL8 LAMBDA=0.001, REAL8 ALPHA=0.1, UNSIGNED2 MaxIter=100)

No Documentation Found

PARAMETER <u>x</u> ||| TABLE ({ REAL8 u }) — No Doc

PARAMETER <u>lambda</u> ||| REAL8 — No Doc

PARAMETER beta || REAL8 — No Doc

PARAMETER alpha ||| REAL8 — No Doc

PARAMETER sparsityparam ||| REAL8 — No Doc

PARAMETER intw || TABLE ({ REAL8 u }) — No Doc

PARAMETER intb || TABLE ({ REAL8 u }) — No Doc

PARAMETER maxiter || UNSIGNED2 — No Doc

RETURN REAL8 —

INHERITED

intest/ in1intest/

example_6

Go Up

DESCRIPTIONS

MODULE example_6

```
example_6
```

 $\label{linear_mod_11} \begin{tabular}{ll} Module Hierarchy Example: mod_1 -> mod_11 -> mod_111 . Inheritance across Hierarchy: mod_2 inherits mod_1.mod_11 , mod_3.mod_31 inherits mod_1.mod_11 , mod_4 inherits mod_3.mod_31, mod_2 , mod_5 inherits mod_1 and mod_1.mod_11 \\ \end{tabular}$

Children

- 1. mod_1: No Documentation Found
- 2. mod_2: No Documentation Found
- 3. mod_3: No Documentation Found
- 4. mod_4: No Documentation Found
- 5. mod 5: No Documentation Found

MODULE mod_1

example_6 \setminus

 mod_1

No Documentation Found

Children

```
1. v1_m1: No Documentation Found
```

```
2. mod_11: No Documentation Found
```

ATTRIBUTE v1_m1

```
example_6 \setminus mod_1 \setminus
```

```
v1_m1
```

No Documentation Found

RETURN REAL8 —

MODULE mod_11

example_6 \ mod_1 \

```
mod_11 (real8 a_11)
```

No Documentation Found

PARAMETER a_11 ||| REAL8 — No Doc

Children

- 1. v1 m11: No Documentation Found
- 2. mod 111: No Documentation Found

ATTRIBUTE v1_m11

 $example_6 \setminus mod_1 \setminus mod_1 \setminus$

v1_m11

No Documentation Found

RETURN REAL8 —

MODULE mod_111

example_6 \ mod_1 \ mod_11 \

 mod_1111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

Children

1. v1 m111: No Documentation Found

ATTRIBUTE v1_m111

example_6 \ mod_1 \ mod_11 \ mod_111 \

 $v1_m111$

No Documentation Found

example_6 \setminus

 mod_2

No Documentation Found

PARENT intest.in1intest.example_6.mod_1.mod_11 <example_6.ecl.tex>

Children

- 1. v1_m11: No Documentation Found
- 2. mod_111: No Documentation Found
- 3. v1_m2: No Documentation Found

ATTRIBUTE v1_m11

example_6 \ mod_2 \

v1_m11

No Documentation Found

RETURN REAL8 —

INHERITED

example_6 \setminus mod_2 \setminus

 mod_111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m2

example_6 \ mod_2 \

v1_m2

No Documentation Found

RETURN REAL8 —

MODULE mod_3

example_6 \setminus

 mod_3

No Documentation Found

Children

- 1. v1_m3: No Documentation Found
- 2. mod_31: No Documentation Found

ATTRIBUTE v1_m3

example_6 \ mod_3 \

 $v1_m3$

No Documentation Found

RETURN REAL8 —

MODULE mod_31

example_6 \ mod_3 \

 mod_31

No Documentation Found

PARENT intest.in1intest.example_6.mod_1.mod_11 <example_6.ecl.tex>

Children

- 1. v1_m11: No Documentation Found
- 2. mod 111: No Documentation Found
- 3. v1_m31: No Documentation Found

ATTRIBUTE v1_m11

example_6 \ $mod_3 \setminus mod_31 \setminus$

v1 m11

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \ $mod_3 \setminus mod_31 \setminus$

 mod_1111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m31

example_6 \ mod_3 \ mod_31 \

 $v1_m31$

No Documentation Found

example_6 \

 $\mod 4$

No Documentation Found

PARENT intest.in1intest.example_6.mod_3.mod_31 <example_6.ecl.tex>

PARENT intest.in1intest.example_6.mod_2 <example_6.ecl.tex>

Children

1. v1 m11: No Documentation Found

2. mod 111: No Documentation Found

3. v1 m2: No Documentation Found

4. v1_m31: No Documentation Found

5. v1_m4: No Documentation Found

ATTRIBUTE v1_m11

example_6 \ mod_4 \

v1 m11

No Documentation Found

RETURN REAL8 —

INHERITED

example_6 \setminus mod_4 \setminus

 mod_{111}

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m2

example_6 \setminus mod_4 \setminus

 $v1_m2$

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v1_m31

example_6 \ mod_4 \

v1_m31

No Documentation Found

```
RETURN REAL8 —
```

INHERITED

ATTRIBUTE v1_m4

```
example_6 \setminus mod_4 \setminus
```

```
v1_m4
```

No Documentation Found

RETURN REAL8 —

MODULE mod_5

example_6 \

 mod_5

No Documentation Found

PARENT intest.in1intest.example_6.mod_1 <example_6.ecl.tex>

PARENT intest.in1intest.example_6.mod_1.mod_11 <example_6.ecl.tex>

Children

- 1. v1 m1: No Documentation Found
- 2. mod 11: No Documentation Found
- 3. v1 m11: No Documentation Found
- 4. mod_111: No Documentation Found
- 5. v1_m5: No Documentation Found

ATTRIBUTE v1_m1

example_6 \setminus mod_5 \setminus

 $v1_m1$

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_11

example_6 \ mod_5 \

 mod_11

(real8 a_11)

No Documentation Found

PARAMETER a_11 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m11

example_6 \ mod_5 \

 $v1_m11$

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \setminus mod_5 \setminus

 mod_1111

(real8 a_111)

No Documentation Found

PARAMETER <u>a_111</u> ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m5

example_6 \ mod_5 \

 $v1_m5$

No Documentation Found

RETURN REAL8 —

$\begin{array}{c} {\rm intest/\ in1intest/} \\ {\rm example_7} \end{array}$

Go Up

DESCRIPTIONS

MODULE example_7

example_7

Basic Type Example Source Code copied from ECL Documentation

Children

1. R: No Documentation Found

RECORD R

example $_7$ \

 \mathbf{R}

No Documentation Found

FIELD <u>f3</u> ||| SCALEINT — No Doc

FIELD <u>f2</u> ||| NEEDC — No Doc

FIELD <u>f1</u> ||| REVERSESTRING4 — No Doc

$\begin{array}{c} {\rm intest/\ in1intest/} \\ example_8 \end{array}$

Go Up

DESCRIPTIONS

MODULE example_8

example_8

Three level Hierarchy Example . Inheritance across Hierarchy . Problems with Type System – PROJECT Expression does not maintain record typename (rec_2) but do maintain record structure . IE $mod_2.v1_m2$ should be but shown . has same structure as record .

Children

- 1. mod 1: No Documentation Found
- 2. mod_2: No Documentation Found

MODULE mod_1

example_8 \

 $\mod 1$

No Documentation Found

Children

1. rec 1: No Documentation Found

2. mod_11: No Documentation Found

RECORD rec_1

example_8 \ mod_1 \

 rec_1

No Documentation Found

FIELD <u>a</u> ||| REAL8 — No Doc

MODULE mod_11

example $_8 \setminus \text{mod}_1 \setminus$

 mod_11

No Documentation Found

Children

1. v1_m11: No Documentation Found

ATTRIBUTE v1_m11

example_8 \ mod_1 \ mod_11 \

v1_m11

No Documentation Found

RETURN TABLE (rec_1) —

MODULE mod_2

example_8 \

 mod_2

No Documentation Found

PARENT intest.in1intest.example_8.mod_1.mod_11 <example_8.ecl.tex>

Children

- 1. v1_m11: No Documentation Found
- 2. rec 2: No Documentation Found
- 3. v1_m2: No Documentation Found

ATTRIBUTE v1_m11

example_8 \ mod_2 \

 $v1_m11$

No Documentation Found

RETURN TABLE (rec_1) —

INHERITED

RECORD rec_2

example_8 \setminus mod_2 \setminus

 rec_2

No Documentation Found

FIELD **b** ||| REAL8 — No Doc

FUNCTION v1_m2

example_8 \ mod_2 \

v1_m2

(REAL8 ag_1)

No Documentation Found

PARAMETER ag_1 ||| REAL8 — No Doc

RETURN TABLE ({ REAL8 b }) —

inintest

Go Up

Table of Contents

```
example_2.ecl
Basic Inheritance documentation: mod_3 inherits both mod_1 and mod_2

example_3.ecl
Example: Inheritance across files

example_4.ecl
Example: Inheritance across files

example_6.ecl
Module Hierarchy Example: mod_1 -> mod_11 -> mod_111

example_7.ecl
Basic Type Example

example_8.ecl
Three level Hierarchy Example
```

intest/ inintest/

example_2

Go Up

DESCRIPTIONS

MODULE example_2

```
example_2
```

Basic Inheritance documentation : mod_3 inherits both mod_1 and mod_2 . Inherits $v2_m1$, $v2_m2$, Overrides $v1_m1$, new locals $v2_m3$. Interface Inheritance : mod_4 inherits interface iface_1, overrides $v1_i1$

Children

- 1. rec 1: No Documentation Found
- 2. rec 2: No Documentation Found
- 3. rec 3: No Documentation Found
- 4. mod 1: No Documentation Found
- 5. mod 2: No Documentation Found
- 6. mod 3: No Documentation Found
- 7. iface 1: No Documentation Found
- 8. mod 4: No Documentation Found

RECORD rec_1

example_2 \

 rec_1

No Documentation Found

FIELD <u>v1</u> ||| REAL8 — No Doc

RECORD rec_2

example $_2$ \

 rec_2

No Documentation Found

FIELD v2 ||| REAL8 — No Doc

FIELD v1 || REAL8 — No Doc

RECORD rec_3

example_2 \setminus

 rec_3

No Documentation Found

FIELD v3 || REAL8 — No Doc

FIELD v1 || REAL8 — No Doc

example_2 \

 mod_1

No Documentation Found

Children

- 1. v1_m1: No Documentation Found
- 2. v2_m1: No Documentation Found

ATTRIBUTE v1_m1

 $example_2 \setminus mod_1 \setminus$

real8 v1_m1

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m1

 $example_2 \setminus mod_1 \setminus$

v2_m1

No Documentation Found

RETURN REAL8 —

example_2 \

 mod_2

No Documentation Found

Children

- 1. v1_m1: No Documentation Found
- 2. v2_m2: No Documentation Found

ATTRIBUTE v1_m1

 $example_2 \setminus mod_2 \setminus$

v1 m1

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m2

 $example_2 \setminus mod_2 \setminus$

 $v2_m2$

No Documentation Found

RETURN REAL8 —

example_2 \

 mod_3

No Documentation Found

PARENT intest.inintest.example_2.mod_1 <example_2.ecl.tex>

PARENT intest.inintest.example_2.mod_2 <example_2.ecl.tex>

Children

1. v2_m1: No Documentation Found

2. v2_m2: No Documentation Found

3. v1 m1: No Documentation Found

4. v2_m3: No Documentation Found

ATTRIBUTE v2_m1

 $example_2 \setminus mod_3 \setminus$

v2_m1

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v2_m2

example $_2 \setminus \text{mod}_3 \setminus$

v2 m2

No Documentation Found

RETURN REAL8 —

INHERITED

ATTRIBUTE v1_m1

 $example_2 \setminus mod_3 \setminus$

 $v1_m1$

No Documentation Found

RETURN REAL8 —

OVERRIDE

ATTRIBUTE v2_m3

 $example_2 \setminus mod_3 \setminus$

v2_m3

No Documentation Found

RETURN REAL8 —

INTERFACE iface_1

example_2 \

 $iface_1$

No Documentation Found

Children

1. v1_i1: No Documentation Found

ATTRIBUTE v1_i1

example $_2 \setminus iface_1 \setminus$

real8 v1_i1

No Documentation Found

RETURN REAL8 —

MODULE mod_4

example $_2$ \

 mod_4

No Documentation Found

PARENT intest.inintest.example_2.iface_1 < example_2.ecl.tex>

Children

1. v1_i1: No Documentation Found

2. v2_m4: No Documentation Found

ATTRIBUTE v1_i1

 $example_2 \setminus mod_4 \setminus$

 $v1_i1$

No Documentation Found

RETURN REAL8 —

OVERRIDE

ATTRIBUTE v2_m4

 $example_2 \setminus mod_4 \setminus$

STRING20 v2_m4

No Documentation Found

RETURN STRING20 —

$\begin{array}{c} {\rm intest/\ inintest/} \\ example_3 \end{array}$

Go Up

IMPORTS

std.Str |

DESCRIPTIONS

MODULE Example_3

Example_3

Example : Inheritance across files mod_1 in Example_4 inherits mod_1 in Example_3

Children

1. mod_1: No Documentation Found

MODULE mod_1

Example_3 \

 mod_1

No Documentation Found

Children

1. v1 m1: No Documentation Found

2. v2_m1_ex3: No Documentation Found

ATTRIBUTE v1_m1

Example_3 \setminus mod_1 \setminus

 $v1_m1$

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v2_m1_ex3

Example_3 \setminus mod_1 \setminus

 $v2_m1_ex3$

No Documentation Found

RETURN REAL8 —

$\begin{array}{c} {\rm intest/\ inintest/} \\ example_4 \end{array}$

Go Up

IMPORTS

Example_3.mod_1 |

DESCRIPTIONS

MODULE example_4

 $example_4$

Example : Inheritance across files mod_1 in Example_4 inherits mod_1 in Example_3

Children

1. mod_1: No Documentation Found

MODULE mod_1

example $_4$ \

 mod_1

No Documentation Found

PARENT Example_3.mod_1 <../../example_3.ecl.tex>

Children

- 1. v2 m1 ex4: No Documentation Found
- 2. v1_m1 : Doc test 2
- 3. v2 m1 ex3 : DOC Test 3
- 4. abc: No Documentation Found
- 5. long_name: No Documentation Found

ATTRIBUTE v2_m1_ex4

 $example_4 \setminus mod_1 \setminus$

 $v2_m1_ex4$

No Documentation Found

RETURN REAL8 —

ATTRIBUTE v1_m1

 $example_4 \setminus mod_1 \setminus$

 $v1_m1$

Doc test 2. Title end by period not newline

ABCD ||||
CDEF ||||

RETURN REAL8 —

INHERITED

ATTRIBUTE v2_m1_ex3

 $example_4 \setminus mod_1 \setminus$

 $v2_m1_ex3$

DOC Test 3 No Period title

RETURN REAL8 —

INHERITED

FUNCTION abc

 $example_4 \setminus mod_1 \setminus$

REAL8 abc

(REAL8 x)

No Documentation Found

PARAMETER <u>x</u> ||| REAL8 — No Doc

RETURN REAL8 —

FUNCTION long_name

$example_4 \setminus mod_1 \setminus$

long_name

(DATASET({REAL8 u}) X, DATASET({REAL8 u}) IntW, DATASET({REAL8 u}) Intb, REAL8 BETA=0.1, REAL8 sparsityParam=0.1 , REAL8 LAMBDA=0.001, REAL8 ALPHA=0.1, UNSIGNED2 MaxIter=100)

No Documentation Found

PARAMETER <u>x</u> ||| TABLE ({ REAL8 u }) — No Doc

PARAMETER <u>lambda</u> ||| REAL8 — No Doc

PARAMETER beta || REAL8 — No Doc

PARAMETER alpha ||| REAL8 — No Doc

PARAMETER sparsityparam ||| REAL8 — No Doc

PARAMETER intw || TABLE ({ REAL8 u }) — No Doc

PARAMETER intb || TABLE ({ REAL8 u }) — No Doc

PARAMETER maxiter || UNSIGNED2 — No Doc

RETURN REAL8 —

intest/ inintest/

example_6

Go Up

IMPORTS

Example_3 |

DESCRIPTIONS

MODULE example_6

example_6

 $\label{lem:mod_1} \begin{tabular}{ll} Module Hierarchy Example: mod_1 -> mod_111 . Inheritance across Hierarchy: mod_2 inherits mod_1.mod_11 , mod_3.mod_31 inherits mod_1.mod_11 , mod_4 inherits mod_3.mod_31, mod_2 , mod_5 inherits mod_1 and mod_1.mod_11 \\ \end{tabular}$

Children

- 1. mod 1: No Documentation Found
- 2. mod 2: No Documentation Found
- 3. mod_3: No Documentation Found
- 4. mod 4: No Documentation Found
- 5. mod_5: No Documentation Found

MODULE mod_1

example_6 \

 mod_1

No Documentation Found

Children

- 1. v1_m1: No Documentation Found
- 2. mod 11: No Documentation Found

ATTRIBUTE v1_m1

example_6 \setminus mod_1 \setminus

v1 m1

No Documentation Found

RETURN REAL8 —

MODULE mod_11

example_6 \ mod_1 \

mod_11

(real8 a_11)

No Documentation Found

PARAMETER a_11 ||| REAL8 — No Doc

Children

- 1. v1 m11: No Documentation Found
- 2. mod 111: No Documentation Found

ATTRIBUTE v1_m11

```
example_6 \ mod_1 \ mod_11 \
```

```
v1 m11
```

No Documentation Found

RETURN REAL8 —

MODULE mod_111

example_6 \ $mod_1 \setminus mod_1 \setminus$

mod_111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

Children

1. v1_m111: No Documentation Found

ATTRIBUTE v1_m111

 $example_6 \setminus mod_1 \setminus mod_1 \setminus mod_1 \setminus$

v1_m111

No Documentation Found

RETURN REAL8 —

MODULE mod_2

example_6 \

mod 2

No Documentation Found

PARENT intest.inintest.example_6.mod_1.mod_11 <example_6.ecl.tex>

Children

- 1. v1 m11: No Documentation Found
- 2. mod 111: No Documentation Found
- 3. v1_m2: No Documentation Found

ATTRIBUTE v1_m11

example_6 \ mod_2 \

v1_m11

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \setminus mod_2 \setminus

 mod_{111}

(real8 a_111)

No Documentation Found

PARAMETER <u>a_111</u> ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m2

example_6 \ mod_2 \

 $v1_m2$

No Documentation Found

RETURN REAL8 —

MODULE mod_3

example_6 \

 $\mod 3$

No Documentation Found

Children

- 1. v1_m3: No Documentation Found
- 2. mod_31: No Documentation Found

ATTRIBUTE v1_m3

example_6 \ mod_3 \

 $v1_m3$

No Documentation Found

RETURN REAL8 —

MODULE mod_31

example_6 \ mod_3 \

 mod_31

No Documentation Found

PARENT intest.inintest.example_6.mod_1.mod_11 <example_6.ecl.tex>

Children

```
1. v1_m11: No Documentation Found
```

2. mod 111: No Documentation Found

3. v1_m31: No Documentation Found

ATTRIBUTE v1_m11

```
example_6 \ mod_3 \ mod_31 \
```

```
v1_m11
```

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \ $mod_3 \setminus mod_31 \setminus$

 mod_111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

ATTRIBUTE v1_m31

example_6 \ $mod_3 \setminus mod_31 \setminus$

 $v1_m31$

No Documentation Found

RETURN REAL8 —

MODULE mod_4

example_6 \setminus

 $\mod 4$

No Documentation Found

PARENT intest.inintest.example_6.mod_3.mod_31 <example_6.ecl.tex>

PARENT intest.inintest.example_6.mod_2 <example_6.ecl.tex>

Children

- 1. v1 m11: No Documentation Found
- 2. mod 111: No Documentation Found
- 3. v1_m2: No Documentation Found
- 4. v1 m31: No Documentation Found
- 5. v1 m4: No Documentation Found

ATTRIBUTE v1_m11

example_6 \setminus mod_4 \setminus

v1 m11

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \setminus mod_4 \setminus

 mod_111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m2

example_6 \ mod_4 \

 $v1_m2$

No Documentation Found

RETURN REAL8 — INHERITED ATTRIBUTE v1_m31 example_6 \setminus mod_4 \setminus $v1_m31$ No Documentation Found RETURN REAL8 — INHERITED ATTRIBUTE v1_m4 example_6 \setminus mod_4 \setminus $v1_m4$ No Documentation Found RETURN REAL8 —

MODULE mod_5

example_6 \setminus

```
mod\_5
```

No Documentation Found

PARENT intest.inintest.example_6.mod_1 <example_6.ecl.tex>

PARENT intest.inintest.example_6.mod_1.mod_11 <example_6.ecl.tex>

Children

```
1. v1_m1: No Documentation Found
```

2. mod 11: No Documentation Found

3. v1_m11: No Documentation Found

4. mod 111: No Documentation Found

5. v1_m5: No Documentation Found

ATTRIBUTE v1_m1

example_6 \ mod_5 \

v1_m1

No Documentation Found

RETURN REAL8 —

MODULE mod_11

example_6 \setminus mod_5 \setminus

 mod_11

(real8 a_11)

No Documentation Found

PARAMETER <u>a_11</u> ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m11

example_6 \ mod_5 \

 $v1_m11$

No Documentation Found

RETURN REAL8 —

INHERITED

MODULE mod_111

example_6 \ mod_5 \

 mod_111

(real8 a_111)

No Documentation Found

PARAMETER a_111 ||| REAL8 — No Doc

INHERITED

ATTRIBUTE v1_m5

example_6 \ mod_5 \

 $v1_m5$

No Documentation Found

RETURN REAL8 —

$\begin{array}{c} {\rm intest/\ inintest/} \\ example_{7} \end{array}$

Go Up

DESCRIPTIONS

MODULE example_7

example_7

Basic Type Example Source Code copied from ECL Documentation

Children

1. R: No Documentation Found

RECORD R

example $_7$ \

 \mathbf{R}

No Documentation Found

FIELD <u>f3</u> ||| SCALEINT — No Doc

FIELD <u>f2</u> ||| NEEDC — No Doc

FIELD <u>f1</u> ||| REVERSESTRING4 — No Doc

intest/ inintest/

example_8

Go Up

DESCRIPTIONS

MODULE example_8

example_8

Three level Hierarchy Example . Inheritance across Hierarchy . Problems with Type System – PROJECT Expression does not maintain record typename (rec_2) but do maintain record structure . IE $mod_2.v1_m2$ should be but shown . has same structure as record .

Children

- 1. mod 1: No Documentation Found
- 2. mod_2: No Documentation Found

MODULE mod_1

example_8 \

 $\mod 1$

No Documentation Found

Children

1. rec 1: No Documentation Found

2. mod_11: No Documentation Found

RECORD rec_1

example_8 \ mod_1 \

 rec_1

No Documentation Found

FIELD <u>a</u> ||| REAL8 — No Doc

MODULE mod_11

example $_8 \setminus \text{mod}_1 \setminus$

 mod_11

No Documentation Found

Children

1. v1_m11: No Documentation Found

ATTRIBUTE v1_m11

example_8 \ mod_1 \ mod_11 \

 $v1_m11$

No Documentation Found

RETURN TABLE (rec_1) —

MODULE mod_2

example_8 \setminus

 mod_2

No Documentation Found

PARENT intest.inintest.example_8.mod_1.mod_11 <example_8.ecl.tex>

Children

- 1. v1_m11: No Documentation Found
- 2. rec 2: No Documentation Found
- 3. v1 m2: No Documentation Found

ATTRIBUTE v1_m11

example_8 \ mod_2 \

v1_m11

No Documentation Found

RETURN TABLE (rec_1) —

RECORD rec_2

example_8 \setminus mod_2 \setminus

 rec_2

No Documentation Found

FIELD b ||| REAL8 — No Doc

FUNCTION v1_m2

example_8 \setminus mod_2 \setminus

v1_m2

(REAL8 ag_1)

No Documentation Found

PARAMETER ag_1 ||| REAL8 — No Doc

RETURN TABLE ({ REAL8 b }) —