example_3

Go Up

DESCRIPTIONS

MODULE Example_3

 $Example_3$

Documentation Testing Multiline Title. link@myspace.com

Sentence 1 blablalbla bbblaaaa

Sentence 2

blablalbla

bbbblaaaaa

bblaaaaaaaaa

PARAMETER first okay_1

PARAMETER second okay_2

PARAMETER third okay_3

FIELD <u>f1</u> oka_f1

FIELD <u>**f2**</u> oka_f2

RETURN rec_1

SEE example_1.mod_1

Children

1. mod_1

MODULE mod_1

Example_3 \

```
mod_1
```

Children

```
1. v1_m1 : Doc test 2
```

2. $v2_m1_ex3$: DOC Test 3

3. long_name

ATTRIBUTE v1_m1

 $Example_3 \setminus mod_1 \setminus$

```
v1_m1
```

Doc test 2. Title end by period not newline

ABCD ||||
CDEF ||||

ATTRIBUTE v2_m1_ex3

 $Example_3 \setminus mod_1 \setminus$

```
v2_m1_ex3
```

DOC Test 3 No Period title

FUNCTION long_name

Example_3 \ mod_1 \

$long_name$

(DATASET({REAL8 u}) X, DATASET({REAL8 u}) IntW, DATASET({REAL8 u}) Intb, REAL8 BETA=0.1, REAL8 sparsityParam=0.1 , REAL8 LAMBDA=0.001, REAL8 ALPHA=0.1, UNSIGNED2 MaxIter=100)