## **DBMS**

# **Assignment-6**

Name: SUCHARITHA.K

Reg.no:19BCS058

1)

i)The table is not in 1nf because the table contains multi valued attribute – course.

#### Therefore, decomposition into 1NF gives

Id	Name	Age	Location	Course
1	Sachin	22	Delhi	OS
1	Sachin	22	Delhi	DBMS
2	Ram	22	Jamshedpur	DAA
2	Ram	22	Jamshedpur	DBMS
3	Mike	23	Chennai	ML
3	Mike	23	Chennai	OS
4	Sameer	21	Bengaluru	DAA
4	Sameer	21	Bengaluru	ML
5	Vijay	22	Mumbai	ML
5	Vijay	22	Mumbai	DBMS

Primary key: Id

Candidate keys: Id, Name, Location Prime attributes: Id, Name, Location Non-prime attributes: Age, Course

#### ii) The table is already in 1NF

Primary key: Id

Candidate keys: Id, Name, Phone, State Prime attributes: ID, Name, Phone, State

Non-prime attributes: Country

i) The table is already in 1NF. The table is not in 2NF as there is partial dependency between columns Duty\_shift\_ID and Duty\_shift

#### Therefore, decomposition inti 2NF gives

Emp_ID	Duty_shift_ID	Name	Age
101	1	Arun	26
102	2	Bobby	28
103	3	Suresh	32
104	1	Sita	24

Duty_shift_ID	Duty_shift
1	Morning
2	Afternoon
3	Night

Primary key: Emp\_ID

Candidate keys :Emp\_ID, Name, Age Prime attributes :Emp\_ID, Name, Age

Non-prime attributes :Duty\_shift\_Id,Duty\_shift

ii) The table is already in 1NF. The table is not in 2NF as there is partial dependency between columns Project\_ID, Project\_name and No.of hours

#### Therefore, decomposition into 2NF gives

Emp_ID	Project_ID	Name
123	Prj_21	Ajay
321	Prj_45	Charu
346	Prj_24	Rajesh
765	Prj_11	Abhishek

Project_ID	Project_name	No.of hours
Prj_21	Speech_system	10
Prj_45	HR system	15
Prj_24	Automate tickets	23
Prj_11	NLP	16

Primary key :Emp\_ID

Candidate keys :Emp\_ID,Project\_Id, Name, Project\_name, No.of hours Prime attributes :Emp\_ID, Project\_Id, Name, Project\_name, No.of hours

Non-prime attributes :-----

3)

i) The table is not in 3NF as there exists a transitive dependency between Cust\_Address and Cust\_loc on a non primary key which is Cust\_postcode

#### Therefore, decomposition into 3NF gives

Cust_ID	Cust_Name	Cust_Postcode
25	Dell	560037
45	Lenovo	560046
89	Acer	210067
90	Samsung	4500078

Cust_postcode	Cust_address	Cust_loc
560037	Whitefield	Banglore
560046	Marathahalli	Banglore
210067	Bandra	Mumbai
4500078	Delhi central	Delhi

Primary key :Cust\_ID

Candidate keys :Cust\_ID, Cust\_Name,Cust\_postcode, Cust\_address Prime attributes :Cust\_ID, Cust\_Name,Cust\_postcode, Cust\_address

Non-prime attributes :Cust\_loc

ii) The table is not in 3NF as there exists a transitive dependency between contractor and fee

### Therefore, decomposition into 3NF gives

Building	Contractor	Builder
B_2156	Taylor	Prestige
B_8765	Sandeep	Hiranandani
B_4567	Vishaka	Tata

Contractor	Fee
Taylor	25667891
Sandeep	3567356
Vishaka	4567990

Primary key: Building

Candidate keys: Building, Contractor, Builder, Fee Prime attributes: Building, Contractor, Builder, Fee

Non-Prime attributes: -----