Rajalakshmi Engineering College

Name: Suchit Prabu V

Email: 240701541@rajalakshmi.edu.in

Roll no: 240701541 Phone: 9600012595

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 5_MCQ

Attempt: 1
Total Mark: 20
Marks Obtained:

Marks Obtained: 17

Section 1: MCQ

1. What is the result of print(type({}) is set)?

Answer

False

Status: Correct Marks: 1/1

2. What is the output of the following code?

a={"a":1,"b":2,"c":3}

b=dict(zip(a.values(),a.keys()))

print(b)

Answer

1: 'a', 2: 'b', 3: 'c'}

Status: Correct Marks: 1/1

3. Set $s1 = \{1, 2, 4, 3\}$ and $s2 = \{1, 5, 4, 6\}$, find s1 & amp; $s2, s1 - s2, s1 | s2 and <math>s1 \land s2$.

Answer

$$s1\&s2 = \{1, 4\}s1-s2 = \{2, 3\}s1^s2 = \{2, 3, 5, 6\}s1|s2 = \{1, 2, 3, 4, 5, 6\}$$

Status: Correct Marks: 1/1

4. What is the output of the below Python code?

Answer

{1, 2, 3, 5, 6, 7, 10, 11, 12}

Status: Correct Marks: 1/1

5. Which of the statements about dictionary values is false?

Answer

Values of a dictionary must be unique

Status: Correct Marks: 1/1

6. What will be the output of the following code?

240	Answer 13 Status : Correct	2,40701547	240701541	Marks : 1/1
	7. What is the output of the following code?			
	a=(1,2,(4,5)) b=(1,2,(3,4)) print(a <b)< td=""><td></td><td></td><td></td></b)<>			
	Answer	.^		^^
	False	10154	101514	19151
240	Status: Correct	240701541	240101541	Marks : 1/1
	8. Fill in the code in order to get the following output.			
	Output:			
	Tuple: (1, 3, 4)			
	Max value: 4			
240	t=(1,) print("Tuple:" ,t) print("Max value:", Answer	240101547	240707547	240701541
	Answer	· · · · · · · · · · · · · · · · · · ·		V
	1) t=t+(3,4)2) max(t)			
	Status: Correct			Marks : 1/1
	9. Which of the following isn't true about dictionary keys?			
	Answer	A.	A.	
	More than one key isn	't allowed	240101541	210151
240	Status : Wrong	240,	240,	Marks : 0/1

10. Which of the following is a Python tuple?

Answer

(1, 2, 3)

Status: Correct Marks: 1/1

11. What will be the output for the following code?

a=(1,2,3)b=('A','B','C') c=zip(a,b)

print(c) print(tuple(c))

Answer

None of the mentioned options

Marks: 0/1 Status: Wrong

12. If 'a' is a dictionary with some key-value pairs, what does a.popitem() do?

Answer

Removes an arbitrary element

Status: Correct Marks: 1/1

13. What will be the output?

a={'B':5,'A':9,'C':7} print(sorted(a))

Answer

['A', 'B', 'C'].

Marks : 1/1 Status : Correct

14. Predict the output of the following Python program

```
init_tuple_a = 1, 2, 8
init_tuple_b = (1, 2, 7)
set1=set(init_tuple_b)
set2=set(init_tuple_a)
print (set1 | set2)
print (init_tuple_a | init_tuple_b)
```

Answer

{1, 2, 7, 8}TypeError: unsupported operand type

Status: Correct Marks: 1/1

15. What is the output of the following code?

Answer

{1: 'A', 2: 'B', 3: 'C'}

Status: Correct Marks: 1/1

16. Suppose t = (1, 2, 4, 3), which of the following is incorrect?

Answer

t[3] = 45

Status: Correct Marks: 1/1

17. Which of the following statements is used to create an empty tuple?

Answer

()

Status: Correct Marks 1/1

18. What will be the output of the following program?

set1 = {1, 2, 3} set2 = set1.copy() set2.add(4) print(set1)

Answer

 $\{1, 2, 3\}$

Status: Correct Marks: 1/1

19. What will be the output for the following code?

Answer

False

Status: Correct Marks: 1/1

20. What is the output of the following?

```
set1 = {10, 20, 30, 40, 50}

set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))

print(set2.issuperset(set1))
```

Answer

FalseFalse

Status: Wrong Marks: 0/1

240701541

15A¹ 2A⁰1015A¹