

■ Strava Fitness

Power BI Analytics Dashboard Report

Data Period: April – May 2016 | 33 Active Users

5 Dashboard Pages · Activity · Calories · Intensity · Weight · Sleep

Executive Summary — Key Metrics at a Glance

Metric	Value	Page
Active Users (Activity/Calories/Intensity)	33	Pg 1-3
Users with Weight Data	8	Pg 4
Users with Sleep Data	24	Pg 5
Average Distance Travelled (km)	5.49	Pg 1
Average Calories Burned per Day	2,300	Pg 1-2
Average Total Steps per Day	7,640	Pg 1
Average Calories per User	2,300	Pg 2
Avg of Very Active Minutes	21.16 min	Pg 3
Average Weight per User (kg)	72.04	Pg 4
Average BMI per User	25.19	Pg 4
Average Total Time in Bed (min)	458.64	Pg 5
Average Total Minutes Asleep	419.47	Pg 5

Page 1 · Visualizations for Daily Activities

5.49

Avg Distance (km)

33

Number of Users


2.30K

Avg Calories/Day


7.64K

Avg Steps/Day

TotalDistance by ActivityDate (Apr – May 2016)



Average of Calories by User ID (area chart)



Avg Calories Burnt per Day



Avg TotalSteps per Day



Distance Trend

Total distance declined steadily from ~6.1 km/day in mid-April to ~4.0 km/day by mid-May, suggesting reduced activity levels over the month.

Calorie Variation

Calories per user show high variance (1,500–3,400 kcal). The average of 2.30K sits well below the gauge max of 4,900, indicating room for improvement.

Step Count

Average daily steps of 7,640 represent ~21% of the gauge maximum (36K), falling slightly below the commonly recommended 10,000 steps/day threshold.

■ Page 2 · Visualization for Calories

2.30K

Avg Calories/User

33

Count of Users


1.48K

Min Avg Calories

3.44K

Max Avg Calories


Average of Calories by User ID



Average Calories by Day (ActivityDay trend)



Variation of Avg Calories



■ Calorie Range

Users burn between 1,480 and 3,440 kcal/day on average. The gauge shows the overall average of 2,300 sits roughly in the middle of this range.

■ Day Trend

Daily average calories declined slightly but consistently from 2,337 kcal (early April) to 2,278 kcal (mid-May) — a drop of ~59 kcal over the period.

■ User Count

33 users with calorie data, consistent with activity data, confirming full overlap between the two datasets.

Page 3 · Visualization for Intensity

21.16

Avg Very Active Min

33

Count of Users


1.50

Avg VeryActive Dist (km)

21.16

Avg VeryActive Min (gauge)

Avg MediumActiveMinutes by ActivityDay (tooltip: 5/3/2016 → 218.17)



Avg MediumActiveDistance by ActivityDay



Avg VeryActive Distance (km)



Avg VeryActive Minutes



■ Intensity Decline

Both medium-active minutes (~245→105) and medium-active distance (~4.8→2.0 km) show steep declines over the period, mirroring the overall activity drop.

■ Very Active Low

Very active minutes average only 21.16/day (gauge range 0–210), and very active distance is 1.50 km (range 0–21.92), indicating most activity is low-to-moderate intensity.

■ Tooltip Data Point

On 5/3/2016, average MediumActiveMinutes was 218.17, a value captured mid-decline — suggesting early May was a pivot point in activity reduction.

Page 4 · Visualization for Weight

8

Number of Users

72.04

Avg Weight/User (kg)


52.60

Min Weight (kg)


133.50

Max Weight (kg)

Average Weight by Date — 8 users tracked (Apr 13 – May 12, 2016)



Average BMI by Date — clusters at ~24-25 (healthy) and one outlier ~47 (obese)



■ Small Sample

Only 8 of the 33 users logged weight data, limiting the representativeness of weight/BMI analysis.

■ Weight Range

Weights span 52.60–133.50 kg — a very wide range. The average of 72.04 kg is pulled up by one heavy user (~133 kg).

■ BMI Health

Average BMI of 25.19 is at the upper edge of the 'normal' range (18.5–24.9). One user has BMI ~47, classified as severely obese. The gauge range of 21.45–47.54 reflects this disparity.

■ Page 5 · Visualizations for Sleep

24

Count of Users

458.64

Avg Time in Bed (min)


419.47

Avg Min Asleep

961

Max Avg Time in Bed


Average of TotalMinutesAsleep by Date (Apr 24 – May 5, 2016)




AVG TotalTimeInBed per User — Top Values

Rank	Avg Time in Bed (min)
1	961.00
2	537.64
3	510.17
4	505.87
5	501.96
6	491.33
7	483.31
8	466.42
9	466.13
10	461.14
11	460.62
12	453.80
13	441.96
14	437.80
15	426.21

Avg TotalMinutesAsleep



Avg TotalTimeInBed (min)



■ Sleep Duration

Users averaged 419.47 min (~7.0 h) asleep and 458.64 min (~7.6 h) in bed — reasonable sleep duration overall.

■ Sleep Efficiency

Sleep efficiency (min asleep ÷ min in bed) averages 91.5%, indicating most users fall asleep quickly and spend little time awake in bed.

■ Declining Trend

Average minutes asleep declined from 487 min (early period) to 366 min by late May — a drop of ~2 hours. This warrants further investigation.

■ Outlier User	One user averages 961 min in bed (>16 hours) — a significant outlier that skews the maximum value upward.
■ Data Coverage	Only 24 of 33 users have sleep data, meaning ~27% of the cohort is excluded from sleep analysis.