Parts we have no dimensions for

OM Industrial carbon-steel fitting library | 2026-10-21 | 140 part numbers

We checked every part number on your website that is not modelled yet against Air-Way's catalog, Brennan's catalogs and 3D files, and your website parts file (WebsitePartsInfo2026.xlsx). The parts below appear in none of them with dimensions, so we cannot model them without your help. All sizes in inches.

The quickest answer is usually your supplier's drawing: one drawing per series with its size table is plenty, and then nothing needs to be filled in. Otherwise the attached workbook has a yellow cell for each value we need, using the same column names as your parts file.

	What	Parts	What we need
1	Compression (bite-type) fittings	70	A drawing per series (7 series); which standard the bite-type port follows
2	Test-gauge tees TGT-6504 / TGT-FS2406	12	A drawing per series (2 series)
3	Single sizes nobody prints	52	The values listed per part (or a drawing)
4	Flange O-rings 4005	1	Code 61 or 62; I.D. x cross-section; material, hardness
5	Flareless nut 0618 / sleeve 0619	4	Are they Brennan's V0318 / V0319? If not: sizes and shape
6	FS0319-24 sleeve: three printed values disagree	1	Which outside diameter is right

Not on this list: parts that Air-Way, Brennan or your parts file already print, and parts Brennan has 3D models for (including 89 of your compression fittings, and with them 71 body-only -M1 numbers). We are treating the kits 1901 / 1902 / 1927 (30 parts) as out of scope; tell us if you need them modelled.

1. Compression (bite-type) fittings - 70 parts

Brennan has 3D models for 89 of your compression part numbers (all nuts and sleeves and most fittings). A "(Body)" part number (-M1) is, we assume, the same body sold without the nut and sleeve - please confirm; on that basis those models also cover 71 of the -M1 numbers, and only these 70 remain. Air-Way has no compression series. Please also tell us which standard the bite-type port follows (thread, tube bore, the cone the sleeve bites into, port depth).

Series	Description (your file)	Sizes (dash numbers)	Parts
C2402	BT - MJ Straight	10-10 Body only (-M1): 10-10	2
C2404	BT - MP Adapter Straight	04-02, 04-04, 06-02, 06-04, 06-06, 08-06, 08-08, 10-08, 12-08, 12-12, 16-12, 16-16, 20-16, 20-20, 24-24, 32-32 Body only (-M1): 04-02, 04-04, 06-02, 06-04, 06-06, 08-06, 08-08, 10-08, 12-08, 12-12, 16-12, 16-16, 20-16, 20-20, 24-24, 32-32	32
C2405	BT - FP Adapter Straight	16-12, 20-16, 24-20, 32-32 Body only (-M1): 16-12, 20-16, 24-20, 32-32	8
C2501	BT - MP 90° Elbow Forged	20-16, 24-20 Body only (-M1): 20-16, 24-20	4
C2502	BT - FP 90° Elbow Forged	12-08, 16-12, 20-16, 24-20, 24-24, 32-32 Body only (-M1): 12-08, 16-12, 20-16, 24-20, 24-24, 32-32	12
C2601	BT - BT - MP Branch Tee Forged	06-06-06 Body only (-M1): 06-06-06	2
C6801	BT - MAORB 90° Elbow Forged	04-02, 20-16, 24-20, 32-24, 32-32 Body only (-M1): 04-02, 20-16, 24-20, 32-24, 32-32	10

What we need per part: Overall Length (or M 1 / L 1 Size for elbows and tees), Hex Flat, Side 1 ID, Side 2 ID.

2. Test-gauge tees - 12 parts

Swivel unions with a -04 pipe test port. Air-Way's test points are a different (metric) part, and Brennan does not print these.

Part number	Description (your file)	What we need
TGT-6504-04-04-04	04 MJ - 04 FJS - 04 Pipe Port Tee	M 1 Size, L 1 Size, test-port leg length, Hex Flat, Nut Hex 1, Side 1-3 ID
TGT-6504-06-06-04	06 MJ - 06 FJS - 04 Pipe Port Tee	M 1 Size, L 1 Size, test-port leg length, Hex Flat, Nut Hex 1, Side 1-3 ID
TGT-6504-08-08-04	08 MJ - 08 FJS - 04 Pipe Port Tee	M 1 Size, L 1 Size, test-port leg length, Hex Flat, Nut Hex 1, Side 1-3 ID
TGT-6504-10-10-04	10 MJ - 10 FJS - 04 Pipe Port Tee	M 1 Size, L 1 Size, test-port leg length, Hex Flat, Nut Hex 1, Side 1-3 ID
TGT-6504-12-12-04	12 MJ - 12 FJS - 04 Pipe Port Tee	M 1 Size, L 1 Size, test-port leg length, Hex Flat, Nut Hex 1, Side 1-3 ID
TGT-6504-16-16-04	16 MJ - 16 FJS - 04 Pipe Port Tee	M 1 Size, L 1 Size, test-port leg length, Hex Flat, Nut Hex 1, Side 1-3 ID
TGT-6504-24-24-04	24 MJ - 24 FJS - 04 Pipe Port Tee	M 1 Size, L 1 Size, test-port leg length, Hex Flat, Nut Hex 1, Side 1-3 ID
TGT-FS2406-04-04-04	04 MFS - 04 FFSS - 04 Pipe Port Tee	M 1 Size, L 1 Size, test-port leg length, Hex Flat, Nut Hex 1, Side 1-3 ID
TGT-FS2406-06-06-04	06 MFS - 06 FFSS - 04 Pipe Port Tee	M 1 Size, L 1 Size, test-port leg length, Hex Flat, Nut Hex 1, Side 1-3 ID

Part number	Description (your file)	What we need
TGT-FS2406-08-08-04	08 MFS - 08 FFSS - 04 Pipe Port Tee	M 1 Size, L 1 Size, test-port leg length, Hex Flat, Nut Hex 1, Side 1-3 ID
TGT-FS2406-10-10-04	10 MFS - 10 FFSS - 04 Pipe Port Tee	M 1 Size, L 1 Size, test-port leg length, Hex Flat, Nut Hex 1, Side 1-3 ID
TGT-FS2406-12-12-04	12 MFS - 12 FFSS - 04 Pipe Port Tee	M 1 Size, L 1 Size, test-port leg length, Hex Flat, Nut Hex 1, Side 1-3 ID

3. Single sizes nobody prints - 52 parts

The rest of each series is modelled; only these sizes are missing from Air-Way, Brennan and your parts file. The values we need use your parts file's column names (M 1 / L 1 Size = the two leg lengths of an elbow).

Part number	Description (your file)	What we need
1405-20-24	20 FP - 24 FPS Straight	Overall Length, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1
1504-32-32-FG	32 FP - 32 FPS 45° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1
2403-06-02	06 MJ - 02 MJ Straight	Overall Length, Hex Flat, Side 1 ID, Side 2 ID
2406-06-12	06 FJ - 12 MJ Straight Reducer	Overall Length, Hex Flat, Side 1 ID, Side 2 ID
2502-20-16-FG	20 MJ - 16 FP 90° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID
2613-08-08-08-FG	08 MP - 08 FP - 08 MJ Tee Forged	M 1 Size, L 1 Size, branch leg length, Hex Flat, Side 1-3 ID
2700-04-02	04 MJ - 02 MJ Bulkhead Straight	Overall Length, Hex Flat, Side 1 ID, Side 2 ID, bulkhead thread length
2700-08-06	08 MJ - 06 MJ Bulkhead Straight	Overall Length, Hex Flat, Side 1 ID, Side 2 ID, bulkhead thread length
2700-10-08	10 MJ - 08 MJ Bulkhead Straight	Overall Length, Hex Flat, Side 1 ID, Side 2 ID, bulkhead thread length
2700-12-10	12 MJ - 10 MJ Bulkhead Straight	Overall Length, Hex Flat, Side 1 ID, Side 2 ID, bulkhead thread length
2700-LN-04-02	04 MJ - 02 MJ Bulkhead Straight w/ Lock Nut	Same as the plain part 2700-04-02? (we model the -LN part without the lock nut)
2700-LN-08-06	08 MJ - 06 MJ Bulkhead Straight w/ Lock Nut	Same as the plain part 2700-08-06? (we model the -LN part without the lock nut)
2700-LN-10-08	10 MJ - 08 MJ Bulkhead Straight w/ Lock Nut	Same as the plain part 2700-10-08? (we model the -LN part without the lock nut)
2700-LN-12-10	12 MJ - 10 MJ Bulkhead Straight w/ Lock Nut	Same as the plain part 2700-12-10? (we model the -LN part without the lock nut)
5404-L-04X2.000	04 MP X 2.000 Straight-Long (With Hex)	Hex Flat, hex length and position, Side 1 ID
5404-L-04X3.000	04 MP X 3.000 Straight-Long (With Hex)	Hex Flat, hex length and position, Side 1 ID
5404-L-04X4.000	04 MP X 4.000 Straight-Long (With Hex)	Hex Flat, hex length and position, Side 1 ID
5404-R-04-04-047	04 MP - 04 MP Hex Nipple Restrictor 0.047 Orifice	Overall Length, Hex Flat, orifice length
5503-04-02-FG	04 MP - 02 FP 45° Street Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID
5503-06-04-FG	06 MP - 04 FP 45° Street Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID
5503-08-06-FG	08 MP - 06 FP 45° Street Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID
5503-12-08-FG	12 MP - 08 FP 45° Street Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID
5503-16-12-FG	16 MP - 12 FP 45° Street Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID
5652-32-32-32-32-FG	32 FP - 32 FP - 32 FP - 32 FP Cross Forged	Overall Length, Hex Flat, Side 1 ID, Side 2 ID
6500-04-02-FG	04 MJ - 02 FJS 90° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1
6500-20-16-FG	20 MJ - 16 FJS 90° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1
6500-24-20-FG	24 MJ - 20 FJS 90° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1
6500-32-24-FG	32 MJ - 24 FJS 90° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1
6501-16-12-FG	16 MP - 12 FJS 90° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1
6502-04-02-FG	04 MJ - 02 FJS 45° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1

Part number	Description (your file)	What we need
6502-06-04-FG	06 MJ - 04 FJS 45° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1
6502-12-10-FG	12 MJ - 10 FJS 45° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1
6502-20-16-FG	20 MJ - 16 FJS 45° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1
6566-06-06-FG	06 FJS - 06 FJS 90° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1
6566-16-16-FG	16 FJS - 16 FJS 90° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1
6802-04-02-NWO-FG	04 MJ - 02 MAORB 45° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID
6803-02-02-02-NWO-FG	02 MJ - 02 MJ - 02 MAORB Branch Tee Forged	M 1 Size, L 1 Size, branch leg length, Hex Flat, Side 1-3 ID
6806-12-08-NWO-FG	12 MAORB - 08 MP 90° Elbow Forged	M 1 Size, L 1 Size, Hex Flat, Side 1 ID, Side 2 ID
FS0304-C-04-ASY	04 FS Cap Assembly Insert & Nut (Staked)	Overall Length, Hex Flat, insert sizes (a drawing is best)
FS0304-C-06-ASY	06 FS Cap Assembly Insert & Nut (Staked)	Overall Length, Hex Flat, insert sizes (a drawing is best)
FS0304-C-08-ASY	08 FS Cap Assembly Insert & Nut (Staked)	Overall Length, Hex Flat, insert sizes (a drawing is best)
FS0304-C-10-ASY	10 FS Cap Assembly Insert & Nut (Staked)	Overall Length, Hex Flat, insert sizes (a drawing is best)
FS0304-C-12-ASY	12 FS Cap Assembly Insert & Nut (Staked)	Overall Length, Hex Flat, insert sizes (a drawing is best)
FS0304-C-16-ASY	16 FS Cap Assembly Insert & Nut (Staked)	Overall Length, Hex Flat, insert sizes (a drawing is best)
FS0304-C-20-ASY	20 FS Cap Assembly Insert & Nut (Staked)	Overall Length, Hex Flat, insert sizes (a drawing is best)
FS0304-C-24-ASY	24 FS Cap Assembly Insert & Nut (Staked)	Overall Length, Hex Flat, insert sizes (a drawing is best)
FS0304-C-32-ASY	32 FS Cap Assembly Insert & Nut (Staked)	Overall Length, Hex Flat, insert sizes (a drawing is best)
FS2406-06-08	06 FFS - 08 MFS Tube End Reducer	Overall Length, Hex Flat, Side 1 ID, Side 2 ID
FS2406-10-10	10 FFS - 10 MFS Tube End Reducer	Overall Length, Hex Flat, Side 1 ID, Side 2 ID
FS6403-24-24	24 MFS - 24 MJ Straight	Overall Length, Hex Flat, Side 1 ID, Side 2 ID
FS6505-06-06	06 FFSS - 06 MP Straight	Overall Length, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1
FS6505-10-08	10 FFSS - 08 MP Straight	Overall Length, Hex Flat, Side 1 ID, Side 2 ID, Nut Hex 1

4. Flange O-ring 4005-48

Brennan models the other eight 4005 sizes, not this one. Code 61 or code 62 flange? Inside diameter and cross-section, material and hardness.

5. Flareless nut 0618 and sleeve 0619 - 4 parts

0618-06, 0618-08, 0619-06, 0619-08. Brennan sells a flareless nut V0318 and sleeve V0319 in the same sizes. Are yours the same parts? If yes, we use Brennan's 3D files; if not, please send length, hex, inside and outside diameters and the shape (a drawing or a photo with sizes).

6. FS0319-24 face-seal sleeve - which outside diameter?

Air-Way prints 1.71 for the sleeve, but its own -24 female face-seal end (FF2407-24) is 2.00; Brennan prints 1.910. Which is right for your part?