

NAME: Sudais Murad

REG NO:SP23-BSE-040

SUBJECT: COMPUTER NETWORK

Question 1

What is the destination port for the DNS query message? What is the source port of DNS response message?

SRC PORT: 53821

DST PORT: 53

Question 2

To what IP address is the DNS query message sent? Is this the IP address of your default local DNS server?

DNS Servers : 192.168.1.1

SRC: 192.168.1.25

DNS: 192.168.1.1

Yes both are same so the ip address is of local default DNS server

Question 3

Examine the DNS query message. What “Type” of DNS query is it? Does the query message contain any “answers”?

```
0... .. = Response: Message is a query
.000 0... .. = Opcode: Standard query (0)
... ..0. .... = Truncated: Message is not truncated
... ..1 .... = Recursion desired: Do query recursively
... ..0... .. = Z: reserved (0)
... ..0 .... = Non-authenticated data: Unacceptable
Questions: 1
Answer RRs: 0
Authority RRs: 0
Additional RRs: 0
▼ Queries
  ▼ disc801.prod.do.dsp.mp.microsoft.com: type A, class IN
    Name: disc801.prod.do.dsp.mp.microsoft.com
    [Name Length: 36]
    [Label Count: 7]
    Type: A (1) (Host Address)
    Class: IN (0x0001)
  [Response In: 97]
```

Answer is 0 and type is A

Question 4

Examine the DNS response message. How many “answers” are provided? What do each of these answers contain?

```
... ..1... .. = RECURSION AVAILABLE: SERVER CAN DO RECURSIVE QUERIES
... ..0... .. = Z: reserved (0)
... ..0. .... = Answer authenticated: Answer/authority portion was not auther
... ..0 .... = Non-authenticated data: Unacceptable
... ..0000 = Reply code: No error (0)
Questions: 1
Answer RRs: 3
Authority RRs: 0
Additional RRs: 0
▼ Queries
  ▼ disc801.prod.do.dsp.mp.microsoft.com: type A, class IN
    Name: disc801.prod.do.dsp.mp.microsoft.com
    [Name Length: 36]
    [Label Count: 7]
    Type: A (1) (Host Address)
    Class: IN (0x0001)
  > Answers
    [Unsolicited: True]
```

