


## Peer Evaluation System UI/UX


## Screenshots of the UI/UX design: -


• The changes from the today's code are reflected below: -











## Code: -

## 1. Python: -

```
import io
import re
import time
import bcrypt
import gspread
import requests
import streamlit as st
from googleapiclient.discovery import build
from googleapiclient.http import MediaIoBaseUpload
from googleapiclient.http import MediaIoBaseDownload
from oauth2client.service account import ServiceAccountCredentials
# Google Sheets and Google Drive setup
SCOPE = [
 "https://spreadsheets.google.com/feeds",
 "https://www.googleapis.com/auth/drive"
1
CREDENTIALS FILE = "peer-evaluation-sem1-e2fcf8b5fc27.json"
SHEET NAME = "UserRoles"
# Initialize connection to Google Sheets
def connect to google sheets():
 creds = ServiceAccountCredentials.from json keyfile name(CREDENTIALS FILE,
SCOPE)
 client = gspread.authorize(creds)
 sheet = client.open(SHEET NAME).sheet1
 return sheet
# Google Drive authentication
def authenticate drive():
 creds = ServiceAccountCredentials.from json keyfile name(CREDENTIALS FILE,
SCOPE)
 service = build('drive', 'v3', credentials=creds)
 return service
```

```
# Fetch users from Google Sheets
def get users from sheets():
 sheet = connect to google sheets()
 records = sheet.get all records()
 return records
def validate password(password):
 pattern =
re.compile(r' (?=.*[A-Z])(?=.*[a-z])(?=.* d)(?=.*[a.$!\%*?\&])[A-Za-z\da.$!\%*?\&]{8,}
 return pattern.match(password)
# Add new user to Google Sheets with role auto-assignment
def register user(username, password):
 sheet = connect to google sheets()
 # Check if the email contains numeric values (assumed to be student)
 if re.search(r'\d', username):
    role = "Student"
 else:
    role = "Teacher"
 # Hash the password before saving
 hashed password = bcrypt.hashpw(password.encode('utf-8'), bcrypt.gensalt())
 new user = [username, hashed password.decode('utf-8'), role]
 #new user = [username, password, role]
 sheet.append row(new user)
 return role
# Update role from Student to TA (only for Teachers)
def update role to ta(username):
 sheet = connect to google sheets()
 records = sheet.get all records()
 for i, user in enumerate(records, start=2): # start=2 to account for 1-based index in
Google Sheets
```

```
if user['username'] == username and user['role'] == 'Student':
      sheet.update cell(i, 3, 'TA') # Assuming role is in column 3
      return True
 return False
# Verify user credentials
def login(username, password, users):
 for user in users:
    if user['username'] == username:
      # Check if the password matches the stored hash
      if bcrypt.checkpw(password.encode('utf-8'), user['password'].encode('utf-8')):
         st.session state["login status"] = True
         st.session_state["role"] = user["role"]
         st.session state["username"] = username
         st.session state["page"] = "dashboard"
         st.session state["message"] = None
         return
       else:
         st.error("Incorrect Password!")
         time.sleep(2)
         st.rerun()
         return
 st.error("Incorrect Username or Password!")
 time.sleep(2)
 st.rerun()
# Logout function
def logout():
 st.session state["login status"] = False
 st.session state["role"] = None
 st.session state["username"] = None
 st.session state["page"] = "login"
 st.success("Logging out!")
 time.sleep(0.5)
 #st.session state["message"] = "Logged out successfully"
# Function to change password
```

```
def change password(username, current password, new password):
 sheet = connect to google sheets()
 records = sheet.get all records()
 # Find the user in the records
 for i, user in enumerate(records, start=2): # start=2 for 1-based indexing (Google
Sheets)
    if user['username'] == username:
      # Check if the current password matches the stored hash
      if bcrypt.checkpw(current password.encode('utf-8'),
user['password'].encode('utf-8')):
        # Hash the new password
        hashed new password = bcrypt.hashpw(new password.encode('utf-8'),
bcrypt.gensalt()).decode('utf-8')
        # Update the password in the sheet
         sheet.update cell(i, 2, hashed new password)
         return True # Password changed successfully
      else:
         return False # Current password is incorrect
 return False # User not found
def change password dashboard():
 st.header("Change Password")
 current password = st.text input("Current Password", type="password")
 new password = st.text input("New Password", type="password")
 confirm password = st.text input("Confirm New Password", type="password")
 if st.button("Change Password"):
    if new password != confirm password:
      st.error("New password and confirm password do not match!")
    elif not validate password(new password):
      st.error(
         "Password must include at least: - \n1. One uppercase letter. \n2. One lowercase
letter. \n3. One special character. \n4. One numerical digit. \n5. Must be at least 8
characters long.")
    else:
```

```
success = change password(st.session state['username'], current password,
new password)
      if success:
         st.success("Password changed successfully!")
         time.sleep(2)
         logout()
         st.rerun()
      else:
         st.error("Failed to change password. Incorrect current password.")
def trigger google apps script(function name):
 #web app url =
"https://script.google.com/macros/s/AKfycbwlBil062YhNYcbIqmP9obfLBKgoeIdTdRD
Q BOB4rF1S6JhTxvVFH8MhW2x84bgyAVag/exec" # Replace with your web app
URL
 web app url =
"https://script.google.com/macros/s/AKfycbwyD-ImNegaa7NzPCU5AZ6978PSRvQuuy
EreskmCnrzoM0P30EGHuR-sIogklHBHlNlxQ/exec"
 url = f''\{web \ app \ url\}?action = \{function \ name\}'' \# Append the function name as the
'action' parameter
 try:
    response = requests.get(url)
    if response.status code == 200:
      st.success(f"{function_name} executed successfully!")
    else:
      st.error(f"Failed to execute {function name}. Status code:
{response.status code}")
 except Exception as e:
    st.error(f"An error occurred: {str(e)}")
# Function to check if a file already exists in Google Drive folder
def file exists(drive service, folder id, file name):
 query = f'''{folder id}' in parents and name='{file name}'''
 results = drive service.files().list(q=query, spaces='drive', fields='files(id,
name)').execute()
 files = results.get('files', [])
 return any(file['name'] == file name for file in files)
```

```
# Function to upload PDF files to Google Drive
def upload pdfs(uploaded files, folder id):
 drive service = authenticate drive()
 count = 0
 for uploaded file in uploaded files:
    if file exists(drive service, folder id, uploaded file.name):
       #st.warning(f"PDF file '{uploaded file.name}' already exists in the folder.")
      continue
    file metadata = {
       'name': uploaded file.name,
       'parents': [folder id]
    media = MediaIoBaseUpload(uploaded file, mimetype='application/pdf')
    drive service.files().create(body=file metadata, media body=media,
fields='id').execute()
    count = count + 1
    #st.session state["success message"] = f"Uploaded PDF file '{uploaded file.name}'
to Google Drive"
 st.success(f" The {count} files are uploaded to the Google Drive.")
# Function to upload Google Sheets files to Google Drive
def upload sheets(uploaded files, folder id):
 drive service = authenticate drive()
 for uploaded file in uploaded files:
    if file exists(drive service, folder id, uploaded file.name):
      #st.warning(f''Google Sheet file '{uploaded file.name}' already exists in the
folder.")
      continue
    file metadata = {
       'name': uploaded file.name,
       'parents': [folder id],
      'mimeType': 'application/vnd.google-apps.spreadsheet'
```

```
media = MediaIoBaseUpload(uploaded file, mimetype='application/vnd.ms-excel')
    drive service.files().create(body=file metadata, media body=media,
fields='id').execute()
 st.success("The Excel sheet has been uploaded to the Google Drive.")
# Helper function to connect to a specific Google Sheet
def connect to google sheets with name(sheet name):
 creds = ServiceAccountCredentials.from json keyfile name(CREDENTIALS FILE,
SCOPE)
 client = gspread.authorize(creds)
 sheet = client.open(sheet name)
 return sheet
def get student details(username):
 # Connect to the specific Google Sheet containing marks
 sheet name = "UI/UX Copy of Peer Evaluation2"
 sheet = connect to google sheets with name(sheet name) # Modify to accept a sheet
name
 peer eval sheet = sheet.worksheet('PeerEval') # Open the "PeerEval" sheet
 # Fetch all the data from the "PeerEval" sheet
 records = peer eval sheet.get all records()
 # Find marks for the current user
 for record in records:
    if record['EMail ID'] == username: # Ensure this matches your column name
      return record['Average Marks'], record['Unique ID'], record['Assigned Folder
Link'], record['Spreadsheet Link'] # Returning the Average Mark's and Unique id
 return None, None, None, None # If no details found for the user
# Fetch the student's PDF from Google Drive using unique ID
def get student pdf(unique id):
 drive service = authenticate drive()
 folder id = "1fT-inciLQut85BGEQrjMSWbVRcTsdWfQ"
 query = f'''{folder id}' in parents and name contains '{unique id}'''
 results = drive service.files().list(q=query, fields="files(id, name)").execute()
```

```
files = results.get('files', [])
 if files:
    file id = files[0]['id']
    file name = files[0]['name']
    # Download the PDF
    request = drive service.files().get media(fileId=file id)
    fh = io.BytesIO()
    downloader = MediaIoBaseDownload(fh, request)
    done = False
    while not done:
      status, done = downloader.next chunk()
    fh.seek(0)
    return fh, file name
 return None, None
def admin dashboard():
 st.title("Admin Dashboard")
 st.write(f"Welcome, {st.session state['username'].split('.')[0].capitalize()}")
 # Create tabs for each action
 tab, tab0, tab1, tab2, tab3, tab4, tab5, tab6 = st.tabs(
   ["Upload Files", "Assign TA", "Pre Evaluation", "Reminder Mail", "Post Evaluation",
"Generate Charts",
    "Send Marks", "Change Password"])
 # Tab for File upload option
 with tab:
   # Folder ID for the Google Drive folder where the files will be saved
   folder id = "1fT-inciLQut85BGEQrjMSWbVRcTsdWfQ" # Replace this with your
folder ID
   # Allow file upload for multiple Google Sheets
   st.subheader("Upload Google Sheet")
```

```
sheet files = st.file uploader("Upload Google Sheet", type=["xlsx"],
accept multiple files=False,
                      key="sheet uploader")
   if sheet files:
      upload sheets(sheet files, folder id)
   # Allow file upload for multiple PDFs
   st.subheader("Upload PDF Files")
   pdf files = st.file uploader("Upload PDF files", type=["pdf"],
accept multiple files=True, key="pdf uploader")
   if pdf files:
      upload pdfs(pdf files, folder id)
 # Tab for TA update
 with tab0:
   student username = st.text input("Enter Student's Username")
   if st.button("Update Role to TA"):
      if update role to ta(student username):
        st.success(f"{student username.split('.')[0].capitalize()}'s role updated to TA.")
      else:
        st.error("Failed to update the role. Check if the username exists and belongs to a
student.")
 # Tab for Pre Evaluation
 with tab1:
   if st.button("Pre Evaluation"):
      trigger google apps script("PreEval")
 # Tab for Checking Pending Evaluations
 with tab2:
   if st.button("Reminder Mail"):
      trigger google apps script("CheckEval")
 # Tab for Post Evaluation
 with tab3:
   if st.button("Post Evaluation"):
      trigger google apps script("PostEval")
```

```
# Tab for Generating Charts
 with tab4.
   if st.button("Generate Charts"):
      trigger google apps script("GenChart")
 # Tab for Sending Marks
 with tab5:
   if st.button("Send Marks"):
      trigger google apps script("SendMail")
 with tab6:
   change password dashboard()
def teacher dashboard():
 st.title("Teacher Dashboard")
 #st.write(f"Welcome, {st.session state['username']}")
 var user = st.session state['username'].split('@')[0]
 if'.' in var user:
    st.write(f"Welcome, Dr. {var user.split('.')[0].capitalize()}")
 else:
    st.write(f"Welcome, Dr. {var user.capitalize()}")
 # Create tabs for each action
 tab0, tab1, tab2, tab3, tab4, tab5, tab6 = st.tabs(["Assign TA", "Pre Evaluation",
"Reminder Mail", "Post Evaluation", "Generate Charts", "Send Marks", "Change
Password"])
 # Tab for TA update
 with tab0:
    student username = st.text input("Enter Student's Username")
    if st.button("Update Role to TA"):
      if update role to ta(student username):
         st.success(f"{student username.split('.')[0].capitalize()}'s role updated to TA.")
      else:
         st.error("Failed to update the role. Check if the username exists and belongs to a
student.")
 # Tab for Pre Evaluation
```

```
with tab1:
    if st.button("Pre Evaluation"):
      trigger google apps script("PreEval")
 # Tab for Checking Pending Evaluations
 with tab2:
    if st.button("Reminder Mail"):
      trigger google apps script("CheckEval")
 # Tab for Post Evaluation
 with tab3:
    if st.button("Post Evaluation"):
      trigger google apps script("PostEval")
 # Tab for Generating Charts
 with tab4:
    if st.button("Generate Charts"):
      trigger google apps script("GenChart")
 # Tab for Sending Marks
 with tab5:
    if st.button("Send Marks"):
      trigger google apps script("SendMail")
 with tab6:
    change password dashboard()
# Role-based content: Teacher Dashboard with multiple file uploads
def ta dashboard():
 st.title("TA Dashboard")
 st.write(f"Welcome, {st.session state['username'].split('.')[0].capitalize()}")
 #st.write(f"Welcome, {st.session state['username']}")
 # Create tabs for each action
 tab, tab0, tab1, tab2, tab3, tab4 = st.tabs(
    ["Upload Files", "Pre Evaluation", "Reminder Mail", "Post Evaluation", "Generate
Charts", "Change Password"])
```

```
# Tab for File upload option
 with tab:
    # Folder ID for the Google Drive folder where the files will be saved
    folder id = "1fT-inciLQut85BGEQrjMSWbVRcTsdWfQ" # Replace this with your
folder ID
    # Allow file upload for multiple Google Sheets
    st.subheader("Upload Google Sheet")
    sheet files = st.file uploader("Upload Google Sheet", type=["xlsx"],
accept multiple files=False,
                       key="sheet uploader")
    if sheet files:
      upload sheets(sheet files, folder id)
    # Allow file upload for multiple PDFs
    st.subheader("Upload PDF Files")
    pdf files = st.file uploader("Upload PDF files", type=["pdf"],
accept multiple files=True, key="pdf uploader")
    if pdf files:
      upload pdfs(pdf files, folder id)
 # Tab for Pre Evaluation
 with tab0:
    if st.button("Pre Evaluation"):
      trigger google apps script("PreEval")
 # Tab for Checking Pending Evaluations
 with tab1:
    if st.button("Reminder Mail"):
      trigger google apps script("CheckEval")
 # Tab for Post Evaluation
 with tab2:
    if st.button("Post Evaluation"):
      trigger google apps script("PostEval")
```

```
# Tab for Generating Charts
 with tab3:
    if st.button("Generate Charts"):
       trigger google apps script("GenChart")
 with tab4:
    change password dashboard()
def student dashboard():
 st.title("Student Dashboard")
 st.write(f"Welcome, {st.session state['username'].split('.')[0].capitalize()}")
 #st.write(f"Welcome, {st.session state['username']}")
 # Creating tabs
 tab1, tab2, tab3, tab4 = st.tabs(["Evaluation", "View Marks", "Answer Script", "Change
Password"])
 # with tab0:
      change password dashboard()
     if st.session state["username"]:
 #
        # Fetch marks, unique ID, and spreadsheet link using the session's username
        marks, unique id, folder link, sheet link =
get student details(st.session state["username"])
      else:
 #
 #
        st.error("Username is Incorrect!")
 # Tab for opening the peer evaluation spreadsheet
 with tab1:
    if st.session state["username"]:
      # Fetch marks, unique ID, and spreadsheet link using the session's username
      marks, unique id, folder link, sheet link =
get student details(st.session state["username"])
    else:
      st.error("Username is Incorrect!")
    t1, t2 = st.tabs(["Evaluation Files", "Evaluation Sheet"])
    with t1:
```

```
if folder link:
         st.markdown(f"[Link to open Evaluation Files]({folder link})",
unsafe allow html=True)
      else:
         st.error("Folder link not found,")
    with t2:
      if sheet link:
         st.markdown(f"[Link to open Evaluation Sheet]({sheet link})",
unsafe allow html=True)
      else:
         st.error("Spreadsheet link not found.")
 # Tab for viewing marks
 with tab2:
    if st.button("See Marks"):
      if marks and unique id:
         st.write(f"Your evaluation marks are = {marks}")
      else:
         st.error("No marks are available.")
 # Tab for downloading PDF
 with tab3:
    pdf file, file name = get student pdf(unique id)
    if pdf file:
      st.download button(
         label="Download your Evaluation PDF",
         data=pdf file,
         file name=file name,
         mime='application/pdf'
      )
    else:
      st.error("PDF not found.")
 with tab4:
    change password dashboard()
```

```
def main():
 # Initialize session state variables if not present
 if "login status" not in st.session state:
    st.session state["login status"] = False
 if "role" not in st.session state:
    st.session state["role"] = None
 if "username" not in st.session state:
    st.session state["username"] = None
 if "page" not in st.session state:
    st.session state["page"] = "login"
 if "message" not in st.session state:
    st.session state["message"] = None
 if "success message" not in st.session state:
    st.session state["success message"] = None
 # Set background color and input field styling using HTML
 st.markdown(
    <style>
    .stApp {
      background-color: #1f3f49; /* Light blue background */
    }
    .stTextInput>div>input, .stPasswordInput>div>input {
      background-color: white; /* White background for text and password inputs */
      color: black; /* Text color for input fields */
    }
    .stButton>button {
      background-color: #007bff; /* Optional: Style buttons with a color */
      color: white;
    }
    </style>
    unsafe allow html=True
 # Page routing based on session state
 if st.session state["page"] == "login":
    st.title("Peer Evaluation System")
```

```
# Tabs for Login and Registration
    tab1, tab2 = st.tabs(["Login", "Register"])
    with tab1:
       st.header("Login")
      with st.form(key='login form'):
         username = st.text input("Email ID")
         password = st.text input("Password", type="password")
         submit button = st.form submit button("Login")
         if submit button:
           users = get users from sheets()
           login(username, password, users)
           if st.session_state["login_status"]:
              st.rerun()
    with tab2:
       st.header("Register")
       with st.form(key='register form'):
         reg_username = st.text_input("Email ID", key='reg_username')
         reg_password = st.text_input("Password", type="password",
key='reg password')
         register button = st.form submit button("Register")
         if register button:
           if not reg_username.endswith("@iitrpr.ac.in"):
              st.error("Email ID must end with @iitrpr.ac.in")
           elif not validate password(reg password):
              st.error("Password must include at least One: - \n1. Uppercase letter. \n2.
Lowercase letter. \n3. Special character. \n4. Numerical digit. \n5. Must be at least 8
characters long.")
           else:
              users = get users from sheets()
              if any(user['username'] == reg_username for user in users):
                st.error("Username already exists")
              else:
                role = register user(reg_username, reg_password)
                st.success(f"User registered successfully with role: {role}")
```

```
time.sleep(2)
                   # Redirect to the login page
                    st.session state["page"] = "login"
                    st.rerun()
     elif st.session state["page"] == "dashboard":
       if st.session_state["role"] == "Admin":
          admin dashboard()
       elif st.session state["role"] == "Teacher":
          teacher dashboard()
       elif st.session state["role"] == "TA":
          ta dashboard()
       elif st.session state["role"] == "Student":
          student dashboard()
       # Logout button
       if st.button("Logout"):
          logout()
          st.rerun()
   if __name__ == "__main__":
     main()
2. Apps Script: -
   var source folder = "1fT-inciLQut85BGEQrjMSWbVRcTsdWfQ";
   var target folder = "114z7x3Twah6Qd8LQUepZHvmR0tYlY5cj";
   var students per batch = countStudentsPerBatch();
   var num Questions = 1;
   function countStudentsPerBatch() {
    var folderId = source folder; // Replace with your folder's ID
    var folder = DriveApp.getFolderById(folderId); // Get the folder by ID
    var files = folder.getFiles(); // Get all files in the folder
    var fileCount = 0;
```

```
var students_per_batch = 0;
 while (files.hasNext()) {
  files.next();
  fileCount++;
 students_per_batch = Math.floor(Math.sqrt(fileCount));
// Log or return the count of files
 Logger.log('Students per Batch are: ' + students per batch);
 return students per batch;
}
function doGet(e) {
 var action = e.parameter.action; // Get the 'action' parameter from the URL
 if (action == "PreEval")
  return runMainPreEval();
 else if (action == "CheckEval")
  return runCheckEval();
 else if (action == "PostEval")
  return runMainPostEval();
 else if (action == "GenChart")
  return generateCharts();
 else if (action == "SendMail")
  return runSendMail();
 else
```

```
return ContentService.createTextOutput("Invalid function call.");
}
function runMainPreEval() {
// Calling the mainPreEval to run all the necessary functions
 mainPreEval(source folder, target folder, students per batch, num Questions);
}
function runCheckEval(){
//Call the function from Eval Check.gs to check for the peer's who don't evaluated the
sheets yet
 evalMarksInSheets();
 emailPeerPendingEval();
function runMainPostEval() {
// Calling the mainPreEval to run all the necessary functions
 mainPostEval(num Questions);
}
function generateCharts() {
// Call the function from Graph.gs to generate charts
 runAllChartFunctions();
}
function runSendMail(){
//Call the function from Mail.gs to send the final mark's of each student
 sendMailToAllStudents();
}
```