

Cambridge International Examinations

Cambridge IGCSE	Cambridge International Examinations Cambridge International General Certificate of Secondary Education
CANDIDATE NAME	
CENTRE NUMBER	CANDIDATE NUMBER

BIOLOGY 0610/61

Paper 6 Alternative to Practical

October/November 2014

1 hour

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 10 printed pages and 2 blank pages.



BLANK PAGE

1 Yeast, Saccharomyces cerevisiae, is used in bread-making.

Some students mixed flour, sugar and a yeast suspension to make bread dough and investigate the rate at which the dough rises.

- 25 g of wheat flour and 1 g of sugar were weighed and placed in a beaker.
- 25 cm³ of yeast suspension was added to the flour and sugar.
- The mixture was stirred with a glass rod until it formed a smooth paste. This was the bread dough.
- The narrow opening of three clean 20 cm³ syringes was sealed as shown in Fig.1.1.
- 5 cm³ of the dough was poured into each of the syringes.
- The syringes were placed vertically in a test-tube rack, as shown in Fig. 1.1.




Fig. 1.1

- After 5 minutes, the volume of the dough in each syringe was measured and recorded.
- The volume of the dough in each syringe was then measured and recorded every 5 minutes for a total of 20 minutes.

Fig. 1.2. shows the appearance of the three syringes after 5, 10, 15 and 20 minutes.




Fig. 1.2

(a) Prepare a table to record the results of the investigation shown in Fig. 1.1 and Fig. 1.2.

Read the volume of the dough in each syringe and record it in your table.

	[6]
(b) (i)	Give a reason why three syringes were used.
	[1]
(ii)	Identify the syringe in which the results may be anomalous and explain your choice.
(iii)	Calculate the average volume of the bread dough in the three syringes after 20 minutes.
(,	Show your working.
	Give your answer to the nearest whole number.

.....cm³ [1]

(c) Some students used the same method described in part (a) to investigate the effect of temperature on the volume of bread dough.

They used three 50 cm³ syringes at each of seven temperatures.

The starting volume in each syringe was $5\,\mathrm{cm}^3$.

Their results are recorded in Table 1.1.

Table 1.1

temperature / °C	average volume of bread dough after 20 minutes / cm ³	average increase in volume / cm ³
10	6	1
20	10	5
30	20	15
40	35	
50	47	42
60	30	25
70	7	2

(i) Calculate the average increase in volume at 40 °C.

Write your answer in the space in Table 1.1.

[1]

				-				 					Ī													ľ											-									
													-																																-	
				-				 			İ									İ																										
			<u>.</u>			 		 					-	ļ									<u>.</u>	ļ		<u>.</u>				 	ļ	-		 	 				 			 	<u></u>			
																				ŀ				-	l				i																	
			ļ			 																		ļ						 									 			 				
			1																					ļ		1																				
	-		·•••								-	1	<u> </u>	ļ							<u>.</u>		<u> </u>	<u></u>		<u>.</u>					<u>.</u>	!				1	<u>.</u>					 ·				
			ļ																				ļ	ļ		-					1															
	-		<u>.</u>							-	1	-											-	<u></u>	ŀ	-			-		-						+						-			
			ļ.,											ļ									ļ			1					1								 			 	ļ		ļ.,	
			İ.	-							İ			ļ										ļ																						0
			-																				-	ļ		-																				
	-		<u>.</u>	ļ							1	-								-			<u> </u>	<u></u>		-											+						-			
							-	 				-		ļ									<u></u>	ļ						 	1			 			-		 			 	-			
	1		İ.	-																						ļ.																				
			1	ļ							1													-					1																	
			-					 																ļ		ļ						-					-									0
D ₁	e:	s(er 	ik	o€ 	 tr	ne	 re	ə: 	SI	ار 	ts	S \$	sł	າດ 	٥\ 	۷I	n 	b 	у	t 	h 	e 		gr	ra 	ιp)h	۱.	 •••			 	 •••	 			 	 	 	 	 		 		

.....[1]

2 Fig. 2.1 shows two leaves, **R** and **S**, from different plants.



Fig. 2.1

- (a) (i) Make a large drawing of R to show:
 - the shape of the leaf
 - the arrangement of the veins in the leaf.

Label the main vein (midrib).

[4]

	and record your result. Include your	units.	
	distance across the widest part of R		
	Draw a line across the widest part of and record your result. Include your	f your drawing, measure the distance (in millime units.	tres)
	distance across widest part of drawi	ng of R	[3]
(iii)	Calculate the magnification of your of	drawing.	
	Show your working.		
	Give your answer to the nearest who	ole number.	
		10	
	mag	gnification ×	[2]
(b) (i)	Complete Table 2.1 by recording to leaves R and S .	wo visible differences, other than colour, between	veen
(b) (i)	leaves R and S.	wo visible differences, other than colour, between the colour the	veen
(b) (i)	leaves R and S.		veen
(b) (i)	leaves R and S.	le 2.1	ween
	leaves R and S.	le 2.1	ween
	leaves R and S. Tab	le 2.1	ween
	leaves R and S. Tab	le 2.1	ween
	leaves R and S. Tab	le 2.1	ween
1	leaves R and S. Tab	le 2.1	ween
1	leaves R and S. Tab	le 2.1	veen
1	leaves R and S. Tab	le 2.1	veen
1	leaves R and S. Tab	le 2.1	
2	leaves R and S. Tab	S S	
2	leaves R and S. Tab	S S	

- (c) Some students were provided with two leaves, **V** and **W**, from different plants. In an investigation into water loss, the students recorded the mass of each of these leaves every 5 minutes for 60 minutes.
 - (i) The humidity did not change during the investigation.

State **two** other variables that should be kept constant during the investigation.

Describe how each variable could be kept constant.

1. variable	
method of keeping constant	
2. variable	
method of keeping constant	
method of Reeping Constant	ΓΔ'

The results are shown in Table 2.2.

Table 2.2

time / min	mass of V / g	mass of W / g
0	5.2	7.5
5	4.8	7.2
10	4.0	6.5
15	5.5	6.0
20	3.2	5.5
25	2.9	5.1
30	2.8	4.3
35	2.7	4.0
40	2.4	3.6
45	2.2	3.2
50	1.8	3.0
55	1.8	2.9
60	1.8	2.7

(ii)	The students assumed that the change in mass was due to water loss.
	Describe how the students could show that water is lost from the leaves.
	[3]
(iii)	Describe two similarities and two differences in the pattern of water loss of leaf ${\bf V}$ and leaf ${\bf W}$.
	similarities
	1
	2
	differences
	1
	2
	[4]

[Total: 23]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.