

CANDIDATE NIANAE

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

mmn. *tremepapers.com

*	
_	
∞	
7	
4	
4	
З	
З	
0	
∞	
5	

Paper 6 Alterna	ative to Practical		May/June 2012
CHEMISTRY		NOMBLIX	0620/63
CENTRE NUMBER		CANDIDATE NUMBER	
INAIVIE			

READ THESE INSTRUCTIONS FIRST

No Additional Materials are required.

Candidates answer on the Question Paper.

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid. DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
Total	

This document consists of 10 printed pages and 2 blank pages.



2 Zinc blende is an ore of zinc containing zinc sulfide, ZnS.
A student attempted to obtain a sample of zinc metal from this ore. The diagram shows the procedure followed in four stages.

Stage 1	Stage 2	Stage 3	Stage 4
A lump of zinc blende was heated to form zinc oxide.	The zinc oxide was crushed.	Dilute acid was added.	The mixture was separated to give a solution of zinc sulfate.
crucible zinc blend tripo Bunser burner	d di	ilute acid	zinc sulfate solution
	e box to name the apparat		[1] e stage 1.
			[2]
(c) Identify the d	lilute acid used in stage 3.		[1]
(d) Name the pro	ocess used in stage 4.		[1]
(e) Suggest how solution.	v the student could have	obtained a sample of z	inc from the zinc sulfate
			[1]
			[Total: 6]

2	Three bottles of liquids have lost their labels.
	The liquids are known to be:

pentene;

aqueous sodium iodide;

aqueous ammonia.

Outline chemical tests you would do to identify and distinguish the liquid in each bottle.

liquid	chemical test	result
pentene		
aqueous sodium iodide		
aqueous ammonia		

[6]


[Total: 6]

For Examiner's Use

3 Hydrogen peroxide decomposes to form oxygen. Manganese(IV) oxide is a catalyst for this reaction.

Two students investigated the speed of reaction using the apparatus below.

2g of manganese(IV) oxide powder was added to $50\,\mathrm{cm^3}$ of aqueous hydrogen peroxide at $20\,^\circ\text{C}$.




The volume of oxygen released was measured every 20 seconds.

(a) Use the gas syringe diagrams to record the volumes in the table.

time/s	gas syringe diagram	volume of oxygen/cm ³
0	0 10 20 30 40 50 60	
20	0 10 20 30 40 50 60	
40	0 10 20 30 40 50 60	
60	0 10 20 30 40 50 60	
80	0 10 20 30 40 50 60	
100	0 10 20 30 40 50 60	
120	0 10 20 30 40 50 60	
140	0 10 20 30 40 50 60	

[3]

(b) Plot the results on the grid below. Draw a smooth line graph.



(c)	Which point appears to be inaccurate? Explain why.
	[2

(d) Use your graph to find the volume of oxygen produced after 12 seconds. Show clearly how you used the graph.

[2]

(e) Why did the volume of oxygen level out after 120 seconds?

E 4.7
11
 ני ו

(f)) The experiment was repeated but the hydrogen peroxide was cooled to 10 °C before starting.		For Examiner's Use
	(i)	How could the hydrogen peroxide be cooled?	
		[1]	
	(ii)	Sketch on the grid, on page 5, the graph you would expect for the results at 10 °C. [2]	
		[Total: 15]	

For Examiner's Use

4 A student prepared some crystals of sodium nitrate. The following extract was taken from her notes.

Preparing sodium nitrate crystals
Into a conical flask was placed 25.0 cm³ of aqueous sodium hydroxide
and 5 drops of indicator. Dilute nitric acid was added to the flask until
the indicator changed colour. The volume of nitric acid used was 29.0 cm³.
Crystals of sodium nitrate were obtained from the mixture in the flask.

vvn	at piece of apparatus should be used to measure the aqueous sodium hydroxide	
		[1]
(i)	Name a suitable indicator that could be used.	
		[1]
(ii)	This indicator would change colour from to	[1]
Wh	ich solution was less concentrated? Explain your answer.	
Sol	ution of	
Exp	planation	
		[2]
Hov	w could the student obtain pure crystals of sodium nitrate using this method?	
		[3]
	[Tota	l: 8]
	(ii) (iii) Wh Soli Exp	(i) Name a suitable indicator that could be used. (ii) This indicator would change colour from

For Examiner's Use


5 A mixture of two solids, **G** and **H**, was analysed. **G** was water-soluble and **H** was copper carbonate.

The tests on the mixture and some of the observations are in the following table. Complete the observations in the table.

tests	observations
The mixture was added to water in a boiling tube. The mixture was shaken and filtered. The filtrate and the residue were tested.	
tests on the filtrate	
(a) To the filtrate, dilute nitric acid was added followed by aqueous silver nitrate.	white precipitate
(b) To the filtrate, dilute sulfuric acid was added.	white precipitate
tests on the residue	
(c) A little of the residue was put into a test-tube and dilute nitric acid added.	[1]
The gas was tested.	[2]
The contents of the test-tube were kept for test (d).	
(d) The contents of the test-tube were divided into two portions.	
(i) To the first portion, an excess of aqueous sodium hydroxide was added.	[2]
(ii) To the second portion, a few drops of aqueous ammonia were added.	[1]
Excess aqueous ammonia was then added.	
	[2]
(e) What conclusions can you draw about	solid G ?
	[2]
	[Total: 10]

0620/63/M/J/12

6 Electricity was passed through molten lead iodide as shown below.



A purple gas was observed coming from the positive electrode (anode).

(a)	What piece of apparatus is missing from the diagram?	
		[1]
(b)	Clearly label the electrodes on the diagram.	[1]
(c)	Give one other expected observation	
	(i) during the electrolysis,	
	(ii) when the molten lead iodide cools and solidifies.	
		[2]
(d)	Suggest why a stopper is not used in the top of the boiling tube.	
		[1]
(e)	Explain the observation at the positive electrode.	
		[2]
(f)	Give one safety precaution necessary when carrying out this experiment.	
		[1]
		[Total: 8]

7

Fertilisers

For Examiner's Use

Growwell and Plantstrong are two different granular fertilisers.
Fertilisers improve the growth of plants.
A farmer decides to buy one of these fertilisers to improve the soil on his land.

Plan an investigation to find out which of these fertilisers would be best for the farmer to buy, and use, to grow beans on his land.
[7]

[Total: 7]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.