

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Advanced Subsidiary Level and Advanced Level

| CANDIDATE<br>NAME |                     |  |
|-------------------|---------------------|--|
| CENTRE<br>NUMBER  | CANDIDATE<br>NUMBER |  |

CHEMISTRY 9701/23

Paper 2 Structured Questions AS Core

May/June 2010

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: Data Booklet

## **READ THESE INSTRUCTIONS FIRST**

Write your name, Centre number and candidate number on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs, or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE ON ANY BARCODES.

Answer all questions.

You may lose marks if you do not show your working or if you do not use appropriate units.

A Data Booklet is provided.

The number of marks is given in brackets [ ] at the end of each question or part question.

At the end of the examination, fasten all your work securely together.

| For Examiner's Use |  |  |  |  |
|--------------------|--|--|--|--|
| 1                  |  |  |  |  |
| 2                  |  |  |  |  |
| 3                  |  |  |  |  |
| 4                  |  |  |  |  |
| 5                  |  |  |  |  |
| Total              |  |  |  |  |

This document consists of 11 printed pages and 1 blank page.

DC (LEO) 21255/1 © UCLES 2010





[Turn over

Answer all the questions in the spaces provided.

For Examiner's Use

Hydrazine, N<sub>2</sub>H<sub>4</sub>, can be used as a rocket fuel and is stored as a liquid. It reacts exothermically with oxygen to give only gaseous products.

The enthalpy change of a reaction such as that between hydrazine and oxygen may be calculated by using standard enthalpy changes of formation.

| (a) | Define the term | standard | enthalpy | change | of formation, | $\Delta H_{f}^{\circ}$ |
|-----|-----------------|----------|----------|--------|---------------|------------------------|
|-----|-----------------|----------|----------|--------|---------------|------------------------|

.....[3]

**(b)** Hydrazine reacts with oxygen according to the following equation.

$${\rm N_2H_4(I)} \ + \ {\rm O_2(g)} \ \longrightarrow \ {\rm N_2(g)} \ + \ 2{\rm H_2O(g)}$$

(i) Use the data in the table to calculate the standard enthalpy change of this reaction.

| compound                          | ΔH <sub>f</sub> <sup>+</sup> /kJ mol <sup>-1</sup> |  |  |
|-----------------------------------|--|--|--|
| N <sub>2</sub> H <sub>4</sub> (I) | 50.6   |  |  |
| H <sub>2</sub> O(g)               | -241.8   |  |  |

| $\Delta H^{\circ} =$ | <br>kJ mol <sup>−1</sup> |
|----------------------|--------------------------|
|                      |                          |

(ii) Although the above reaction is highly exothermic, hydrazine does not burn spontaneously in oxygen.

Suggest a reason for this.





|     | (iii) | Suggest why using hydrazine as a rocket fuel could be regarded as 'environmentally friendly'.  | being Fo      |
|-----|-------|--|---------------|
|     |       |  | [4]           |
| (c) | The   | bonding in hydrazine is similar to that in ammonia.  |               |
|     | (i)   | Showing outer-shell electrons only, draw a 'dot-and-cross' diagram of an ammolecule.   | nmonia        |
|     |       |  |               |
|     | (ii)  | Draw a diagram to show the three-dimensional shape of an ammonia molec   | ule.          |
|     | (iii) | Draw a diagram to show the shape of a hydrazine molecule.  Show clearly which atom is joined to which and show clearly the value of one angle. | <b>e</b> bond |
| (d) | Ded   | duce the oxidation state of nitrogen in hydrazine.   | [4]           |
| (~) |       |  | [1]           |
|     |       | ГТо  | tal: 121      |



For Examiner's Use

|     | The alkali metals are a series of six elements in Group I of the Periodic Table. The first ionisation energy of these elements shows a marked trend as the Group is descended. |   |  |  |  |  |  |  |  |
|-----|--|---|--|--|--|--|--|--|--|
| (a) | Define the term first ionisation energy.   |   |  |  |  |  |  |  |  |
|     |  |   |  |  |  |  |  |  |  |
|     |  |   |  |  |  |  |  |  |  |
|     |  | [2]   |  |  |  |  |  |  |  |
| (b) | (i)  | State and explain the trend in first ionisation energy as Group I is descended.                                   |  |  |  |  |  |  |  |
|     |  |   |  |  |  |  |  |  |  |
|     |  |   |  |  |  |  |  |  |  |
|     |  |   |  |  |  |  |  |  |  |
|     | (ii)   | Suggest how this trend helps to explain the increase in the reactivity of the elements as the Group is descended. |  |  |  |  |  |  |  |
|     |  |   |  |  |  |  |  |  |  |
|     |  | [3]   |  |  |  |  |  |  |  |
| (c) |  | redox reaction, 0.83g of lithium reacted with water to form 0.50 dm <sup>3</sup> of aqueous um hydroxide.         |  |  |  |  |  |  |  |
|     |  | $2Li(s) + 2H_2O(l) \rightarrow 2LiOH(aq) + H_2(g)$  |  |  |  |  |  |  |  |
|     | (i)  | Calculate the amount, in moles, of lithium that reacted.  |  |  |  |  |  |  |  |



2

|     | (ii)  | Calculate the volume of hydrogen produced at room temperature and pressure.                       | For<br>Examiner's<br>Use |
|-----|-------|---|--------------------------|
|     | (iii) | Calculate the concentration, in mol dm <sup>-3</sup> , of the LiOH(aq) formed.                    |                          |
|     |       | [5]   |                          |
| (d) |       | en heated in chlorine, all of the alkali metals react to form the corresponding pride.            |                          |
|     |       | scribe what you see when sodium is heated in chlorine and write a balanced equation the reaction. |                          |
|     | des   | cription  |                          |
|     |       |   |                          |
|     |       |   |                          |
|     | equ   | ation   |                          |
|     |       | [2]   |                          |
|     |       | [Total: 12]   |                          |



| This  | s qı  | ue | stio   | n re | fers  | to t  | he    | ele | men            | ts sh | own          | in th   | e se   | ction       | of the         | e Pei        | riodio | Tab  | le be  | low.   |        | For               |
|---|-------|----|--|------|-------|-------|-------|-----|----------------|-------|--------------|---------|--------|-------------|----------------|--------------|--------|------|--------|--------|--------|-------------------|
|   |       |    |  |      |       |       |       |     |                | Н     |              |         |        |             |                |              |        |      |        | Не     |        | Examiner's<br>Use |
| I   | _i    | В  | Be B C N O F Ne  |      |       |       |       |     |                |       |              |         |        |             |                |              |        |      |        |        |        |                   |
| ٨   | la    | M  | g  |      |       |       |       |     |                |       |              |         |        |             | Αl             | Si           | Р      | S    | Cl     | Ar     |        |                   |
| I   | K     | C  | а  | Sc   | Ti    | V     | (     | Cr  | Mn             | Fe    | Со           | Ni      | Cu     | Zn          | Ga             | Ge           | As     | Se   | Br     | Kr     |        |                   |
| (a)   |       |    |  |      |       |       |       |     |                |       | y in<br>elem |         | n cas  | se <b>o</b> | ne e           | leme         | nt th  | at h | as th  | ne pro | operty |                   |
|   | (i)   | )  | an element that sinks in cold water and reacts readily with it |      |       |       |       |     |                |       |              |         |        |             |                |              |        |      |        |        |        |                   |
|   |       |    |  |      |       |       |       |     |                |       |              |         |        |             |                |              |        |      |        |        |        |                   |
|   | (ii)  | )  | an   | eler | ment  | t tha | at fo | orm | s an           | oxic  | le tha       | at is a | a red  | ucin        | g age          | ent          |        |      |        |        |        |                   |
|   |       |    |  |      |       |       |       |     |                |       |              |         |        |             |                |              |        |      |        |        |        |                   |
|   | (iii) | )  | the  | ele  | men   | t th  | at I  | nas | the            | large | est fir      | st io   | nisat  | ion e       | nerg           | y            |        |      |        |        |        |                   |
|   |       |    |  |      |       |       |       |     |                |       |              |         |        |             |                |              |        |      |        |        |        |                   |
|   | (iv   | )  | the  | me   | tal i | n Pe  | erio  | d 3 | (Na            | to A  | r) tha       | at ha   | s the  | sma         | llest          | catio        | n      |      |        |        |        |                   |
|   |       |    |  |      |       |       |       |     |                |       |              |         |        |             |                |              |        |      |        |        |        |                   |
|   | (v)   | )  |  |      |       |       |       |     | as a<br>r stri |       |              | lecu    | lar st | ructu       | ıre <b>a</b> ı | <b>nd</b> fo | rms    | an o | xide   | whic   | h also |                   |
|   |       |    | ••••   |      |       |       |       |     |                |       |              |         |        |             |                |              |        |      |        |        |        |                   |
|   | (vi)  | )  | the  | ele  | mer   | it in | Pe    | rio | 1) E b         | Na to | Ar)          | with    | the (  | great       | est e          | lectri       | cal c  | ondu | ıctivi | ty     |        |                   |
|   |       |    | ••••   |      | •••   |       |       |     |                |       |              |         |        |             |                |              |        |      |        |        | [6]    |                   |
| <b>(b)</b> From the section of the Periodic Table above, identify <b>two</b> elements whose hydrides form hydrogen bonds between their molecules. |       |    |  |      |       |       |       |     |                |       |              |         |        |             |                |              |        |      |        |        |        |                   |
|   |       |    |  | . an | d     |       |       |     |                |       |              |         |        |             |                |              |        |      |        |        | [1]    |                   |



3

| (c) | ider  | e the elements in Period 3 (Na to Ar) in the section of the Periodic Table opposite to ntify the oxide(s) referred to below.  each case, give the formula of the oxide(s). | For<br>Examiner's<br>Use |
|-----|-------|--|--------------------------|
|     | (i)   | an oxide which has no reaction with water  |                          |
|     |       |  |                          |
|     | (ii)  | two acidic oxides formed by the same element   |                          |
|     |       | and  |                          |
|     | (iii) | an oxide which dissolves readily in water to give a strongly alkaline solution   |                          |
|     |       |  |                          |
|     | (iv)  | an oxide which is amphoteric   |                          |
|     |       | [5]  |                          |
|     |       | [Total: 12]  |                          |

**4** Organic reactions involve substances which may be atoms, molecules, ions or free radicals.

For Examiner's Use

We also apply the terms

electrophilic, nucleophilic, addition, elimination and substitution

to organic reactions.

Consider the following reactions.

| $CH_4 + Cl_2 \rightarrow CH_3Cl + HCl$   | reaction 1 |
|--|------------|
| $\mathrm{CH_{3}CH_{2}OH}  \rightarrow  \mathrm{CH_{2}=CH_{2}}  +  \mathrm{H_{2}O}$ | reaction 2 |
| $\text{CH}_3\text{I} + \text{OH}^- \rightarrow \text{CH}_3\text{OH} + \text{I}^-$  | reaction 3 |
| $CH_3COCH_3 + HCN \rightarrow CH_3C(OH)(CN)CH_3$                                   | reaction 4 |

(a) Using the terms mentioned above, state as clearly as you can the nature of each of the following reactions.

| reaction 1 |     |
|------------|-----|
| reaction 2 | [2] |

**(b)** By considering the four reactions above, suggest a formula for **each** of the following substances.

In each case, state which reaction you are considering.

(i) one substance that is an addition product

reaction...... addition product

(ii) one substance that is a leaving group

reaction...... leaving group

(iii) one substance that behaves as an electrophile

reaction..... electrophile

[3]



| (c) | What is meant by the term <i>nucleophile</i> ?                               | E    | For<br>Examin<br>Use |
|-----|--|------|----------------------|
|     |  | [1]  |                      |
| (d) | Reactions 3 and 4 involve nucleophiles.                                      |      |                      |
|     | For <b>each</b> reaction, give the formula of the nucleophile.               |      |                      |
|     | reaction 3   |      |                      |
|     |  |      |                      |
|     | reaction 4   |      |                      |
|     |  |      |                      |
|     |  | [2]  |                      |
| (e) | One characteristic reaction of ethene is its ability to decolourise bromine. |      |                      |
|     | $CH_2=CH_2 + Br_2 \rightarrow BrCH_2CH_2Br$                                  |      |                      |
|     | In this reaction, ethene behaves as a nucleophile.                           |      |                      |
|     | Suggest an explanation for how ethene can behave in this way.                |      |                      |
|     |  |      |                      |
|     |  | [1]  |                      |
|     | [Total   | . 91 |                      |



5 Lactic acid, 2-hydroxypropanoic acid, CH<sub>3</sub>CH(OH)CO<sub>2</sub>H, occurs naturally in sour milk and in our muscles when we take hard exercise.
Lactic acid is chiral and shows stereoisomerism.

For Examiner's Use

(a) Draw fully displayed structures of the two optical isomers of lactic acid. Indicate with an asterisk (\*) the chiral carbon atom in the lactic acid molecule.

[3]

**(b)** Lactic acid may be synthesised from ethanol by the following route.

$$\mathsf{CH_3CH_2OH} \xrightarrow{\mathsf{step \ 1}} \mathsf{CH_3CHO} \xrightarrow{\mathsf{step \ 2}} \mathsf{CH_3CH(OH)CN} \xrightarrow{\mathsf{step \ 3}} \mathsf{CH_3CH(OH)CO_2H}$$

Give the reagent(s) and essential condition(s) for **each** step.

|        | reagent(s) | condition(s) |
|--------|------------|--------------|
| step 1 |            |              |
| step 2 |            |              |
| step 3 |            |              |

[6]



During exercise, lactic acid is produced in our muscles from pyruvic acid,  $\mathrm{CH_3COCO_2H}$ . This reaction occurs in the presence of the enzyme lactic acid dehydrogenase.

For Examiner's Use

| (c) | (i)  | What type of chemical compound is the enzyme lactic acid dehydrogenase?          |     |
|-----|------|--|-----|
|     |      |  |     |
|     | (ii) | How would you detect a small quantity of pyruvic acid in a sample of lactic acid | ?   |
|     |      | State the reagent(s) you would use and what would be seen in your test.          |     |
|     |      | reagent(s)   |     |
|     |      | observation  |     |
| (   | iii) | How would you detect a small quantity of lactic acid in a sample of pyruvic acid | ?   |
|     |      | State the reagent(s) you would use and what would be seen in your test.          |     |
|     |      | reagent(s)   |     |
|     |      | observation  |     |
| (   | iv)  | What chemical reagent would be used to convert pyruvic acid into lactic acid?    |     |
|     |      | ${\rm CH_3COCO_2H} \rightarrow {\rm CH_3CH(OH)CO_2H}$                            |     |
|     |      |  | IO. |
|     |      |  | [6] |

[Total: 15]



## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of



