

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Advanced Level

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	

CHEMISTRY 9701/52

Paper 5 Planning, Analysis and Evaluation

October/November 2010
1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

You are advised to show all working in calculations.

Use of Data Booklet is unnecessary.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use		
1		
2		
Total		

This document consists of 9 printed pages and 3 blank pages.

DC (SLM) 35024 © UCLES 2010



[Turn over



2

BLANK PAGE



When aqueous sodium chloride, NaCl, is added to aqueous lead nitrate, Pb(NO $_3$) $_2$, a white precipitate of lead chloride, PbCl $_2$, is produced. A suggested stoichiometric equation is

For Examiner's Use

$$Pb(NO_3)_2(aq) + 2NaCl(aq) \rightarrow PbCl_2(s) + 2NaNO_3(aq)$$

In separate experiments, different volumes of $0.20\,\mathrm{mol\,dm^{-3}}$ aqueous sodium chloride are added to a fixed volume of $0.10\,\mathrm{mol\,dm^{-3}}$ aqueous lead nitrate. In each case, the precipitate is filtered, washed with distilled water and thoroughly dried. The mass of the precipitate is recorded.

You are to plan an experiment to investigate this reaction in order to confirm or reject the stoichiometry of the equation.


(a) By considering the suggested stoichiometric equation, predict and explain how the number of moles of the precipitate, $PbCl_2$, will change as the number of moles of NaCl added increases.

Prediction	 	
Explanation		

(b) State a limiting factor that must be taken into account when increasing the volume of the aqueous sodium chloride added.

Sketch the graph which would result if, after some of the experiments, the NaCl is in

excess. Start your graph with no NaCl added.



[3]



(c)	In th	ne experiment you are about to plan, identify the following.	For
	(i)	the independent variable	Examiner's Use
	(ii)	the dependent variable	
		another variable to be controlled	
	(iii)	[2]	
(d)	Des	ign a laboratory experiment to test your prediction in (a).	
	You	are provided with 250 cm ³ of 0.20 mol dm ⁻³ aqueous sodium chloride.	
	(i)	Outline how you would prepare 250 cm ³ of 0.10 mol dm ⁻³ aqueous lead nitrate.	
		[A _r : N, 14; O, 16; Pb, 207]	
	(ii)	Give a step by step description of how you would carry out one experiment. You shoutlates the volumes of each solution to be used, how the volumes will be measured, how you would dry the precipitate.	



							[6]
							[6]
•	out your graph to appropriate enter the	ropriate head experiments support or re	and the valu ject your pre n your plan in	es you would diction in (a)	d calculate in . The heading	record when c order to cons is should inclu	struct a
							[2]
	w would vo	II Anglira that	at the end of	each evnerin	nent the preci	nitate was thor	
	w would yo	u ensure that	at the end of	each experin	nent the preci	pitate was thor	



6

BLANK PAGE



2 The melting point of solid water is 0 °C. This is the same as the freezing point of water. This freezing point can be lowered (depressed) by the addition of a solute, such as glucose. The extent of the freezing point depression depends on the **number of particles of solute dissolved** in the solution.

For Examiner's Use

The freezing point depression, $\Delta T_{\rm f}$, is proportional to the molal concentration, ${\rm c_m}$, of the solution.

$$\Delta T_{\rm f} = K_{\rm f} c_{\rm m}$$

where K_f is the freezing point depression constant.

The molal concentration (molality) of a solution is defined as the number of moles of a solute dissolved in one kilogram of water e.g. a one molal solution has one mole of solute dissolved in one kilogram of water.

An experiment was carried out to investigate the relationship between ΔT_f and c_m .

- A weighed sample of distilled water was placed in a boiling tube.
- A weighed sample of glucose was added.
- The mixture was stirred until a solution was obtained.
- The tube was placed in a freezing apparatus to lower the temperature.
- The freezing point of the solution was measured precisely and the freezing point depression calculated.



(a) Calculate the $M_{\rm r}$ of glucose ${\rm C_6H_{12}O_6}$.

[A_r: H, 1.0; C, 12.0; O, 16.0]

Examiner's Use

[1]

For

(b) The results of the experiment are recorded below.

А	В	С	D	Е	F
mass of water /g	mass of glucose /g	freezing point depression $\Delta T_{\rm f}$ /°C			
100	10.0	1.03			
100	12.2	1.26			
100	18.0	2.09			
100	23.3	2.40			
100	27.7	2.86			
100	30.9	3.22			
100	33.1	3.31			
100	38.6	3.98			
100	42.3	4.37			

Process the results in the table to calculate the molality of the glucose solution. This will enable you to plot a graph to show how the freezing point depression, $\Delta T_{\rm f}$, varies with the molality of the solution.


Record these values to **three significant figures** in the additional columns of the table. You may use some or all of the columns.

Label the columns you use.

For each column you use include units where appropriate and an expression to show how your values are calculated. You may use the column headings A to F for this purpose. [2]



(c) Present the data calculated in (b) in graphical form. Draw the line of best fit.



(d)	For	cle on the graph any point(s) you consider to be anomalous. any point circled on the graph suggest an error in the conduct of the experiment that the graph suggest an error in the conduct of the experiment that the part of the experiment that the same and the same are suggested in the conduct of the experiment that the same are suggested in the same are	For Examiner's Use
		[3]	
(e)	(i)	Determine the value of $\Delta T_{\rm f}/c_{\rm m}$ from your graph. This is the freezing point depression constant $K_{\rm f}$. Mark clearly on the graph any construction lines and show clearly in your calculation how the intercepts were used in the calculation of the slope.	
	(ii)	By considering the data you have processed and the graph you have drawn, decide if the experimental procedure described is suitable for the determination of the freezing point depression constant $K_{\rm f}$. Explain your reasoning.	
		[3]	



(f)	When the experiment was repeated using sodium chloride instead of glucose as the solute, the freezing point depressions were found to be twice the value obtained in the glucose experiment for each molality. Using the information given at the start of the question suggest a reason for this.	For Examiner's Use
	[1]	
(g)	Using your suggestion from (f) predict the effect on the freezing point depression if a weak acid such as ethanoic acid was used instead of glucose or sodium chloride as the solute.	
	[1]	
	[Total: 14]	



12

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of



