




## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



PHYSICS 0625/33

Paper 3 Extended

May/June 2013

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

Take the weight of 1 kg to be 10 N (i.e. acceleration of free fall =  $10 \,\text{m/s}^2$ ).

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
Total	

This document consists of 16 printed pages.



A train is at rest in a railway station. At time t = 0, the train starts to move forwards with an increasing speed until it reaches its maximum speed at time  $t = 48 \, \text{s}$ .








Fig. 1.1

(a) (ı)	of the train is constant.	วท

(ii) Calculate the acceleration of the train during the first 48s of the journey.

- **(b)** After time  $t = 48 \, \text{s}$ , the train continues at its maximum speed for another 72 s.
  - (i) On Fig. 1.1, sketch the speed-time graph for the next 72s of the journey. [1]
  - (ii) Determine the total distance travelled by the train in the 120s after it starts moving.

[Total: 7]

2		s stored in a reservoir at an average vertical height of 350 m above the turbines of a ectric power station.	For Examiner's Use
	During a	a 7.0 hour period, $1.8 \times 10^6 \mathrm{m}^3$ of water flows down from the reservoir to the turbines.	000
	(a) The	e density of water is 1000 kg/m <sup>3</sup> .	
	For	this 7.0 hour period, calculate	
	(i)	the mass of water that flows from the reservoir to the turbines,	
		mass =[2]	
	(ii)	the gravitational potential energy transformed as the water flows to the turbines,	
		energy =[2]	
	(iii)	the maximum possible average output power.	
		power =[2]	
	<b>(b)</b> A h	ydroelectric power station generates electricity from a renewable energy source.	
	(i)	Explain what is meant, in this context, by renewable.	
		[1]	
	(ii)	State two other renewable energy sources.	
		1	
		2	
		[Total: 9]	
		• •	1

3 On a windy day, a parachutist of mass 85 kg jumps from an aeroplane.

For Examiner's Use

Fig. 3.1 shows the parachutist falling through the air at a constant vertical velocity of 8.4 m/s downwards.




Fig. 3.1


(a)	Distinguish between speed and velocity.
	[1]

(b)	As the parachutist falls, the wind is moving him towards the right of the diagram, at horizontal velocity of $6.3\mathrm{m/s}$ .			
	(i)	On Fig. 3.1, draw an arrow to show the horizontal velocity of the parachutist.	[1]	

For Examiner's Use

(ii) On the grid below draw a vector diagram to determine graphically the size and

(11)	On the grid below, draw a vector diagram to determine graphically the size ar	nd
	direction of the resultant velocity of the parachutist.	



size =	
direction =	[4]

(iii) Calculate the kinetic energy of the parachutist.

[Total: 9]

4 A large crane has a mass of 8500 kg. Fig. 4.1 shows the crane on a muddy building-site.






Fig. 4.1

(a) Calculate the weight of the crane.

weight =	[1]	ı
Weignt -	 	

- (b) The crane rests on two caterpillar tracks each of which has a contact area with the ground of  $3.4\,\text{m}^2$ .
  - (i) Calculate the pressure that the crane exerts on the ground.

(ii) As the crane driver walks towards the crane, he starts to sink into the mud. He lays a wide plank of wood on the mud and he walks along the plank.

Explain why he does not sink into the mud when he walks along the plank.

C)	When the crane lifts a heavy load with its hook, the load exerts a moment on the lifting-arm about the axle.		
	(i)	Explain what is meant by moment of a force.	Use
		[1]	
	(ii)	Despite the moment exerted on the lifting-arm, the crane remains in equilibrium.	
		State the two conditions required for any object to be in equilibrium.	
		1	
		2	
		[2]	
		[Total: 8]	

**5** Fig. 5.1 shows a saucepan of boiling water on an electric hotplate.





Fig. 5.1

As time passes, thermal energy (heat) is constantly supplied to the water but its temperature remains at  $100\,^{\circ}$ C.

(a)	State two ways in which boiling differs from evaporation.
	1
	2
	[2]
	الما
(b)	Explain, in terms of the water molecules, what happens to the thermal energy supplied to the water as it boils.
	[2]

(c)	Describe an experiment to measure the specific latent heat of steam. You may include a diagram.	For Examiner's Use
	[4]	
	[Total: 8]	

6	(a)	(i)	State two ways in which the molecular structure of a gas differs from the molecular structure of a liquid.
			1
			2
		(ii)	Compressibility is the ease with which a substance can be compressed.
			State and explain, in terms of the forces between the molecules, how the compressibility of a gas differs from that of a liquid.
			[2]
	(h)	Fia	6.1 shows a weather balloon being inflated by helium from a cylinder.
	(D)	rig.	. o. i shows a weather balloon being inhated by helium from a cylinder.
			Fig. 6.1
		(i)	The helium that inflates the balloon had a volume of $0.035\mathrm{m}^3$ at a pressure of $2.6\times10^6\mathrm{Pa}$ , inside the cylinder.
			The pressure of the helium in the balloon is $1.0 \times 10^5  \text{Pa}$ and its temperature is the same as it was when in the cylinder.
			Calculate the volume occupied by the helium in the balloon.
		410	volume =[3]
		(ii)	As the balloon rises up through the atmosphere, the temperature of the helium decreases.
			State the effect of this temperature change on the helium molecules.
			[1]

© UCLES 2013 0625/33/M/J/13


[Total: 8]

For Examiner's Use

ine	rrec	luency of the monochromatic light produced by a laser is 4.7 × 10 <sup>14</sup> Hz.	For			
		light from the laser passes from a vacuum, where the speed of light is $3.0 \times 10^8  \text{m/s}$ , pre-optic cable.	Examiner's Use			
(a)	) State					
	(i)	what is meant by monochromatic,				
		[1]				
	(ii)	the frequency of light from the laser in the fibre-optic cable.				
		[1]				
(b)	The	e speed of light in the fibre-optic cable is $2.0 \times 10^8 \mathrm{m/s}$ .				
	Calculate					
	(i)	the refractive index of the material from which fibre-optic cable is made,				
		refractive index =[2]				
	(ii)	the wavelength of light from the laser in the fibre-optic cable.				
		wavelength =[2]				
		[Total: 6]				

**8** Fig. 8.1 shows a small, uncharged copper sphere suspended from a nylon thread, and a plastic rod being rubbed with a woollen cloth.

For Examiner's Use






Fig. 8.1

The rod becomes negatively charged as it is rubbed.

(a)	Explain, in terms of electrons, why copper is a conductor but nylon is an insulator.
	[2]
(b)	Describe how the negatively charged rod may be used to induce a positive charge on the copper sphere.
	[3]
(c)	The copper sphere is given a positive charge, as shown in Fig. 8.2

(c) The copper sphere is given a positive charge, as shown in Fig. 8.2.



Fig. 8.2

On Fig. 8.2, draw arrows to indicate the direction and pattern of the electric field that surrounds the positively charged sphere. [2]

[Total: 7]

For Examiner's Use

[Total: 6]

9	In a	labo	ratory experiment, the isotope uranium-238 is used as a source of $\alpha$ -particles.
	(a)	Stat	re
		(i)	one feature of uranium-238 nuclei that is the same for the nuclei of other uranium isotopes,
			[1]
		(ii)	one feature of uranium-238 nuclei that is different for the nuclei of other uranium isotopes.
			[1]
	(b)	_	9.1 shows the $\alpha\text{-particles}$ from the uranium source being directed at a very thin gold in a vacuum.
			thin gold foil
			moveable α-particle detector
			$\begin{array}{c} \text{uranium source} \\ \\ \alpha\text{-particles} \end{array}$
			Fig. 9.1
			nvestigate the scattering of $\alpha\text{-particles},$ a detector is moved to different positions and the very thin gold foil and measurements are recorded.
			scribe the results from this scattering experiment and explain what they show about structure of atoms.
			[1]

10 Fig. 10.1 is the symbol for a NAND gate with inputs A and B.




Fig. 10.1

(a) Input A and input B can be set to 1 (high) or to 0 (low).

Complete the table below to give the outputs for this NAND gate.

input A	input B	output
0	0	
0	1	
1	0	
1	1	

[1]

For Examiner's Use

**(b)** The two inputs of the NAND gate are joined together and connected to an input C, as shown in Fig. 10.2.




Fig. 10.2

- (i) Determine the output of this NAND gate when
  - **1.** input C is set to 0,

output = .....

2. input C is set to 1.

output = .....[1]

(ii) State the name of the logic gate that behaves in the same way as the NAND gate in Fig. 10.2.

.....[1]

(c) A circuit combines three NAND gates.

The inputs to the circuit are P and Q, as shown in Fig. 10.3.






Fig. 10.3

Points R, S and T in the circuit are also labelled.

Input P is set to 0 and input Q is set to 1.

Determine the logic states (0 or 1) of points R, S and T.

point R =	
point S =	
point T =	[2]
	[4]

[Total: 5]

**Turn over for Question 11** 

11

A re	emote ski lodge receives 18 kW of electric power from a 120 V supply.	For
(a)	Calculate	Use
	(i) the current that the ski lodge draws from the supply,	
	current =[2]	
	(ii) the electrical energy supplied to the ski lodge in 30 minutes.	
	TO!	
	energy =[2]	
b)	The power supply to the ski lodge is from a nearby transformer that is connected to long-distance transmission cables. The voltage of the transmission cables is very much larger than 120 V.	
	Explain why energy losses in the transmission cables are lower when the voltage is high.	
	[3]	
	[Total: 7]	

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.