



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	

PHYSICS 0625/06

Paper 6 Alternative to Practical

October/November 2007

1 hour

Candidates answer on the Question Paper. No Additional Materials are required.

Write your Centre number, candidate number and name on all work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
Total	

This document consists of 11 printed pages and 1 blank page.



- 1 The IGCSE class is investigating the rate of cooling of hot water.
 - (a) A student measures room temperature. Write down the value of room temperature θ_0 shown on the thermometer in Fig. 1.1.




Fig. 1.1

$$\theta_0$$
 =[1]

(b) He then pours hot water into a beaker until it is about two-thirds full. He measures and records the temperature θ of the hot water and at the same time starts a stopwatch. As the water cools, he records the temperature every 30 s for a total of five minutes. His readings are shown in the table below.

t/	θ /
0	68.0
30	53.0
60	45.0
90	40.0
120	36.5
150	33.5
180	32.0
210	30.0
240	29.0
270	28.5
300	28.0

(i) Complete the column headings in the table.

 $T_1 = \dots$

(iii) Calculate the temperature fall \mathcal{T}_2 in the final minute of the experiment.

$$T_2 = \dots$$

[3]

(c)		ory suggests that the rate of cooling of the hot water at any time depends on the rence between the temperature of the water at that time and room temperature.
	(i)	State and explain whether your answers in (b) support this theory.
		Statement
		Explanation
		[1]
	(ii)	Suggest three variables that you would attempt to keep constant if this theory were to be investigated further.
		1
		2
		3[3]
(d)	_	gest one addition you could make to the apparatus provided in order to reduce the of evaporation of the water in the beaker.
		[1]
		[Total: 9]

2 The IGCSE class is investigating a simple balance.

The diagram below shows the apparatus.




Fig. 2.1

(a) A student records the height h_0 of the pointer above the bench. She then hangs a paper clip on the hook and records the new height h of the pointer above the bench. Next she records the heights of the pointer above the bench using different numbers N of paper clips. The readings are shown in the table below.

$$h_0 = 100 \, \text{mm}$$

N	<i>h</i> /mm	d/mm
1	108	
2	114	
3	120	
4	125	
5	134	
6	141	

© UCLES 2007 0625/06/O/N/07


Calculate the height differences d using the equation

$$d = (h - h_0)$$

and enter them in the table.

[2]

(b) (i) Plot the graph of d/mm (*y*-axis) against N (*x*-axis).



(ii) Use your graph to predict the value of *d* if a nail with the same mass as 4.6 paper clips were to be hung from the hook in place of the paper clips. Show clearly on the graph how you obtained your value.

<i>d</i> =	[6]
------------	---	---	---

[Total: 8]

3 The IGCSE class is investigating the potential difference across lamps and the currents in the lamps.

Fig. 3.1 shows the circuit that is being used.





Fig. 3.1

(a) A student uses the ammeter to record the current *I* in the wire connecting the power source to the rest of the circuit. He then moves the ammeter to new positions in the circuit and measures the current in each lamp in turn. The positions of the pointer on the ammeter scale are shown below.



Write down the ammeter readings I, I_1, I_2 and I_3 .

[3]

(b)	The thec	ory suggests that $I = I_1 + I_2 + I_3$. State whether or not your readings support this bry. Give a reason for your answer.
	Stat	ement
	Rea	son
		[1]
(c)	To t	est the theory further, you would need to vary the value of $\it I$. State how you would $\it r$ $\it I$.
		[1]
(d)	The	student uses a voltmeter to measure the potential difference V across the lamps.
	His	reading is $V = 1.6 V$.
	(i)	Calculate the resistance R of the lamps arranged in parallel, using the equation
		R = V/I,
		where I is the value of the current in (a)(i) .
		R =
	(ii)	On Fig. 3.1, add the symbol for the voltmeter connected to measure the potential difference across the lamps. [3]
		[Total: 8]

4 The IGCSE class is investigating the refraction of light through a transparent block.

Fig. 4.1 shows the apparatus used.




Fig. 4.1

- (a) A student looks down through the transparent block at the image of a line drawn on the sheet of paper. She carefully places the point of the optics pin exactly in line with the image.
 - (i) On Fig. 4.1, measure the vertical distance *x* between the paper and the pin.

X =

(ii) On Fig. 4.1, measure the height *h* of the transparent block.

h =

(iii) Calculate the refractive index *n* of the material of the block using the equation

$$n = \frac{h}{h - x}$$

 $n = \dots [5]$

To obtain a reliable value for the vertical distance <i>x</i> between the paper and the pin, it is important that the pin is horizontal. Explain briefly with the aid of a diagram how you would check that the pin is horizontal.	
[1]	
[Total: 6]	

5 (a) An IGCSE student is investigating the differences in density of small pieces of different rocks. She is using an electronic balance to measure the mass of each sample and using the 'displacement method' to determine the volume of each sample. Fig. 5.1 shows the displacement method.




Fig. 5.1

(i) Write down the volume shown in each measuring cylinder.

V₁ =

V₂ =

(ii) Calculate the volume V of the rock sample.

V =

(iii) Calculate the density of sample A using the equation

density =
$$\frac{m}{V}$$
,

where the mass m of the sample of rock is 109 g.

density =

[4]

- **(b)** The table shows the readings that the student obtains for samples of rocks **B** and **C**. Complete the table by
 - (i) inserting the appropriate column headings with units,
 - (ii) calculating the densities using the equation $density = \frac{m}{V}$.

sample	<i>m</i> /g			V/	density/
В	193	84	50	34	
С	130	93	50	43	

[4]

(c)	Explain briefly how you would determine the density of sand grains.				
	[1]				
	[Total: 9]				

© UCLES 2007 0625/06/O/N/07

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.