

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2009 question paper  
for the guidance of teachers**

**0625 PHYSICS**

**0625/02**

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



<b>Page 2</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2009</b>	<b>0625</b>	<b>02</b>

## NOTES ABOUT MARK SCHEME SYMBOLS AND OTHER MATTERS

B marks	are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.
M marks	are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers <b>must</b> be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.
C marks	are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.
A marks	are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.
c.a.o.	means "correct answer only".
e.c.f.	means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but <b>only</b> applies to marks annotated "e.c.f."
e.e.o.o.	means "each error or omission".
brackets ( )	around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.
<u>underlining</u>	indicates that this <u>must</u> be seen in the answer offered, or something very similar.
OR/or	indicates alternative answers, any one of which is satisfactory for scoring the marks.
Spelling	Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit.
Significant figures	Answers are acceptable to any number of significant figures $\geq 2$ , except if specified otherwise, or if only 1 sig. fig. is appropriate.
Units	It is expected that all final answers will have correct units. Deduct one unit penalty for each incorrect or missing unit, maximum 1 per question. No unit penalty if unit is missing from final answer but is shown correctly in the working.
Fractions	These are only acceptable where specified.
Extras	Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct response or are forbidden by mark scheme, use right + wrong = 0
Ignore	Indicates that something which is not correct is disregarded and does not cause a right plus wrong penalty.
Not/NOT	Indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate i.e. right plus wrong penalty applies.

Work which has been crossed out, but not replaced, should be marked as if it had not been crossed out.

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0625	02

- 1 (a) (i) 20 (cm<sup>3</sup>) )
- (ii) 25 (cm<sup>3</sup>)±0.5 ) both B1 [1]
- (b) 5 (cm<sup>3</sup>) e.c.f. B1 [1]
- (c) 5/200 e.c.f. C1  
0.025 (cm<sup>3</sup>) e.c.f. A1 [2]
- [Total: 4]**
- 2 (a) kinetic or K.E. or motion B1 [1]
- (b) strain or elastic B1 [1]
- (c) gravitational or P.E. or G.P.E. or potential B1 [1]
- (d) weight /mass (of athlete) AND height/distance (of bar) B1 [1]
- [Total: 4]**
- 3 (a) (i) 1. increasing M1  
steady or uniform A1  
2. constant B1 [3]
- (ii) horizontal straight line between A & B B1 [1]
- (b) (i) line on axis between B & C B1 [1]
- (ii) horizontal straight line between C & D M1  
lower than that for AB A1 [2]
- (c) zero distance or equiv. B1 [1]
- [Total: 8]**
- 4 (a) (i) moves to the left C1  
accelerates to the left A1 [2]
- (ii) arrow to the right B1  
9 N B1 [2]
- (iii) blob on diagram clearly indicated as the C of M B1 [1]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0625	02

- (b) (i) rises B1 [1]
- (ii) less stable B1 [1]

[Total: 7]

- 5 (a) (i) 1. cooling OR energy/heat lost seen anywhere in (i) B1  
2. solidifying or temperature constant B1  
3. cooling B1 [3]
- (ii) first and last both ticked B1  
middle ticked B1 [2]
- (iii) solid accept ice/frozen B1 [1]
- (b) rising curve of some sort C1  
idea of mirror image of Fig. 6.1 A1 [2]

[Total: 8]

- 6 (a) same B1  
greater at B B1  
greater at B B1 [3]
- (b) box 1 ticked ) B1  
) use  $\checkmark + \times = 0$  for extras  
box 3 ticked ) B1 [2]

[Total: 5]

- 7 (a) q B1 [1]
- (b) F marked close to point of image/object B1 [1]
- (c) [mark in pairs, use  $\checkmark + \times = 0$ ]  
inverted B1  
real B1 [2]
- (d) same B1 [1]
- (e) (i) nothing C1 [1]
- (ii) image blurs A1 [1]

[Total: 7]

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2009	0625	02

- 8 (a) one sound direct B1  
one sound after reflection/echo B1 [2]
- (b) first M1  
second one suffers absorption,dispersion A1 [2]
- (c) (i)  $s = vt$  in any form (seen somewhere in (c)) B1  
time to hear 1st sound =  $990/330$  or 3 (s) B1 [2]
- (ii) time to hear 2<sup>nd</sup> sound =  $(3 \times 330)/330$  or 9 (s) B1 [1]
- (iii) interval = 6 (s) e.c.f. B1 [1]
- [Total: 8]**
- 9 (a) L.H. circuit – series AND R.H. circuit – parallel B1 [1]
- (b) (i)  $280 + 200$  C1  
 $480 (\Omega)$  A1 [2]
- (ii)  $I = V/R$  in any form C1  
12/his (i) seen or  $12/480$  need not be seen C1  
 $0.025$  or  $25$  or  $1/40$  c.a.o. A1  
A or mA as appropriate B1 [4]
- (iii) his (ii)  $\times 200$  or proportion or potential divider calculation C1  
 $5 (V)$  e.c.f. A1 [2]
- (iv) connect voltmeter ) M1  
) (could be shown on diag)  
between A and B ) A1 [2]
- [Total: 11]**
- 10 (a) (i) core correctly labelled B1 [1]
- (ii) iron B1 [1]
- (iii) idea of magnetic linkage B1 [1]
- (b)  $V_1/V_2 = N_1/N_2$  in any form C1  
correct substitution C1  
 $120 (V)$  A1 [3]
- [Total: 6]**

<b>Page 6</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – October/November 2009</b>	<b>0625</b>	<b>02</b>

- 11** no exposed wires )  
no worn insulation )  
no loose wires/connections )  
no short circuits )  
plug correctly wired ) any 3  
any idea about continuity check )  
no sharp bends in cable )
- B1 x 3 [3]

**[Total: 3]**

- 12 (a)** 5 points correctly plotted (–1 e.e.o.o.) B2  
reasonable curve through his points B1 [3]

- (b) (i)** between 30 and 35 or his correct value  $\pm 5$  B1 [1]

- (ii)** 2 (minutes) or his correct value  $\pm 0.02$  B1 [1]

- (c)** 2 (minutes) or his **(b) (ii)** B1 [1]

- (d) (i)** half-life too short B1 [1]

- (ii)** mark any correct 2, ignore the rest

- long half life )  
gamma-emitter )  
good penetration ) any 2  
similar particle size )  
similar density )
- B1+B1 [2]

**[Total: 9]**