

ShoppingBridge.API v1 OAS3

/swagger/v1/swagger.json

Products



GET

/api/Products

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Success	No links

POST

/api/Products

Parameters

Try it out

No parameters

Request body

application/json

Example Value | Schema

```
{
  "productId": 0,
  "name": "string",
  "description": "string",
  "price": 0
}
```

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value | Schema

```
{
  "productId": 0,
  "name": "string",
  "description": "string",
  "price": 0
}
```

GET /api/Products/{productid}

Parameters

Try it out

Name	Description
productid * required integer(\$int32) (path)	<div>productid</div>

Responses

Code	Description	Links
200	Success	No links
<div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "productId": 0, "name": "string", "description": "string", "price": 0 }</pre></div>		

DELETE /api/Products/{productid}

Parameters

Try it out

Name	Description
------	-------------

<

PUT	/api/Products/{productid}
Parameters	Try it out
Name	Description

Name	Description
productid * required integer(\$int32) (path)	<div>productid</div>

Request body

application/json



Example Value | Schema

```
{
  "productId": 0,
  "name": "string",
  "description": "string",
  "price": 0
}
```

Responses

Code	Description	Links
200	<div>Success</div> <div>Media type</div> <div>text/plain</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "productId": 0, "name": "string", "description": "string", "price": 0 }</pre></div>	No links

Schemas



```
Product ▾ {  
  productId*      integer($int32)  
  name*           string  
  description*    string  
  price*          number($double)  
}
```