

Newman-Penrose Formalism Calculations

Stephani et al., Equation (33.44a_3)

Metric

$$\begin{aligned}
 ds^2 = & -dt \otimes dt + \left(\frac{\Phi^2(t) (A^2 - 4AU + 4U^2) x^4}{x^4 + y^4 + 2(x^2 - 2)y^2 - 4x^2 + 4} + \frac{\Phi^2(t) (A^2 - 4AU + 4U^2) y^4}{x^4 + y^4 + 2(x^2 - 2)y^2 - 4x^2 + 4} - \frac{8\Phi^2(t) (AV_r - 2UV_r) x^3}{x^4 + y^4 + 2(x^2 - 2)y^2 - 4x^2 + 4} + \frac{8\Phi^2(t) (AV_i - 2UV_i) y^3}{x^4 + y^4 + 2(x^2 - 2)y^2 - 4x^2 + 4} \right. \\
 & - \frac{4\Phi^2(t) (A^2 - 2AU - 4V_r^2) x^2}{x^4 + y^4 + 2(x^2 - 2)y^2 - 4x^2 + 4} + \frac{2\Phi^2(t) [(A^2 - 4AU + 4U^2) x^2 - 4(AV_r - 2UV_r)x - 2A^2 + 4AU + 8V_i^2] y^2}{x^4 + y^4 + 2(x^2 - 2)y^2 - 4x^2 + 4} + \frac{16\Phi^2(t) x A V_r}{x^4 + y^4 + 2(x^2 - 2)y^2 - 4x^2 + 4} \\
 & \left. + \frac{8\Phi^2(t) [(AV_i - 2UV_i)x^2 - 4x V_i V_r - 2A V_i] y}{x^4 + y^4 + 2(x^2 - 2)y^2 - 4x^2 + 4} + \frac{4\Phi^2(t) A^2}{x^4 + y^4 + 2(x^2 - 2)y^2 - 4x^2 + 4} \right) dr \\
 & \otimes dr + \frac{4\Phi^2(t)}{x^4 + y^4 + 2(x^2 - 2)y^2 - 4x^2 + 4} dx \otimes dx + \frac{4\Phi^2(t)}{x^4 + y^4 + 2(x^2 - 2)y^2 - 4x^2 + 4} dy \otimes dy
 \end{aligned}$$

Coordinates

$$(x^\mu) = (t, r, x, y)$$

Null Tetrad

Covariant components

$$l = \sqrt{\frac{1}{2}} dt + \frac{\Phi(t)}{\sqrt{2} (1 + \frac{-(x^2 + y^2)}{2})} \left(A \left(1 + \frac{-(x^2 + y^2)}{2} \right) + (x^2 + y^2) U + 2 V_r x - 2 V_i y \right) dr$$

$$n = \sqrt{\frac{1}{2}} dt - \frac{\Phi(t)}{\sqrt{2} (1 + \frac{-(x^2 + y^2)}{2})} \left(A \left(1 + \frac{-(x^2 + y^2)}{2} \right) + (x^2 + y^2) U + 2 V_r x - 2 V_i y \right) dr$$

$$m = \left(-\frac{2\sqrt{\frac{1}{2}}\Phi(t)}{x^2 + y^2 - 2} \right) dx + \left(-\frac{2i\sqrt{\frac{1}{2}}\Phi(t)}{x^2 + y^2 - 2} \right) dy$$

$$\overline{m} = \left(-\frac{2\sqrt{\frac{1}{2}}\Phi(t)}{x^2 + y^2 - 2} \right) dx + \left(\frac{2i\sqrt{\frac{1}{2}}\Phi(t)}{x^2 + y^2 - 2} \right) dy$$

Contravariant components

$$l = \left(-\frac{1}{2}\sqrt{2} \right) dt + \left(\frac{\Phi(t)\sqrt{2}[x^2(A(t,r) - 2U(r)) + y^2(A(t,r) - 2U(r)) + 4yV_i(r) - 4xV_r(r) - 2A(t,r)]|x^2 + y^2 - 2|}{2(x^2A(t,r) + y^2A(t,r) - 2x^2U(r) - 2y^2U(r) + 4yV_i(r) - 4xV_r(r) - 2A(t,r))^2} \right) dr$$

$$n = \left(-\frac{1}{2}\sqrt{2} \right) dt + \left(-\frac{\Phi(t)\sqrt{2}[x^2(A(t,r) - 2U(r)) + y^2(A(t,r) - 2U(r)) + 4yV_i(r) - 4xV_r(r) - 2A(t,r)]|x^2 + y^2 - 2|}{2(x^2A(t,r) + y^2A(t,r) - 2x^2U(r) - 2y^2U(r) + 4yV_i(r) - 4xV_r(r) - 2A(t,r))^2} \right) dr$$

$$m = \left(-\frac{\sqrt{2}x^2}{4\Phi(t)} - \frac{\sqrt{2}y^2}{4\Phi(t)} + \frac{\sqrt{2}}{2\Phi(t)} \right) dx + \left(-\frac{i\sqrt{2}x^2}{4\Phi(t)} - \frac{i\sqrt{2}y^2}{4\Phi(t)} + \frac{i\sqrt{2}}{2\Phi(t)} \right) dy$$

$$\overline{m} = \left(-\frac{\sqrt{2}x^2}{4\Phi(t)} - \frac{\sqrt{2}y^2}{4\Phi(t)} + \frac{\sqrt{2}}{2\Phi(t)} \right) dx + \left(\frac{i\sqrt{2}x^2}{4\Phi(t)} + \frac{i\sqrt{2}y^2}{4\Phi(t)} - \frac{i\sqrt{2}}{2\Phi(t)} \right) dy$$

Directional Derivatives

$$D = -\frac{1}{2}\sqrt{2}\partial_t + \frac{\Phi(t)\sqrt{2}[x^2(A(t,r) - 2U(r)) + y^2(A(t,r) - 2U(r)) + 4yV_i(r) - 4xV_r(r) - 2A(t,r)]|x^2 + y^2 - 2|}{2(x^2A(t,r) + y^2A(t,r) - 2x^2U(r) - 2y^2U(r) + 4yV_i(r) - 4xV_r(r) - 2A(t,r))^2} \partial_r$$

$$\Delta = -\frac{1}{2}\sqrt{2}\partial_t - \frac{\Phi(t)\sqrt{2}[x^2(A(t,r) - 2U(r)) + y^2(A(t,r) - 2U(r)) + 4yV_i(r) - 4xV_r(r) - 2A(t,r)]|x^2 + y^2 - 2|}{2(x^2A(t,r) + y^2A(t,r) - 2x^2U(r) - 2y^2U(r) + 4yV_i(r) - 4xV_r(r) - 2A(t,r))^2} \partial_r$$

$$\delta = -\frac{\sqrt{2}x^2}{4\Phi(t)} - \frac{\sqrt{2}y^2}{4\Phi(t)} + \frac{\sqrt{2}}{2\Phi(t)} \partial_x - \frac{i\sqrt{2}x^2}{4\Phi(t)} - \frac{i\sqrt{2}y^2}{4\Phi(t)} + \frac{i\sqrt{2}}{2\Phi(t)} \partial_y$$

$$\overline{\delta} = -\frac{\sqrt{2}x^2}{4\Phi(t)} - \frac{\sqrt{2}y^2}{4\Phi(t)} + \frac{\sqrt{2}}{2\Phi(t)} \partial_x + \frac{i\sqrt{2}x^2}{4\Phi(t)} + \frac{i\sqrt{2}y^2}{4\Phi(t)} - \frac{i\sqrt{2}}{2\Phi(t)} \partial_y$$

Spin Coefficients

$$\rho = \frac{\sqrt{2} \frac{\partial}{\partial t} \Phi(t)}{2 \Phi(t)}$$

$$\sigma = 0$$

$$\begin{aligned} \kappa = & -\frac{i \sqrt{2} x^2 V_i(r)}{2(x^2 A(t, r) \Phi(t) + y^2 A(t, r) \Phi(t) - 2 x^2 \Phi(t) U(r) - 2 y^2 \Phi(t) U(r) + 4 y \Phi(t) V_i(r) - 4 x \Phi(t) V_r(r) - 2 A(t, r) \Phi(t))} \\ & + \frac{\sqrt{2} x y V_i(r)}{x^2 A(t, r) \Phi(t) + y^2 A(t, r) \Phi(t) - 2 x^2 \Phi(t) U(r) - 2 y^2 \Phi(t) U(r) + 4 y \Phi(t) V_i(r) - 4 x \Phi(t) V_r(r) - 2 A(t, r) \Phi(t)} \\ & + \frac{i \sqrt{2} y^2 V_i(r)}{2(x^2 A(t, r) \Phi(t) + y^2 A(t, r) \Phi(t) - 2 x^2 \Phi(t) U(r) - 2 y^2 \Phi(t) U(r) + 4 y \Phi(t) V_i(r) - 4 x \Phi(t) V_r(r) - 2 A(t, r) \Phi(t))} \\ & - \frac{\sqrt{2} x^2 V_r(r)}{2(x^2 A(t, r) \Phi(t) + y^2 A(t, r) \Phi(t) - 2 x^2 \Phi(t) U(r) - 2 y^2 \Phi(t) U(r) + 4 y \Phi(t) V_i(r) - 4 x \Phi(t) V_r(r) - 2 A(t, r) \Phi(t))} \\ & - \frac{i \sqrt{2} x y V_r(r)}{x^2 A(t, r) \Phi(t) + y^2 A(t, r) \Phi(t) - 2 x^2 \Phi(t) U(r) - 2 y^2 \Phi(t) U(r) + 4 y \Phi(t) V_i(r) - 4 x \Phi(t) V_r(r) - 2 A(t, r) \Phi(t)} \\ & + \frac{\sqrt{2} y^2 V_r(r)}{2(x^2 A(t, r) \Phi(t) + y^2 A(t, r) \Phi(t) - 2 x^2 \Phi(t) U(r) - 2 y^2 \Phi(t) U(r) + 4 y \Phi(t) V_i(r) - 4 x \Phi(t) V_r(r) - 2 A(t, r) \Phi(t))} \\ & - \frac{\sqrt{2} x U(r)}{x^2 A(t, r) \Phi(t) + y^2 A(t, r) \Phi(t) - 2 x^2 \Phi(t) U(r) - 2 y^2 \Phi(t) U(r) + 4 y \Phi(t) V_i(r) - 4 x \Phi(t) V_r(r) - 2 A(t, r) \Phi(t)} \\ & - \frac{i \sqrt{2} y U(r)}{x^2 A(t, r) \Phi(t) + y^2 A(t, r) \Phi(t) - 2 x^2 \Phi(t) U(r) - 2 y^2 \Phi(t) U(r) + 4 y \Phi(t) V_i(r) - 4 x \Phi(t) V_r(r) - 2 A(t, r) \Phi(t)} \\ & + \frac{i \sqrt{2} V_i(r)}{x^2 A(t, r) \Phi(t) + y^2 A(t, r) \Phi(t) - 2 x^2 \Phi(t) U(r) - 2 y^2 \Phi(t) U(r) + 4 y \Phi(t) V_i(r) - 4 x \Phi(t) V_r(r) - 2 A(t, r) \Phi(t)} \\ & - \frac{\sqrt{2} V_r(r)}{x^2 A(t, r) \Phi(t) + y^2 A(t, r) \Phi(t) - 2 x^2 \Phi(t) U(r) - 2 y^2 \Phi(t) U(r) + 4 y \Phi(t) V_i(r) - 4 x \Phi(t) V_r(r) - 2 A(t, r) \Phi(t)} \end{aligned}$$

$$\mu = -\frac{\sqrt{2} \frac{\partial}{\partial t} \Phi(t)}{2 \Phi(t)}$$

$$\lambda = 0$$

$$\begin{aligned}
\nu = & -\frac{i\sqrt{2}x^2V_i(r)}{2(x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t))} \\
& -\frac{\sqrt{2}xyV_i(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& +\frac{i\sqrt{2}y^2V_i(r)}{2(x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t))} \\
& +\frac{\sqrt{2}x^2V_r(r)}{2(x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t))} \\
& -\frac{i\sqrt{2}xyV_r(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& -\frac{\sqrt{2}y^2V_r(r)}{2(x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t))} \\
& +\frac{\sqrt{2}xU(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& -\frac{i\sqrt{2}yU(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& +\frac{i\sqrt{2}V_i(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& +\frac{\sqrt{2}V_r(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)}
\end{aligned}$$

$$\alpha = -\frac{\sqrt{2}x}{4\Phi(t)} + \frac{i\sqrt{2}y}{4\Phi(t)}$$

$$\beta = \frac{\sqrt{2}x}{4\Phi(t)} + \frac{i\sqrt{2}y}{4\Phi(t)}$$

$$\begin{aligned}
\tau = & \frac{i\sqrt{2}x^2V_i(r)}{2(x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t))} \\
& - \frac{\sqrt{2}xyV_i(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& - \frac{i\sqrt{2}y^2V_i(r)}{2(x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t))} \\
& + \frac{\sqrt{2}x^2V_r(r)}{2(x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t))} \\
& + \frac{i\sqrt{2}xyV_r(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& - \frac{\sqrt{2}y^2V_r(r)}{2(x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t))} \\
& + \frac{\sqrt{2}xU(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& + \frac{i\sqrt{2}yU(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& - \frac{i\sqrt{2}V_i(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& + \frac{\sqrt{2}V_r(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)}
\end{aligned}$$

$$\begin{aligned}
\pi = & \frac{i\sqrt{2}x^2V_i(r)}{2(x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t))} \\
& + \frac{\sqrt{2}xyV_i(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& - \frac{i\sqrt{2}y^2V_i(r)}{2(x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t))} \\
& - \frac{\sqrt{2}x^2V_r(r)}{2(x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t))} \\
& + \frac{i\sqrt{2}xyV_r(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& + \frac{\sqrt{2}y^2V_r(r)}{2(x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t))} \\
& - \frac{\sqrt{2}xU(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& + \frac{i\sqrt{2}yU(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& - \frac{i\sqrt{2}V_i(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)} \\
& - \frac{\sqrt{2}V_r(r)}{x^2A(t,r)\Phi(t) + y^2A(t,r)\Phi(t) - 2x^2\Phi(t)U(r) - 2y^2\Phi(t)U(r) + 4y\Phi(t)V_i(r) - 4x\Phi(t)V_r(r) - 2A(t,r)\Phi(t)}
\end{aligned}$$

$$\begin{aligned} \epsilon = & -\frac{x^2\Phi(t)\frac{\partial}{\partial t}A(t,r)}{2(\sqrt{2}x^2A(t,r)\Phi(t)+\sqrt{2}y^2A(t,r)\Phi(t)-2\sqrt{2}x^2\Phi(t)U(r)-2\sqrt{2}y^2\Phi(t)U(r)+4\sqrt{2}y\Phi(t)V_i(r)-4\sqrt{2}x\Phi(t)V_r(r)-2\sqrt{2}A(t,r)\Phi(t))}\\ & -\frac{y^2\Phi(t)\frac{\partial}{\partial t}A(t,r)}{2(\sqrt{2}x^2A(t,r)\Phi(t)+\sqrt{2}y^2A(t,r)\Phi(t)-2\sqrt{2}x^2\Phi(t)U(r)-2\sqrt{2}y^2\Phi(t)U(r)+4\sqrt{2}y\Phi(t)V_i(r)-4\sqrt{2}x\Phi(t)V_r(r)-2\sqrt{2}A(t,r)\Phi(t))}\\ & -\frac{x^2A(t,r)\frac{\partial}{\partial t}\Phi(t)}{2(\sqrt{2}x^2A(t,r)\Phi(t)+\sqrt{2}y^2A(t,r)\Phi(t)-2\sqrt{2}x^2\Phi(t)U(r)-2\sqrt{2}y^2\Phi(t)U(r)+4\sqrt{2}y\Phi(t)V_i(r)-4\sqrt{2}x\Phi(t)V_r(r)-2\sqrt{2}A(t,r)\Phi(t))}\\ & -\frac{y^2A(t,r)\frac{\partial}{\partial t}\Phi(t)}{2(\sqrt{2}x^2A(t,r)\Phi(t)+\sqrt{2}y^2A(t,r)\Phi(t)-2\sqrt{2}x^2\Phi(t)U(r)-2\sqrt{2}y^2\Phi(t)U(r)+4\sqrt{2}y\Phi(t)V_i(r)-4\sqrt{2}x\Phi(t)V_r(r)-2\sqrt{2}A(t,r)\Phi(t))}\\ & +\frac{x^2U(r)\frac{\partial}{\partial t}\Phi(t)}{\sqrt{2}x^2A(t,r)\Phi(t)+\sqrt{2}y^2A(t,r)\Phi(t)-2\sqrt{2}x^2\Phi(t)U(r)-2\sqrt{2}y^2\Phi(t)U(r)+4\sqrt{2}y\Phi(t)V_i(r)-4\sqrt{2}x\Phi(t)V_r(r)-2\sqrt{2}A(t,r)\Phi(t)}\\ & +\frac{y^2U(r)\frac{\partial}{\partial t}\Phi(t)}{\sqrt{2}x^2A(t,r)\Phi(t)+\sqrt{2}y^2A(t,r)\Phi(t)-2\sqrt{2}x^2\Phi(t)U(r)-2\sqrt{2}y^2\Phi(t)U(r)+4\sqrt{2}y\Phi(t)V_i(r)-4\sqrt{2}x\Phi(t)V_r(r)-2\sqrt{2}A(t,r)\Phi(t)}\\ & -\frac{2yV_i(r)\frac{\partial}{\partial t}\Phi(t)}{\sqrt{2}x^2A(t,r)\Phi(t)+\sqrt{2}y^2A(t,r)\Phi(t)-2\sqrt{2}x^2\Phi(t)U(r)-2\sqrt{2}y^2\Phi(t)U(r)+4\sqrt{2}y\Phi(t)V_i(r)-4\sqrt{2}x\Phi(t)V_r(r)-2\sqrt{2}A(t,r)\Phi(t)}\\ & +\frac{2xV_r(r)\frac{\partial}{\partial t}\Phi(t)}{\sqrt{2}x^2A(t,r)\Phi(t)+\sqrt{2}y^2A(t,r)\Phi(t)-2\sqrt{2}x^2\Phi(t)U(r)-2\sqrt{2}y^2\Phi(t)U(r)+4\sqrt{2}y\Phi(t)V_i(r)-4\sqrt{2}x\Phi(t)V_r(r)-2\sqrt{2}A(t,r)\Phi(t)}\\ & +\frac{\Phi(t)\frac{\partial}{\partial t}A(t,r)}{\sqrt{2}x^2A(t,r)\Phi(t)+\sqrt{2}y^2A(t,r)\Phi(t)-2\sqrt{2}x^2\Phi(t)U(r)-2\sqrt{2}y^2\Phi(t)U(r)+4\sqrt{2}y\Phi(t)V_i(r)-4\sqrt{2}x\Phi(t)V_r(r)-2\sqrt{2}A(t,r)\Phi(t)}\\ & +\frac{A(t,r)\frac{\partial}{\partial t}\Phi(t)}{\sqrt{2}x^2A(t,r)\Phi(t)+\sqrt{2}y^2A(t,r)\Phi(t)-2\sqrt{2}x^2\Phi(t)U(r)-2\sqrt{2}y^2\Phi(t)U(r)+4\sqrt{2}y\Phi(t)V_i(r)-4\sqrt{2}x\Phi(t)V_r(r)-2\sqrt{2}A(t,r)\Phi(t)} \end{aligned}$$

$$\begin{aligned}
\gamma = & \frac{x^2 \Phi(t) \frac{\partial}{\partial t} A(t, r)}{2 (\sqrt{2} x^2 A(t, r) \Phi(t) + \sqrt{2} y^2 A(t, r) \Phi(t) - 2 \sqrt{2} x^2 \Phi(t) U(r) - 2 \sqrt{2} y^2 \Phi(t) U(r) + 4 \sqrt{2} y \Phi(t) V_i(r) - 4 \sqrt{2} x \Phi(t) V_r(r) - 2 \sqrt{2} A(t, r) \Phi(t))} \\
& + \frac{y^2 \Phi(t) \frac{\partial}{\partial t} A(t, r)}{2 (\sqrt{2} x^2 A(t, r) \Phi(t) + \sqrt{2} y^2 A(t, r) \Phi(t) - 2 \sqrt{2} x^2 \Phi(t) U(r) - 2 \sqrt{2} y^2 \Phi(t) U(r) + 4 \sqrt{2} y \Phi(t) V_i(r) - 4 \sqrt{2} x \Phi(t) V_r(r) - 2 \sqrt{2} A(t, r) \Phi(t))} \\
& + \frac{x^2 A(t, r) \frac{\partial}{\partial t} \Phi(t)}{2 (\sqrt{2} x^2 A(t, r) \Phi(t) + \sqrt{2} y^2 A(t, r) \Phi(t) - 2 \sqrt{2} x^2 \Phi(t) U(r) - 2 \sqrt{2} y^2 \Phi(t) U(r) + 4 \sqrt{2} y \Phi(t) V_i(r) - 4 \sqrt{2} x \Phi(t) V_r(r) - 2 \sqrt{2} A(t, r) \Phi(t))} \\
& + \frac{y^2 A(t, r) \frac{\partial}{\partial t} \Phi(t)}{2 (\sqrt{2} x^2 A(t, r) \Phi(t) + \sqrt{2} y^2 A(t, r) \Phi(t) - 2 \sqrt{2} x^2 \Phi(t) U(r) - 2 \sqrt{2} y^2 \Phi(t) U(r) + 4 \sqrt{2} y \Phi(t) V_i(r) - 4 \sqrt{2} x \Phi(t) V_r(r) - 2 \sqrt{2} A(t, r) \Phi(t))} \\
& - \frac{x^2 U(r) \frac{\partial}{\partial t} \Phi(t)}{\sqrt{2} x^2 A(t, r) \Phi(t) + \sqrt{2} y^2 A(t, r) \Phi(t) - 2 \sqrt{2} x^2 \Phi(t) U(r) - 2 \sqrt{2} y^2 \Phi(t) U(r) + 4 \sqrt{2} y \Phi(t) V_i(r) - 4 \sqrt{2} x \Phi(t) V_r(r) - 2 \sqrt{2} A(t, r) \Phi(t)} \\
& - \frac{y^2 U(r) \frac{\partial}{\partial t} \Phi(t)}{\sqrt{2} x^2 A(t, r) \Phi(t) + \sqrt{2} y^2 A(t, r) \Phi(t) - 2 \sqrt{2} x^2 \Phi(t) U(r) - 2 \sqrt{2} y^2 \Phi(t) U(r) + 4 \sqrt{2} y \Phi(t) V_i(r) - 4 \sqrt{2} x \Phi(t) V_r(r) - 2 \sqrt{2} A(t, r) \Phi(t)} \\
& + \frac{2 y V_i(r) \frac{\partial}{\partial t} \Phi(t)}{\sqrt{2} x^2 A(t, r) \Phi(t) + \sqrt{2} y^2 A(t, r) \Phi(t) - 2 \sqrt{2} x^2 \Phi(t) U(r) - 2 \sqrt{2} y^2 \Phi(t) U(r) + 4 \sqrt{2} y \Phi(t) V_i(r) - 4 \sqrt{2} x \Phi(t) V_r(r) - 2 \sqrt{2} A(t, r) \Phi(t)} \\
& - \frac{2 x V_r(r) \frac{\partial}{\partial t} \Phi(t)}{\sqrt{2} x^2 A(t, r) \Phi(t) + \sqrt{2} y^2 A(t, r) \Phi(t) - 2 \sqrt{2} x^2 \Phi(t) U(r) - 2 \sqrt{2} y^2 \Phi(t) U(r) + 4 \sqrt{2} y \Phi(t) V_i(r) - 4 \sqrt{2} x \Phi(t) V_r(r) - 2 \sqrt{2} A(t, r) \Phi(t)} \\
& - \frac{\Phi(t) \frac{\partial}{\partial t} A(t, r)}{\sqrt{2} x^2 A(t, r) \Phi(t) + \sqrt{2} y^2 A(t, r) \Phi(t) - 2 \sqrt{2} x^2 \Phi(t) U(r) - 2 \sqrt{2} y^2 \Phi(t) U(r) + 4 \sqrt{2} y \Phi(t) V_i(r) - 4 \sqrt{2} x \Phi(t) V_r(r) - 2 \sqrt{2} A(t, r) \Phi(t)} \\
& - \frac{A(t, r) \frac{\partial}{\partial t} \Phi(t)}{\sqrt{2} x^2 A(t, r) \Phi(t) + \sqrt{2} y^2 A(t, r) \Phi(t) - 2 \sqrt{2} x^2 \Phi(t) U(r) - 2 \sqrt{2} y^2 \Phi(t) U(r) + 4 \sqrt{2} y \Phi(t) V_i(r) - 4 \sqrt{2} x \Phi(t) V_r(r) - 2 \sqrt{2} A(t, r) \Phi(t)}
\end{aligned}$$

Ricci Tensor Components

$$\begin{aligned}
\Phi_{00} = & \frac{x^2 \Phi(t) \frac{\partial}{\partial t} A(t, r) \frac{\partial}{\partial t} \Phi(t)}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{y^2 \Phi(t) \frac{\partial}{\partial t} A(t, r) \frac{\partial}{\partial t} \Phi(t)}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{x^2 A(t, r) \frac{\partial}{\partial t} \Phi(t)^2}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{y^2 A(t, r) \frac{\partial}{\partial t} \Phi(t)^2}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{x^2 U(r) \frac{\partial}{\partial t} \Phi(t)^2}{x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2} \\
& - \frac{y^2 U(r) \frac{\partial}{\partial t} \Phi(t)^2}{x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2} \\
& - \frac{x^2 A(t, r) \Phi(t) \frac{\partial^2}{(\partial t)^2} \Phi(t)}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{y^2 A(t, r) \Phi(t) \frac{\partial^2}{(\partial t)^2} \Phi(t)}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{x^2 \Phi(t) U(r) \frac{\partial^2}{(\partial t)^2} \Phi(t)}{x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2} \\
& + \frac{y^2 \Phi(t) U(r) \frac{\partial^2}{(\partial t)^2} \Phi(t)}{x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2} + \dots
\end{aligned}$$

$$\Phi_{01} = 0$$

$$\Phi_{02} = 0$$

$$\Phi_{10} = 0$$

$$\begin{aligned}
\Phi_{11} = & - \frac{x^2 \Phi(t)^2 \frac{\partial^2}{(\partial t)^2} A(t, r)}{4 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{y^2 \Phi(t)^2 \frac{\partial^2}{(\partial t)^2} A(t, r)}{4 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{x^2 \Phi(t) \frac{\partial}{\partial t} A(t, r) \frac{\partial}{\partial t} \Phi(t)}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{y^2 \Phi(t) \frac{\partial}{\partial t} A(t, r) \frac{\partial}{\partial t} \Phi(t)}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{x^2 A(t, r) \frac{\partial}{\partial t} \Phi(t)^2}{4 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{y^2 A(t, r) \frac{\partial}{\partial t} \Phi(t)^2}{4 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{x^2 U(r) \frac{\partial}{\partial t} \Phi(t)^2}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{y^2 U(r) \frac{\partial}{\partial t} \Phi(t)^2}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{x^2 A(t, r) \Phi(t) \frac{\partial^2}{(\partial t)^2} \Phi(t)}{4 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{y^2 A(t, r) \Phi(t) \frac{\partial^2}{(\partial t)^2} \Phi(t)}{4 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} + \dots
\end{aligned}$$

$$\Phi_{12} = 0$$

$$\Phi_{20} = 0$$

$$\Phi_{21} = 0$$

$$\begin{aligned}
\Phi_{22} = & \frac{x^2 \Phi(t) \frac{\partial}{\partial t} A(t, r) \frac{\partial}{\partial t} \Phi(t)}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{y^2 \Phi(t) \frac{\partial}{\partial t} A(t, r) \frac{\partial}{\partial t} \Phi(t)}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{x^2 A(t, r) \frac{\partial}{\partial t} \Phi(t)^2}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{y^2 A(t, r) \frac{\partial}{\partial t} \Phi(t)^2}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{x^2 U(r) \frac{\partial}{\partial t} \Phi(t)^2}{x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2} \\
& - \frac{y^2 U(r) \frac{\partial}{\partial t} \Phi(t)^2}{x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2} \\
& - \frac{x^2 A(t, r) \Phi(t) \frac{\partial^2}{(\partial t)^2} \Phi(t)}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{y^2 A(t, r) \Phi(t) \frac{\partial^2}{(\partial t)^2} \Phi(t)}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{x^2 \Phi(t) U(r) \frac{\partial^2}{(\partial t)^2} \Phi(t)}{x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2} \\
& + \frac{y^2 \Phi(t) U(r) \frac{\partial^2}{(\partial t)^2} \Phi(t)}{x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2} + \dots
\end{aligned}$$

$$\begin{aligned}
\Lambda = & \frac{x^2 \Phi(t)^2 \frac{\partial^2}{(\partial t)^2} A(t, r)}{12 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{y^2 \Phi(t)^2 \frac{\partial^2}{(\partial t)^2} A(t, r)}{12 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{x^2 \Phi(t) \frac{\partial}{\partial t} A(t, r) \frac{\partial}{\partial t} \Phi(t)}{3 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{y^2 \Phi(t) \frac{\partial}{\partial t} A(t, r) \frac{\partial}{\partial t} \Phi(t)}{3 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{x^2 A(t, r) \frac{\partial}{\partial t} \Phi(t)^2}{4 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{y^2 A(t, r) \frac{\partial}{\partial t} \Phi(t)^2}{4 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{x^2 U(r) \frac{\partial}{\partial t} \Phi(t)^2}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{y^2 U(r) \frac{\partial}{\partial t} \Phi(t)^2}{2 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{x^2 A(t, r) \Phi(t) \frac{\partial^2}{(\partial t)^2} \Phi(t)}{4 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{y^2 A(t, r) \Phi(t) \frac{\partial^2}{(\partial t)^2} \Phi(t)}{4 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} - \dots
\end{aligned}$$

Weyl Tensor Components

$$\Psi_0 = 0$$

$$\Psi_1 = 0$$

$$\begin{aligned}
\Psi_2 = & - \frac{x^2 \Phi(t)^2 \frac{\partial^2}{(\partial t)^2} A(t, r)}{6 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{y^2 \Phi(t)^2 \frac{\partial^2}{(\partial t)^2} A(t, r)}{6 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{x^2 \Phi(t) \frac{\partial}{\partial t} A(t, r) \frac{\partial}{\partial t} \Phi(t)}{6 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{y^2 \Phi(t) \frac{\partial}{\partial t} A(t, r) \frac{\partial}{\partial t} \Phi(t)}{6 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{x^2 A(t, r)}{3 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{y^2 A(t, r)}{3 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{x^2 U(r)}{3 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{y^2 U(r)}{3 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{\Phi(t)^2 \frac{\partial^2}{(\partial t)^2} A(t, r)}{3 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{\Phi(t) \frac{\partial}{\partial t} A(t, r) \frac{\partial}{\partial t} \Phi(t)}{3 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& - \frac{2 A(t, r)}{3 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)} \\
& + \frac{2 U(r)}{3 \left(x^2 A(t, r) \Phi(t)^2 + y^2 A(t, r) \Phi(t)^2 - 2 x^2 \Phi(t)^2 U(r) - 2 y^2 \Phi(t)^2 U(r) + 4 y \Phi(t)^2 V_i(r) - 4 x \Phi(t)^2 V_r(r) - 2 A(t, r) \Phi(t)^2 \right)}
\end{aligned}$$

$$\Psi_3 = 0$$

$$\Psi_4 = 0$$

Newman-Penrose Equations

Equations are vanished.

Bianchi Identities

Equations are vanished.

Petrov Type

Type " D "