Execution Environment

Host name user - DESKTOP-MMGTPVS

Local OS Windows 10 64bit

Katalon version 8.5.5.208

Browser Chrome 107.0.0.0

Summary

ID Test Suites/Geo Local

Description

 Total
 71

 Passed
 17
 Failed
 54

 Error
 0
 Incomplete
 0

 Skipped
 0

Start 2023-05-30 11:03:09 End 2023-05-30 11:46:10

Elapsed 43m - 0.542s

#	ID	Description	Status
1	Test Cases/Geo Location/TC_GeoLocal_01	Verify "Geo location" popup gets displayed along with Allow and block buttons on accessing the first time	PASSED
2	Test Cases/Geo Location/TC_GeoLocal_02	Verify "Selecciona tu tienda" popup gets display with listed store on clicking allow button in geo local popup	PASSED
3	Test Cases/Geo Location/TC_GeoLocal_03	Verify user able to select the favorite store and selected store gets display at the header	PASSED
4	Test Cases/Geo Location/TC_GeoLocal_04	Verify "Selecciona tu tienda" link gets displayed at the header level of home page	PASSED
5	Test Cases/Geo Location/TC_GeoLocal_05	Verify "select your store" popup should gets display on clicking "select your store" link at the header	PASSED
6	Test Cases/Geo Location/TC_GeoLocal_06	Verify Use my location, Search text box (Zipcode,State,City and Store Name) and Acceptar button gets displayed in Select your store popup	PASSED
7	Test Cases/Geo Location/TC_GeoLocal_07	Verify that store gets listed when user search by (Zipcode,State,City and Store Name) in Select your store popup and selected store gets display at the header	PASSED
8	Test Cases/Geo Location/TC_GeoLocal_08	Verify stores gets listed on clicking "Use my actual location" link in Select your store popup and selected store gets display at the header	PASSED
9	Test Cases/Geo Location/TC_GeoLocal_09	Verify "see details" link gets display under listed store names in select your store popup and on clicking store details popup gets display	PASSED
10	Test Cases/Geo Location/TC_GeoLocal_10	Verify error message gets on entering invalid CP code / City / Store name in search text box of select your store popup	PASSED
11	Test Cases/Geo Location/TC_GeoLocal_11_otp_required	Verify selected favorite store gets added once user doesn't have favorite store logged into the account	PASSED

#	ID	Description	Status
12	Test Cases/Geo Location/TC_GeoLocal_12_otp_required	Verify selected favorite store gets added once user creates new account	PASSED
13	Test Cases/Geo Location/TC_GeoLocal_13_otp_required	Verify default store gets added as favorite store if user doesn't have favorite store	PASSED
14	Test Cases/Geo Location/TC_GeoLocal_14	Verify flash filters section gets display when user selects favourite store in PLP	FAILED
15	Test Cases/Geo Location/TC_GeoLocal_15	Verify flash filters section gets display in PLP when user have favourite store and default address in profile	FAILED
16	Test Cases/Geo Location/TC_GeoLocal_16	Verify items with pickup express delivery flag gets display on selecting "Recoge express" filter checkbox in PLP	FAILED
17	Test Cases/Geo Location/TC_GeoLocal_17	Verify items with home express delivery flag gets display on selecting "Envio express" filter checkbox in PLP	FAILED
18	Test Cases/Geo Location/TC_GeoLocal_18	Verify items with pickup & home express delivery flag gets display on selecting both checkbox under flash filter in PLP	FAILED
19	Test Cases/Geo Location/TC_GeoLocal_19	Verify express delivery flags gets updated and display iin PLP as per availability on updating favorite store or default address in profile.	FAILED
20	Test Cases/Geo Location/TC_GeoLocal_20	Verify delivery flag gets display same for the item in PLP and cart	FAILED
21	Test Cases/Geo Location/TC_GeoLocal_21	Verify "click and collect" and "ship home to" delivery section gets display in PDP	FAILED
22	Test Cases/Geo Location/TC_GeoLocal_22	Verify "Pickup at store"delivery flag with "select your store" link gets display under click and collect delivery section	FAILED
23	Test Cases/Geo Location/TC_GeoLocal_23	Verify "select your store" popup gets display on clicking "select your store" link under click and collect delivery section in PDP	FAILED
24	Test Cases/Geo Location/TC_GeoLocal_24	Verify user able to select the favorite store from selecy your store popup then selected store gets display at the header and click & collect delivery section in PDP	FAILED
25	Test Cases/Geo Location/TC_GeoLocal_25	Verify delivery flag that depends on availability with "view other store" link, EDD and comprar button gets display under click and collect delivery section	FAILED
26	Test Cases/Geo Location/TC_GeoLocal_26	Verify "view other store" popup gets display on clicking "view other store" link under click & collect delivery section	FAILED
27	Test Cases/Geo Location/TC_GeoLocal_27	Verify store with available quantity gets display on searching with CP code, city or store name "view other store" popup	FAILED
28	Test Cases/Geo Location/TC_GeoLocal_28	Verify delivery flag and EDD gets updated depends on availability once user change the favourite store in PDP	FAILED
29	Test Cases/Geo Location/TC_GeoLocal_29	Verify "Receive at home" delivery flag with "Enter the zip code" link gets display under "ship home to" delivery section	FAILED
30	Test Cases/Geo Location/TC_GeoLocal_30	Verify "Enter the zip code" popup gets display on clicking "Enter the zip code" link under "ship home to" delivery section	FAILED

#	ID	Description	Status
31	Test Cases/Geo Location/TC_GeoLocal_31_otp_required	Verify entered CP code in "Enter the zip code" popup, delivery flag, change direction link, EDD and comprar button gets display under "ship home to" delivery section	PASSED
32	Test Cases/Geo Location/TC_GeoLocal_32_otp_required	Verify change direction popup gets display on clicking "change direction" link under "ship home to" delivery section	PASSED
33	Test Cases/Geo Location/TC_GeoLocal_33_otp_required	Verify delivery flag and EDD gets updated depends on availability once user change the CP code using change direction link under "ship home to" delivery section	PASSED
34	Test Cases/Geo Location/TC_GeoLocal_34	Verify default address gets display under "ship home to" delivery section once user adds default address to profile	FAILED
35	Test Cases/Geo Location/TC_GeoLocal_35	Verify default address gets display with my direction tag in change direction popup	FAILED
36	Test Cases/Geo Location/TC_GeoLocal_36	Verify saved address gets listed in change direction popup and on selecting, it gets displayed in "ship home to" delivery section	FAILED
37	Test Cases/Geo Location/TC_GeoLocal_38	Verify delivery flag and EDD gets updated depends on availability once user change the address using change direction link under "ship home to" delivery section	FAILED
38	Test Cases/Geo Location/TC_GeoLocal_39	Verify "ship home to" delivery section alone gets display for BT item	FAILED
39	Test Cases/Geo Location/TC_GeoLocal_40	Verify "ship home to" delivery section along with store details gets display for BT item	FAILED
40	Test Cases/Geo Location/TC_GeoLocal_41	Verify express delivery flag is not applicable for BT item	FAILED
41	Test Cases/Geo Location/TC_GeoLocal_42	Verify "click & collect" and "ship home to" delivery section gets display for each associated product of collection item	FAILED
42	Test Cases/Geo Location/TC_GeoLocal_45	Verify EDD gets display for the added SL item in cart	FAILED
43	Test Cases/Geo Location/TC_GeoLocal_46	Verify EDD gets display for the added collection item in cart	FAILED
44	Test Cases/Geo Location/TC_GeoLocal_47	Verify EDD gets display for the added BT item in cart	FAILED
45	Test Cases/Geo Location/TC_GeoLocal_48	Verify EDD gets display for the added GWP item in cart	FAILED
46	Test Cases/Geo Location/TC_GeoLocal_49	Verify EDD gets display for the added MKP item in cart	FAILED
47	Test Cases/Geo Location/TC_GeoLocal_50_Gift	Verify EDD not gets displayed for the added gift registry / Digital / Pre-sale / Special item in cart	PASSED
48	Test Cases/Geo Location/TC_GeoLocal_51	Verify "More delivery option" link gets display for the added item in cart	FAILED
49	Test Cases/Geo Location/TC_GeoLocal_52	Verify "More delivery option" link not gets display for the added BT item in cart	FAILED
50	Test Cases/Geo Location/TC_GeoLocal_53	Verify "More delivery option" popup gets display on clicking "More delivery option" link for the added item in cart	FAILED

#	ID	Description	Status
51	Test Cases/Geo Location/TC_GeoLocal_54	Verify click & collect and ship home to delivery section gets display in "More delivery option" popup	FAILED
52	Test Cases/Geo Location/TC_GeoLocal_55	Verify EDD gets display under click & collect and ship home to delivery section in "More delivery option" popup as same as PDP	FAILED
53	Test Cases/Geo Location/TC_GeoLocal_57	Verify EDD and more delivery option link gets display after moving the item from saved section	FAILED
54	Test Cases/Geo Location/TC_GeoLocal_59	Verify "My store: XXX" link gets displayed at the header level of cart page	FAILED
55	Test Cases/Geo Location/TC_GeoLocal_60	Verify EDD gets display for the added SL item in OPC	FAILED
56	Test Cases/Geo Location/TC_GeoLocal_61	Verify EDD gets display for the added collection item in OPC	FAILED
57	Test Cases/Geo Location/TC_GeoLocal_62	Verify EDD gets display for the added BT item in OPC	FAILED
58	Test Cases/Geo Location/TC_GeoLocal_63	Verify EDD gets display for the added GWP item in OPC	FAILED
59	Test Cases/Geo Location/TC_GeoLocal_64	Verify EDD gets display for the added MKP item in OPC	FAILED
60	Test Cases/Geo Location/TC_GeoLocal_65_Update	Verify EDD not gets displayed for the added gift registry / Digital / Pre-sale / Special item in OPC	FAILED
61	Test Cases/Geo Location/TC_GeoLocal_66		FAILED
62	Test Cases/Geo Location/TC_GeoLocal_67	Verify EDD gets updated on changing to home delivery from click & collect address	FAILED
63	Test Cases/Geo Location/TC_GeoLocal_68	Verify EDD gets updated on changing to click & collect address from home delivery	FAILED
64	Test Cases/Geo Location/TC_GeoLocal_69		FAILED
65	Test Cases/Geo Location/TC_GeoLocal_70	Verify EDD gets displayed when user navigates to OPC through express checkout after selecting comprar in click and collect delivery section	FAILED
66	Test Cases/Geo Location/TC_GeoLocal_71	Verify EDD gets displayed when user navigates to OPC through express checkout after selecting comprar in home address delivery section	FAILED
67	Test Cases/Geo Location/TC_GeoLocal_72		FAILED
68	Test Cases/Geo Location/TC_GeoLocal_73	Verify user can update the address on clicking add address link in OPC	FAILED
69	Test Cases/Geo Location/TC_GeoLocal_74	Verify EDD when user update the quantity of line item in OPC	FAILED
70	Test Cases/Geo Location/TC_GeoLocal_75		FAILED
71	Test Cases/Geo Location/TC_GeoLocal_76		FAILED

Information

ID Test Cases/Geo Location/TC_GeoLocal_01

Description Verify "Geo location" popup gets displayed along with Allow and block buttons on accessing the first time

Tag

Start 2023-05-30 11:03:10 End 2023-05-30 11:03:10

Elapsed 0.718s
Status PASSED

#	Description	Elapsed	Status
1	return null	0.002s	PASSED

Information

ID Test Cases/Geo Location/TC_GeoLocal_02

Description Verify "Selecciona tu tienda" popup gets display with listed store on clicking allow button in geo local popup

Tag

Start 2023-05-30 11:03:10 End 2023-05-30 11:03:11

Elapsed 0.677s
Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") NOT_RUN: openBrowser("")	0.007s	NOT_RUN
2	navigateToUrl(LiverPoolURL) NOT_RUN: navigateToUrl(LiverPoolURL)	0.002s	NOT_RUN
3	click(findTestObject("Object Repository/Page_Liverpool es parte de Mi vida/span_Selecciona tu tienda")) NOT_RUN: click(findTestObject("Object Repository/Page_Liverpool es parte de Mi vida/span_Selecciona tu tienda"))	0.001s	NOT_RUN
4	click(findTestObject("Object Repository/Page_Liverpool es parte de Mi vida/button_Buscar")) NOT_RUN: click(findTestObject("Object Repository/Page_Liverpool es parte de Mi vida/button_Buscar"))	0.003s	NOT_RUN
5	click(findTestObject("Object Repository/Page_Liverpool es parte de Mi vida/span_Buscar por mi ubicacin actual"))	0.002s	NOT_RUN

NOT_RUN: click(findTestObject("Object Repository/Page_Liverpool es parte de Mi

vida/span_Buscar por mi ubicacin actual"))

#	Description	Elapsed	Status
6	verifyElementPresent(findTestObject("Object Repository/Page_Liverpool es parte de Mi vida/button_Estado"), 0)	0.004s	NOT_RUN
	NOT_RUN: verifyElementPresent(findTestObject("Object Repository/Page_Liverpool es parte de Mi vida/button_Estado"), 0)		

Information

ID Test Cases/Geo Location/TC_GeoLocal_03

Description Verify user able to select the favorite store and selected store gets display at the header

Tag

Start 2023-05-30 11:03:11 End 2023-05-30 11:04:03

Elapsed 51.538s Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("")	4.849s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(liverPoolURL_Odtaqad)	38.359s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	verifyElementPresent(findTestObject("Object Repository/HomePageShubhum/SelectStore_hp"), 0)	0.594s	PASSED
	Object 'Object Repository/HomePageShubhum/SelectStore_hp' is present		
4	click(findTestObject("HomePageShubhum/SelectStore_hp"))	0.835s	PASSED
	Object: 'Object Repository/HomePageShubhum/SelectStore_hp' is clicked on		
5	click(findTestObject("HomePageShubhum/SelectStateLocationPoup_hp"))	0.635s	PASSED
	Object: 'Object Repository/HomePageShubhum/SelectStateLocationPoup_hp' is clicked on		
6	click(findTestObject("HomePageShubhum/SelectState_popup_hp"))	0.784s	PASSED
	Object: 'Object Repository/HomePageShubhum/SelectState_popup_hp' is clicked on		
7	click(findTestObject("HomePageShubhum/ChooseState_List_hp"))	1.880s	PASSED

Object: 'Object Repository/HomePageShubhum/ChooseState_List_hp' is clicked on

#	Description	Elapsed	Status
8	click(findTestObject("HomePageShubhum/SelectStoreByState_hp_"))	1.263s	PASSED
	Object: 'Object Repository/HomePageShubhum/SelectStoreByState_hp_' is clicked on		
9	verifyElementPresent(findTestObject("HomePageShubhum/FavStore_hp"), 0)	0.952s	PASSED
	Object 'Object Repository/HomePageShubhum/FavStore_hp' is present		
10	closeBrowser()	0.963s	PASSED
	Browser is closed		

Information

ID Test Cases/Geo Location/TC_GeoLocal_04

Description Verify "Selecciona tu tienda" link gets displayed at the header level of home page

Tag

Start 2023-05-30 11:04:03 End 2023-05-30 11:04:57

Elapsed 54.441s
Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.808s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	51.732s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	verifyElementPresent(findTestObject("Object Repository/HomePageShubhum/SelectStore_hp"), 0)	0.424s	PASSED

Object 'Object Repository/HomePageShubhum/SelectStore_hp' is present

Information

ID Test Cases/Geo Location/TC_GeoLocal_05

Description Verify "select your store" popup should gets display on clicking "select your store" link at the header

Tag

Start 2023-05-30 11:04:57 End 2023-05-30 11:05:40

Elapsed 42.926s Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.640s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	36.975s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	verifyElementPresent(findTestObject("Object Repository/HomePageShubhum/SelectStore_hp"), 0)	0.421s	PASSED
	Object 'Object Repository/HomePageShubhum/SelectStore_hp' is present		
4	click(findTestObject("HomePageShubhum/SelectStore_hp"))	0.950s	PASSED
	Object: 'Object Repository/HomePageShubhum/SelectStore_hp' is clicked on		
5	verifyElementPresent(findTestObject("HomePageShubhum/SelectStorePopup_hp"), 0)	1.477s	PASSED

 $Object\ 'Object\ Repository/HomePageShubhum/SelectStorePopup_hp'\ is\ present$

Information

ID Test Cases/Geo Location/TC_GeoLocal_06

Description Verify Use my location, Search text box (Zipcode,State,City and Store Name) and Acceptar button gets

displayed in Select your store popup

Tag

Start 2023-05-30 11:05:40 End 2023-05-30 11:06:19

Elapsed 38.377s
Status PASSED

Browser is closed

#	Description	Elapsed	Status
1	openBrowser("")	2.664s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	33.086s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	verifyElementPresent(findTestObject("Object Repository/HomePageShubhum/SelectStore_hp"), 0)	0.516s	PASSED
	Object 'Object Repository/HomePageShubhum/SelectStore_hp' is present		
4	click(findTestObject("HomePageShubhum/SelectStore_hp"))	0.635s	PASSED
	Object: 'Object Repository/HomePageShubhum/SelectStore_hp' is clicked on		
5	closeBrowser()	0.957s	PASSED

Information

ID Test Cases/Geo Location/TC_GeoLocal_07

Description Verify that store gets listed when user search by (Zipcode, State, City and Store Name) in Select your store popup

and selected store gets display at the header

Object: 'Object Repository/HomePageShubhum/ChooseState_List_hp' is clicked on

Tag

Start 2023-05-30 11:06:19 End 2023-05-30 11:07:16

Elapsed 57.534s
Status PASSED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.753s	PASSED
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	46.868s	PASSED
3	verifyElementPresent(findTestObject("Object Repository/HomePageShubhum/SelectStore_hp"), 0) Object 'Object Repository/HomePageShubhum/SelectStore_hp' is present	0.451s	PASSED
4	click(findTestObject("HomePageShubhum/SelectStore_hp")) Object: 'Object Repository/HomePageShubhum/SelectStore_hp' is clicked on	0.692s	PASSED
5	click(findTestObject("HomePageShubhum/SelectStateLocationPoup_hp")) Object: 'Object Repository/HomePageShubhum/SelectStateLocationPoup_hp' is clicked on	1.036s	PASSED
6	click(findTestObject("HomePageShubhum/SelectState_popup_hp")) Object: 'Object Repository/HomePageShubhum/SelectState_popup_hp' is clicked on	0.536s	PASSED
7	click(findTestObject("HomePageShubhum/ChooseState_List_hp"))	1.498s	PASSED

#	Description	Elapsed	Status
8	click(findTestObject("HomePageShubhum/SeeDetails_hp"))	1.963s	PASSED
	Object: 'Object Repository/HomePageShubhum/SeeDetails_hp' is clicked on		
9	$verify Element Present (find Test Object ("Home Page Shubhum / Verify Store Info_hp"), \ 0) \\$	1.375s	PASSED
	Object 'Object Repository/HomePageShubhum/VerifyStoreInfo_hp' is present		
10	closeBrowser()	0.845s	PASSED
	Browser is closed		

Information

ID Test Cases/Geo Location/TC_GeoLocal_08

Description Verify stores gets listed on clicking "Use my actual location" link in Select your store popup and selected store

gets display at the header

Tag

Start 2023-05-30 11:07:16 End 2023-05-30 11:07:39

Elapsed 22.914s
Status PASSED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.799s	PASSED
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	15.373s	PASSED
3	verifyElementPresent(findTestObject("Object Repository/HomePageShubhum/SelectStore_hp"), 0) Object 'Object Repository/HomePageShubhum/SelectStore_hp' is present	1.128s	PASSED
4	click(findTestObject("HomePageShubhum/SelectStore_hp")) Object: 'Object Repository/HomePageShubhum/SelectStore_hp' is clicked on	0.751s	PASSED
5	verifyElementPresent(findTestObject("HomePageShubhum/SelectStorePopup_hp"), 0) Object 'Object Repository/HomePageShubhum/SelectStorePopup_hp' is present	1.475s	PASSED
6	click(findTestObject("HomePageShubhum/CurrentLocation_hp")) Object: 'Object Repository/HomePageShubhum/CurrentLocation_hp' is clicked on	0.541s	PASSED

#	Description	Elapsed	Status
7	$verify Element Present (find Test Object ("Home Page Shubhum/Alert Message Current Location_hp"), 0)\\$	0.475s	PASSED
	Object 'Object Repository/HomePageShubhum/AlertMessageCurrentLocation_hp' is present		
8	closeBrowser()	0.860s	PASSED
	Browser is closed		

Information

ID Test Cases/Geo Location/TC_GeoLocal_09

Description Verify "see details" link gets display under listed store names in select your store popup and on clicking store

details popup gets display

Tag

Start 2023-05-30 11:07:39 End 2023-05-30 11:08:06

Elapsed 26.632s Status PASSED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.752s	PASSED
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	16.882s	PASSED
3	click(findTestObject("HomePageShubhum/SelectStore_hp")) Object: 'Object Repository/HomePageShubhum/SelectStore_hp' is clicked on	0.796s	PASSED
4	click(findTestObject("HomePageShubhum/SelectStateLocationPoup_hp")) Object: 'Object Repository/HomePageShubhum/SelectStateLocationPoup_hp' is clicked on	1.551s	PASSED
5	click(findTestObject("HomePageShubhum/SelectState_popup_hp")) Object: 'Object Repository/HomePageShubhum/SelectState_popup_hp' is clicked on	0.602s	PASSED
6	click(findTestObject("HomePageShubhum/ChooseState_List_hp")) Object: 'Object Repository/HomePageShubhum/ChooseState_List_hp' is clicked on	1.375s	PASSED
7	click(findTestObject("HomePageShubhum/SeeDetails_hp")) Object: 'Object Repository/HomePageShubhum/SeeDetails_hp' is clicked on	1.263s	PASSED

#	Description	Elapsed	Status
8	verifyElementPresent(findTestObject("HomePageShubhum/VerifyStoreInfo_hp"), 0)	0.934s	PASSED
	Object 'Object Repository/HomePageShubhum/VerifyStoreInfo_hp' is present		
9	closeBrowser()	0.902s	PASSED

Browser is closed

Information

ID Test Cases/Geo Location/TC_GeoLocal_10

Description Verify error message gets on entering invalid CP code / City / Store name in search text box of select your store

popup

Tag

Start 2023-05-30 11:08:06 End 2023-05-30 11:08:28

Elapsed 21.847s Status PASSED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.767s	PASSED
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	13.809s	PASSED
3	verifyElementPresent(findTestObject("Object Repository/HomePageShubhum/SelectStore_hp"), 0) Object 'Object Repository/HomePageShubhum/SelectStore_hp' is present	0.644s	PASSED
4	click(findTestObject("HomePageShubhum/SelectStore_hp")) Object: 'Object Repository/HomePageShubhum/SelectStore_hp' is clicked on	0.690s	PASSED
5	click(findTestObject("HomePageShubhum/StoreOrZipCity_hp")) Object: 'Object Repository/HomePageShubhum/StoreOrZipCity_hp' is clicked on	1.738s	PASSED
6	setText(findTestObject("HomePageShubhum/StoreOrZipCity_hp"), "La Pazu") Text 'La Pazu' is set on object 'Object Repository/HomePageShubhum/StoreOrZipCity_hp'	1.055s	PASSED

#	Description	Elapsed	Status
7	$verify Element Present (find Test Object ("Home Page Shubhum/Alert Message Current Location_hp"), \ 0) \\$	0.652s	PASSED
	Object 'Object Repository/HomePageShubhum/AlertMessageCurrentLocation_hp' is present		
8	closeBrowser()	1.020s	PASSED
	Browser is closed		

TC_GeoLocal_11_otp_required

Information

ID Test Cases/Geo Location/TC_GeoLocal_11_otp_required

Description Verify selected favorite store gets added once user doesn't have favorite store logged into the account

Tag

Start 2023-05-30 11:08:28 End 2023-05-30 11:08:28

Elapsed 0.403s Status PASSED

#	Description	Elapsed	Status
1	return null	0.001s	PASSED

TC_GeoLocal_12_otp_required

Information

ID Test Cases/Geo Location/TC_GeoLocal_12_otp_required

Description Verify selected favorite store gets added once user creates new account

Tag

Start 2023-05-30 11:08:28 End 2023-05-30 11:08:28

Elapsed 0.378s
Status PASSED

#	Description	Elapsed	Status
1	return null	0.001s	PASSED

TC_GeoLocal_13_otp_required

Information

ID Test Cases/Geo Location/TC_GeoLocal_13_otp_required

Description Verify default store gets added as favorite store if user doesn't have favorite store

Tag

Start 2023-05-30 11:08:28 End 2023-05-30 11:08:29

Elapsed 0.346s Status PASSED

#	Description	Elapsed	Status
1	return null	0.001s	PASSED

Information

ID Test Cases/Geo Location/TC_GeoLocal_14

Description Verify flash filters section gets display when user selects favourite store in PLP

Tag

Start 2023-05-30 11:08:29 End 2023-05-30 11:09:12

Elapsed 42.999s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.700s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	8.913s	PASSED
3	maximizeWindow()	0.246s	PASSED

Current window maximized

# Description	Elapsed	Status
4 click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.761s	FAILED
	0111010	1711223
Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root		
cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
'Object Repository/HomePageShubhum/Iniciar sesión_hp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:620)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call		
(Unknown Source)		
at TC_GeoLocal_14.run(TC_GeoLocal_14:26)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div		
[5]/span' not found		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
(WebUiCommonHelper.java:1370)		
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
doCall(ClickKeyword.groovy:65)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
(ClickKeyword.groovy)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:20)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		

```
# Description

groovy:74)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
    at Script1680607066515.run(Script1680607066515.groovy:26)
    ... 13 more
)
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_15

Description Verify flash filters section gets display in PLP when user have favourite store and default address in profile

Tag

Start 2023-05-30 11:09:12 End 2023-05-30 11:10:02

Elapsed 50.055s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.919s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	34.815s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.544s	PASSED

Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on

Description	Elapsed	Status
callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	10.654s	FAILED
Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Cases/CommonMethods/loginFromHomePage' failed at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)		
at TC_GeoLocal_15.run(TC_GeoLocal_15:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
'Object Repository/HomePageShubhum/action' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		

Elapsed

Status

```
Description
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:51774}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: e013f86c603f38c403e2b988afb0d81a
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:
```

```
Description
                                                                                                Elapsed
                                                                                                                  Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_16

Description Verify items with pickup express delivery flag gets display on selecting "Recoge express" filter checkbox in PLP

Tag

Start 2023-05-30 11:10:02 End 2023-05-30 11:10:32

Elapsed 29.957s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	3.165s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	18.131s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.418s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.891s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

#	Description	Elapsed	Status
5	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	6.628s	FAILED
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at TC_GeoLocal_16.run(TC_GeoLocal_16:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/action' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		

execute Keyword For Platform (Keyword Executor. groovy: 74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:51917}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: d158b4bb368ff8bada8fb988324f5785
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
```

at org.openga.selenium.support.events.

EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_17

Description Verify items with home express delivery flag gets display on selecting "Envio express" filter checkbox in PLP

Tag

Start 2023-05-30 11:10:32 End 2023-05-30 11:11:53

Elapsed 1m - 20.705s

Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	3.316s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	1m - 5.989s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.345s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.975s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

Descr	ption	Elapsed	Status
	stCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": ame, "password":Password], STOP_ON_FAILURE)	9.289s	FAILED
	e to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
	ms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Cases	/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin.		
CallTe	stCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
CallTe	stCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keyw	ordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallT	estCaseKeyword.groovy:81)		
•	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallT	estCaseKeyword.groovy:44)		
•	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execu	reKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
roov\	7:334)		
, , , , , ,	at TC_GeoLocal_17.run(TC_GeoLocal_17:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
ava:1			
iva. i	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
iva:4			
ava. 4	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
iva:4			
va.4			
CootC	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
esic	CaseExecutor.java:418)		
T40	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
restC	CaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
ava:2			
(at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
Comr	nonExecutor.java:65)		
-	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
restS	fuiteExecutor.java:151)		
100)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source			
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
Cause	d by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
'Objec	t Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(Webl	JIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(Webl	JIKeywordMain.groovy:26)		
,	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy			
J . J	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(Click	(eyword.groovy:40)		
,	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execu	reKeywordForPlatform(KeywordExecutor.groovy:74)		
2000	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	at 55thomataromooformoodintoy words words only		

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:52031}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 57392f3bc784a24ff1580f5984840cd2
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
```

EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_18

Description Verify items with pickup & home express delivery flag gets display on selecting both checkbox under flash filter in

PLP

Tag

Start 2023-05-30 11:11:53 End 2023-05-30 11:12:28

Elapsed 35.109s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.668s	PASSED
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	17.201s	PASSED
3	maximizeWindow() Current window maximized	0.634s	PASSED
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp")) Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on	0.796s	PASSED

#	Description	Elapsed	Status
5	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	12.917s	FAILED
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.linternal.ReywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334)		
	at TC_GeoLocal_18.run(TC_GeoLocal_18:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/HomePageShubhum/action' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		

executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:52231}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 14d10dc326ddcb2b3f38657a7f0552d0
          at\ or g. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
```

at org.openga.selenium.support.events.

EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_19

Description Verify express delivery flags gets updated and display iin PLP as per availability on updating favorite store or

default address in profile.

Tag

Start 2023-05-30 11:12:28 End 2023-05-30 11:13:09

Elapsed 40.955s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.567s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	6.139s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.162s	PASSED

Current window maximized

#	Description	Elapsed	Status
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.519s	FAILED
•	olion(line roote bject (riother agestrashani/milotal cocion_np //	01.0100	1711220
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root		
	cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/HomePageShubhum/Iniciar sesión_hp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call		
	(Unknown Source) at TC_GeoLocal_19.run(TC_GeoLocal_19:26)		
	at ro_geococai_19.run(ro_geococai_19.20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1370)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		

```
groovy:74)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
at Script1680607133653.run(Script1680607133653.groovy:26)
... 13 more
)
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_20

Description Verify delivery flag gets display same for the item in PLP and cart

Tag

Start 2023-05-30 11:13:09 End 2023-05-30 11:13:52

Elapsed 43.272s
Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.689s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	8.001s	PASSED
3	maximizeWindow()	0.165s	PASSED

Current window maximized

Description	Elapsed	Status
click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.713s	FAILED
Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root		
cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)		
at TC_GeoLocal_20.run(TC_GeoLocal_20:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
$at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)$		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase	;	
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java	a:	
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36))	
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div	•	
[5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
(WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
findWebElement(WebUIAbstractKeyword.groovy:27)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)	u.	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.cal (ClickKeyword.groovy)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		

```
# Description

groovy:74)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
    at Script1680607140805.run(Script1680607140805.groovy:26)
    ... 13 more
)
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_21

Description Verify "click and collect" and "ship home to" delivery section gets display in PDP

Tag

Start 2023-05-30 11:13:52 End 2023-05-30 11:14:33

Elapsed 41.337s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.509s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	6.410s	PASSED
3	navigateToUrl(LiverpoolProduction)	0.002s	NOT_RUN

NOT_RUN: navigateToUrl(LiverpoolProduction)

#	Description	Elancad	Status
#	Description	Elapsed	Status
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.629s	FAILED
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root		
	cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/HomePageShubhum/Iniciar sesión_hp'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call		
	(Unknown Source)		
	at TC_GeoLocal_21.run(TC_GeoLocal_21:26)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div		
	[5]/span' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1370)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		

```
groovy:74)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
at Script1680607213286.run(Script1680607213286.groovy:26)
... 13 more
)
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_22

Description Verify "Pickup at store" delivery flag with "select your store" link gets display under click and collect delivery

section

Tag

Start 2023-05-30 11:14:33 End 2023-05-30 11:15:15

Elapsed 41.176s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.702s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	6.233s	PASSED
3	navigateToUrl(LiverpoolProduction)	0.004s	NOT_RUN

NOT_RUN: navigateToUrl(LiverpoolProduction)

Description	Elapsed	Status
click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.497s	FAILED
Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)	I	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)		
at TC_GeoLocal_22.run(TC_GeoLocal_22:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java 106)	:	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
(WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebLIKeywordMain.groovy/20)	I	
(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		

groovy:74)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call
(Unknown Source)
at Script1680607219785.run(Script1680607219785.groovy:26)
... 13 more
)

Information

ID Test Cases/Geo Location/TC_GeoLocal_23

Description Verify "select your store" popup gets display on clicking "select your store" link under click and collect delivery

section in PDP

Tag

Start 2023-05-30 11:15:15 End 2023-05-30 11:15:56

Elapsed 40.960s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.647s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	5.980s	PASSED
3	navigateToUrl(LiverpoolProduction)	0.001s	NOT_RUN

NOT_RUN: navigateToUrl(LiverpoolProduction)

#	Description	Elapsed	Status
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.710s	FAILED
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root		
	cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call		
	(Unknown Source)		
	at TC_GeoLocal_23.run(TC_GeoLocal_23:26)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div		
	[5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1370)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		

```
groovy:74)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
at Script1680607226951.run(Script1680607226951.groovy:26)
... 13 more
)
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_24

Description Verify user able to select the favorite store from selecy your store popup then selected store gets display at the

header and click & collect delivery section in PDP

Tag

Start 2023-05-30 11:15:56 End 2023-05-30 11:16:38

Elapsed 42.539s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.677s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	7.438s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(LiverpoolProduction)	0.007s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
4	maximizeWindow()	0.238s	PASSED
	Current window maximized		

Status FAILED

#	Description	Elapsed
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.525s
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root	
	cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object	
	'Object Repository/HomePageShubhum/Iniciar sesión_hp'	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	
	(WebUlKeywordMain.groovy:26)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.	
	groovy:74)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute	
	(ClickKeyword.groovy:40)	
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
	executeKeywordForPlatform(KeywordExecutor.groovy:74)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click	
	(WebUiBuiltInKeywords.groovy:620)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call	
	(Unknown Source)	
	at TC_GeoLocal_24.run(TC_GeoLocal_24:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)	
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java.194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.	
	java:119)	
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.	
	java:448)	
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.	
	java:439)	
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase	
	(TestCaseExecutor.java:418)	
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:410)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.	
	java:285)	
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase	
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase	
	(TestSuiteExecutor.java:151)	
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:	
	106)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:	
	185)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown	
	Source)	
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)	
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web	
	element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div	
	[5]/span' not found	
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement	
	(WebUiCommonHelper.java:1370)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.	
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.	
	doCall(ClickKeyword.groovy:65)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call	
	(ClickKeyword.groovy)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	
	(WebUIKeywordMain.groovy:20)	

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.

Description

groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)

executeKeywordForPlatform(KeywordExecutor.groovy:74)

)

 $at\ com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call\ (Unknown\ Source)$

at Script1680607240406.run(Script1680607240406.groovy:28) ... 13 more

Information

ID Test Cases/Geo Location/TC_GeoLocal_25

Description Verify delivery flag that depends on availability with "view other store" link, EDD and comprar button gets display

under click and collect delivery section

Tag

Start 2023-05-30 11:16:38 End 2023-05-30 11:17:19

Elapsed 41.245s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.588s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	5.990s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(LiverpoolProduction)	0.001s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
4	maximizeWindow()	0.143s	PASSED
	Current window maximized		

Status FAILED

5 click(findTestObject("HomePageShubhum/Iniciar sesión_hp")) 31.703s Unable to click on object "Object Repository/HomePageShubhum/Iniciar sesión_hp" (Root cause: com.kms.katalon.core exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' at com.kms.katalon.core webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groory.54) at com.kms.katalon.core webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groory.26) at com.kms.katalon.core webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy.74) at com.kms.katalon.core webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy.40) at com.kms.katalon.core webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywordSprolystory.62) at com.kms.katalon.core webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groovy.52) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groovy.52) at com.kms.katalon.core.main.ScriptEngine.runScriptAgRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAgRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.grooeseExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:185) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseMainPhase (TestSutieExecutor.java:151) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseMain)phase (CommonExecutor.java:151) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteFxecutor.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteFxecutor.java: 187) at com.kms.katalon.core.main.TestCaseMain.start			
Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión, hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión, hp' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy-64) at com.kms.katalon.core.webui.keyword.biltin.ClickKeyword.click(ClickKeyword.groovy-74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy-74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy-740) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy-740) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy-740) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (WebUBuiltinKeywords.groovy-620) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords\$click\$2.call (Unknown Source) at Com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords\$click\$2.call (Unknown Source) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.obExecute(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.kat	#	Description	Elapsed
cause; com. kms. katalon.core, exception. StepFailedException; Unable to click on object Object Repository/HomePageShubhum/Iniciar sesión_np' at com. kms. katalon.core.webui. keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:26) at com.kms. katalon.core.webui. keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms. katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword, groovy:74) at com.kms. katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword groovy:40) at com.kms. katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms. katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUBuiltinKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUBuiltinKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywordsSclick\$2.call (Unknown Source) at TC_GeoLocal_25.run(TC_GeoLocal_25:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:48) at com.kms.katalon.core.main.TestCaseExecutor.grocessExecutor.processExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:255) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCaseMain.java: 186) a	5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.703s
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUilBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at TC_GeoLocal_25.run(TC_GeoLocal_25:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:45) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMainstartTestSuite(TestCaseMain.java: 186) caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div Syspan' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement	5	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.	31.703s
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at TC_GeoLocal_25.run(TC_GeoLocal_25:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.webui.exception.WebElementNotFoundException:Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click	
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 188) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 189) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 189) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 180) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 180) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 181) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 182) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 183) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 184) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at TC_GeoLocal_25.run(TC_GeoLocal_25:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)	
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(Ocall(Unknown Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement			
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.	
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		java:439)	
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		(TestCaseExecutor.java:418)	
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		(TestCaseExecutor.java:410)	
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		java:285)	
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement			
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement			
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement			
at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement			
element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)	
		element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found	
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		(WebUiCommonHelper.java:1370)	
findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		findWebElement(WebUIAbstractKeyword.groovy:27)	
doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		doCall(ClickKeyword.groovy:65)	
(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)		(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.

Description

groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)

at Script1680607247448.run(Script1680607247448.groovy:28)

... 13 more

Information

ID Test Cases/Geo Location/TC_GeoLocal_26

Description Verify "view other store" popup gets display on clicking "view other store" link under click & collect delivery

section

Tag

Start 2023-05-30 11:17:19 End 2023-05-30 11:18:01

Elapsed 41.865s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.676s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	6.323s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(LiverpoolProduction)	0.000s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
4	maximizeWindow()	0.269s	PASSED
	Current window maximized		

Status FAILED

#	Description	Elapsed
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.704s
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp'	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.	
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute	
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click	
	(WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call	
	(Unknown Source) at TC_GeoLocal_26.run(TC_GeoLocal_26:28)	
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.	
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.	
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.	
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase	
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:440)	
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.	
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase	
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.iava:451)	
	(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)	
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div	
	[5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement	
	(WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.	
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.	
	doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call	
	(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	
	(WebUIKeywordMain.groovy:20)	

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.

Description

groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)

at Script1680607253878.run(Script1680607253878.groovy:28) ... 13 more

)

Information

ID Test Cases/Geo Location/TC_GeoLocal_27

Description Verify store with available quantity gets display on searching with CP code, city or store name "view other store"

popup

Tag

Start 2023-05-30 11:18:01 End 2023-05-30 11:18:43

Elapsed 41.393s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.759s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	6.017s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(LiverpoolProduction)	0.002s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
4	maximizeWindow()	0.210s	PASSED
	Current window maximized		

Status FAILED

#	Description	Elapsed
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.721s
5	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call	31.721s
	(Unknown Source) at TC_GeoLocal_27.run(TC_GeoLocal_27:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.	
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.	
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)	
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase	
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)	
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)	
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement	
	(WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.	
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.	
	doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)	

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.

Description

groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)

executeKeywordForPlatform(KeywordExecutor.groovy:74)

)

 $at\ com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call\ (Unknown\ Source)$

at Script1680607261904.run(Script1680607261904.groovy:28) ... 13 more

Information

ID Test Cases/Geo Location/TC_GeoLocal_28

Description Verify delivery flag and EDD gets updated depends on availability once user change the favourite store in PDP

Tag

Start 2023-05-30 11:18:43 End 2023-05-30 11:19:24

Elapsed 41.261s
Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.621s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	6.248s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.154s	PASSED
	Current window maximized		
4	navigateToUrl(LiverpoolProduction)	0.000s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
5	maximizeWindow()	0.031s	PASSED
	Current window maximized		

# Description	Elapsed	Status
6 click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.514s	FAILED
	01.01.0	1711223
Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root		
cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
'Object Repository/HomePageShubhum/Iniciar sesión_hp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:620)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call		
(Unknown Source)		
at TC_GeoLocal_28.run(TC_GeoLocal_28:30)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div		
[5]/span' not found		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
(WebUiCommonHelper.java:1370)		
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
doCall(ClickKeyword.groovy:65)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
(ClickKeyword.groovy)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:20)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		

```
# Description

groovy:74)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
    at Script1680607272398.run(Script1680607272398.groovy:30)
    ... 13 more
)
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_29

Description Verify "Receive at home" delivery flag with "Enter the zip code" link gets display under "ship home to" delivery

section

Tag

Start 2023-05-30 11:19:24 End 2023-05-30 11:20:05

Elapsed 41.439s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.623s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	6.313s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(LiverpoolProduction)	0.000s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
4	maximizeWindow()	0.276s	PASSED
	Current window maximized		

Description	Elapsed	Status
click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.429s	FAILED
Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)		
at TC_GeoLocal_29.run(TC_GeoLocal_29:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370)		
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)		
at com kms katalon core webui keyword builtin ClickKeyword click(ClickKeyword		

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.

Description

groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)

at Script1680607282304.run(Script1680607282304.groovy:28)

... 13 more

Information

ID Test Cases/Geo Location/TC_GeoLocal_30

Description Verify "Enter the zip code" popup gets display on clicking "Enter the zip code" link under "ship home to" delivery

section

Tag

Start 2023-05-30 11:20:05 End 2023-05-30 11:20:47

Elapsed 41.355s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.637s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	5.969s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(LiverpoolProduction)	0.001s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
4	maximizeWindow()	0.379s	PASSED
	Current window maximized		

#	Description	Elapsed	Status
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.648s	FAILED
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)		
	at TC_GeoLocal_30.run(TC_GeoLocal_30:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)		
	at com kms katalon core webui keyword builtin ClickKeyword click(ClickKeyword		

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.

Description

groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)

at Script1680607290134.run(Script1680607290134.groovy:28)
... 13 more

)

TC_GeoLocal_31_otp_required

Information

ID Test Cases/Geo Location/TC_GeoLocal_31_otp_required

Description Verify entered CP code in "Enter the zip code" popup, delivery flag, change direction link, EDD and comprar

button gets display under "ship home to" delivery section

Tag

Start 2023-05-30 11:20:47 End 2023-05-30 11:20:47

Elapsed 0.607s

Status PASSED

#	Description	Elapsed	Status
1	return null	0.000s	PASSED

TC_GeoLocal_32_otp_required

Information

ID Test Cases/Geo Location/TC_GeoLocal_32_otp_required

Description Verify change direction popup gets display on clicking "change direction" link under "ship home to" delivery

section

Tag

Start 2023-05-30 11:20:47 End 2023-05-30 11:20:48

Elapsed 0.505s

Status PASSED

#	Description	Elapsed	Status
1	return null	0.000s	PASSED

TC_GeoLocal_33_otp_required

Information

ID Test Cases/Geo Location/TC_GeoLocal_33_otp_required

Description Verify delivery flag and EDD gets updated depends on availability once user change the CP code using change

direction link under "ship home to" delivery section

Tag

Start 2023-05-30 11:20:48 End 2023-05-30 11:20:48

Elapsed 0.495s

Status PASSED

#	Description	Elapsed	Status
1	return null	0.001s	PASSED

Information

ID Test Cases/Geo Location/TC_GeoLocal_34

Description Verify default address gets display under "ship home to" delivery section once user adds default address to

orofile

Tag

Start 2023-05-30 11:20:48 End 2023-05-30 11:21:18

Elapsed 30.025s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.582s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	18.905s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(LiverpoolProduction)	0.001s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
4	maximizeWindow()	0.390s	PASSED
	Current window maximized		
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.864s	PASSED

Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username":	6.698s	FAILED
	Username, "password":Password], STOP_ON_FAILURE)		
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
	com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at TC_GeoLocal_34.run(TC_GeoLocal_34:30)		
	at ro_geococal_54.run(ro_geococal_54.so) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltlnKeywords.click		

Elapsed

Status

```
Description
 (WebUiBuiltInKeywords.groovy:620)
                at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
 (Unknown Source)
                at loginFromHomePage.run(loginFromHomePage:28)
                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
                at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
                at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
 (TestCaseExecutor.java:410)
                at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at com.kms.katalon.execute (Test Case Execut
java:285)
                at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 142)
                at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                ... 20 more
 Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
  (Session info: chrome=107.0.5304.63)
 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
 System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
 Driver info: com.kms.katalon.selenium.driver.CChromeDriver
 Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
 107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:53538}, javascriptEnabled: true, networkConnectionEnabled: false,
 pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
 Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
 credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
 Session ID: cd07bf1db3f8d86ef5ddb775442f322c
                at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
 (W3CHttpResponseCodec.java:187)
                at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:122)
                at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
 (W3CHttpResponseCodec.java:49)
                at org.openqa.selenium.remote.HttpCommandExecutor.execute
 (HttpCommandExecutor.java:158)
                at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
 (DriverCommandExecutor.java:83)
                at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
                at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
 19)
                at org.openga.selenium.remote.RemoteWebElement.execute
 (RemoteWebElement.java:285)
                at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
                at org.openga.selenium.support.events.
 \label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:
```

```
Description
                                                                                                Elapsed
                                                                                                                  Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_35

Description Verify default address gets display with my direction tag in change direction popup

Tag

Start 2023-05-30 11:21:19 End 2023-05-30 11:22:06

Elapsed 47.430s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.501s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	30.810s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(LiverpoolProduction)	0.001s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
4	maximizeWindow()	0.350s	PASSED
	Current window maximized		
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.645s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	12.551s	FAILED
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/CommonMethods/loginFromHomePage' failed at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at TC_GeoLocal_35.run(TC_GeoLocal_35:30)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		

Elapsed

Status

```
Description
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:53657}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 803652dd26867b496369d4028e26c4f4
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:
```

```
Description
                                                                                                Elapsed
                                                                                                                  Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUlKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_36

Description Verify saved address gets listed in change direction popup and on selecting, it gets displayed in "ship home to"

delivery section

Tag

Start 2023-05-30 11:22:06 End 2023-05-30 11:22:38

Elapsed 32.318s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	3.016s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	17.167s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(LiverpoolProduction)	0.000s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
4	maximizeWindow()	0.636s	PASSED
	Current window maximized		
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	1.016s	PASSED

Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	9.755s	FAILED
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/CommonMethods/loginFromHomePage' failed at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at TC_GeoLocal_36.run(TC_GeoLocal_36:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		

Elapsed

Status

```
Description
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:53801}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 1e5e11f66e8c91d6b13bd95d23599fc5
          at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:
```

```
Description
                                                                                                Elapsed
                                                                                                                  Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUlKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_38

Description Verify delivery flag and EDD gets updated depends on availability once user change the address using change

direction link under "ship home to" delivery section

Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on

Tag

Start 2023-05-30 11:22:38 End 2023-05-30 11:23:22

Elapsed 44.060s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.466s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	30.256s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(LiverpoolProduction)	0.001s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
4	maximizeWindow()	0.334s	PASSED
	Current window maximized		
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.899s	PASSED

#	Description	Elapsed	Status
	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	9.583s	FAILED
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/CommonMethods/loginFromHomePage' failed at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at TC_GeoLocal_38.run(TC_GeoLocal_38:30)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/HomePageShubhum/action' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		

Elapsed

Status

```
Description
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:53910}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 80f23a120840c8331e4423da017e23f4
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:
```

```
Description
                                                                                                Elapsed
                                                                                                                  Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUlKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_39

Description Verify "ship home to" delivery section alone gets display for BT item

Tag

Start 2023-05-30 11:23:22 End 2023-05-30 11:23:50

Elapsed 27.302s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	3.142s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	16.371s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(LiverpoolProduction)	0.001s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
4	maximizeWindow()	0.428s	PASSED
	Current window maximized		
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.714s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

Description	Elapsed	Status
callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	6.065s	FAILED
Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Cases/CommonMethods/loginFromHomePage' failed at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
groovy:334) at TC_GeoLocal_39.run(TC_GeoLocal_39:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/action'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		

Elapsed

Status

```
Description
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:54059}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: d34dd36b2ebcd17d488bdcb9594213df
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:
```

```
Description
                                                                                                Elapsed
                                                                                                                  Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUlKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_40

Description Verify "ship home to" delivery section along with store details gets display for BT item

Tag

Start 2023-05-30 11:23:50 End 2023-05-30 11:24:31

Elapsed 41.596s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.992s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	6.374s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(LiverpoolProduction)	0.001s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
4	maximizeWindow()	0.144s	PASSED
	Current window maximized		

Status FAILED

#	Description	Elapsed
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.504s
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click	
	(WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at TC_GeoLocal_40.run(TC_GeoLocal_40:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)	
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)	
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.	
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.	
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase	
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.	
	java:285)	
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)	
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)	
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)	
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found	
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.	
	findWebElement(WebUIAbstractKeyword.groovy:27)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)	

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.

Description

groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

(WebUiBuiltInKeywords.groovy:620)

 $at\ com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call\ (Unknown\ Source)$

at Script1680607179308.run(Script1680607179308.groovy:28)

... 13 more

)

Information

ID Test Cases/Geo Location/TC_GeoLocal_41

Description Verify express delivery flag is not applicable for BT item

Tag

Start 2023-05-30 11:24:31 End 2023-05-30 11:25:15

Elapsed 43.252s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.395s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	8.325s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(LiverpoolProduction)	0.001s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverpoolProduction)		
4	maximizeWindow()	0.149s	PASSED
	Current window maximized		

Status FAILED

	Description	Elapsed
	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.801s
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root	
	cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object	
	'Object Repository/HomePageShubhum/Iniciar sesión_hp'	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed	
	(WebUIKeywordMain.groovy:64)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	
	(WebUIKeywordMain.groovy:26)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.	
	groovy:74)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)	
١	at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
(executeKeywordForPlatform(KeywordExecutor.groovy:74)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click	
('	WebUiBuiltInKeywords.groovy:620)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call	
(Unknown Source)	
	at TC_GeoLocal_41.run(TC_GeoLocal_41:28)	
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)	
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.	
Jè	ava:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.	
is	ar com.kms.kataion.core.main.restCaseExecutor.runScript(restCaseExecutor. ava:448)	
ŀ	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.	
i	ava:439)	
•	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase	
(TestCaseExecutor.java:418)	
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
(TestCaseExecutor.java:410)	
ļ,	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.	
J	ava:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase	
1	(CommonExecutor.java:65)	
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase	
	(TestSuiteExecutor.java:151)	
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:	
	106)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:	
	185)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown	
9	Source)	
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)	
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div	
	element with id: Object Repository/HomePageShubhum/inicial sesion_np_located by //div	
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement	
	(WebUiCommonHelper.java:1370)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.	
1	findWebElement(WebUIAbstractKeyword.groovy:27)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.	
	doCall(ClickKeyword.groovy:65)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call	
	(ClickKeyword.groovy)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	
	(WebUlKeywordMain.groovy:20)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.	

Description

groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)

at Script1680607186656.run(Script1680607186656.groovy:28)

... 13 more

Information

ID Test Cases/Geo Location/TC_GeoLocal_42

Description Verify "click & collect" and "ship home to" delivery section gets display for each associated product of collection

ıtem

Tag

Start 2023-05-30 11:25:15 End 2023-05-30 11:26:02

Elapsed 47.519s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.392s	PASSED
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	33.907s	PASSED
3	navigateToUrl(LiverpoolProduction) NOT_RUN: navigateToUrl(LiverpoolProduction)	0.001s	NOT_RUN
4	maximizeWindow() Current window maximized	0.333s	PASSED
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.631s	PASSED

Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username":	9.535s	FAILED
	Username, "password":Password], STOP_ON_FAILURE)		
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
	com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at TC_GeoLocal_42.run(TC_GeoLocal_42:30)		
	at ro_deoLocal_42.run(ro_deoLocal_42.so) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:54358}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: b4a613afce97f9ab5da08e57a940f952
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:
```

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_45

Description Verify EDD gets display for the added SL item in cart

Tag

Start 2023-05-30 11:26:02 End 2023-05-30 11:26:50

Elapsed 47.521s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.916s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	33.927s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.336s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.859s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

Descript	on	Elapsed	Status
callTestC	case(findTestCase("CommonMethods/loginFromHomePage"), ["username":	8.929s	FAILED
Usernam	e, "password":Password], STOP_ON_FAILURE)		
	call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
	.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Cases/C	ommonMethods/loginFromHomePage' failed		
O-UT4	at com.kms.katalon.core.keyword.builtin.		
Calllest	CaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
CallToot	CaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
Call lesit	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keyword	Main.groovy:74)		
(ICC) WOIC	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTest	CaseKeyword.groovy:81)		
(00	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTest	CaseKeyword.groovy:44)		
•	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executek	(eywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
groovy:3	34)		
	at TC_GeoLocal_45.run(TC_GeoLocal_45:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)			
: 420	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)			
(ToetCoe	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase eExecutor.java:418)		
(Tesicas	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	eExecutor.java:410)		
(100todo	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)			
J	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	nExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuit	eExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
_	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
'Object R	epository/HomePageShubhum/action'		
/\A/= -	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIK	eywordMain.groovy:64)		
/\/\/~ \	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(webuin	eywordMain.groovy:26)		
aroova, 7	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:7	+) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKey	/word.groovy:40)		
(Onortice)	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	(eywordForPlatform(KeywordExecutor.groovy:74)		
executek	.evwordFotPlanoffi(KevwordFxeculorordov/ /4)		

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:54500}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 97ade62aec4e1c510b3ebac521474c3a
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
```

at org.openga.selenium.support.events.

EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_46

Description Verify EDD gets display for the added collection item in cart

Tag

Start 2023-05-30 11:26:50 End 2023-05-30 11:27:30

Elapsed 40.157s
Status FAILED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.515s	PASSED
2	navigateToUrl(LiverPoolURL) NOT_RUN: navigateToUrl(LiverPoolURL)	0.000s	NOT_RUN
3	navigateToUrl(collectionItemLink) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/group/elvis-set-sala-contempor%C3%A1nea-gris/100000000147?skuid=100000000147' successfully	5.165s	PASSED
4	maximizeWindow() Current window maximized	0.274s	PASSED

#	Description	Elapsed	Status
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.587s	FAILED
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)		
	at TC_GeoLocal_46.run(TC_GeoLocal_46:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div		
	[5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)		

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.

Description

groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)

executeKeywordForPlatform(KeywordExecutor.groovy:74)

 $at\ com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call\ (Unknown\ Source)$

at Script1680665074676.run(Script1680665074676.groovy:28) ... 13 more

)

Information

ID Test Cases/Geo Location/TC_GeoLocal_47

Description Verify EDD gets display for the added BT item in cart

Tag

Start 2023-05-30 11:27:30 End 2023-05-30 11:27:59

Elapsed 28.914s
Status FAILED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.458s	PASSED
	browser is opened with un.		
2	navigateToUrl(LiverPoolURL)	16.591s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.364s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.911s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

De	scription	Elapsed	Status
	IITestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username":	7.668s	FAILED
	ername, "password":Password], STOP_ON_FAILURE)	7.0000	1711223
	table to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
	m.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Ca	ses/CommonMethods/loginFromHomePage' failed		
0	at com.kms.katalon.core.keyword.builtin.		
Ca	IllTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
C	at com.kms.katalon.core.keyword.builtin. illTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
Oc	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(K	eywordMain.groovy:74)		
(at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(C	allTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(C	allTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
ex	ecuteKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
gr	povy:334)		
	at TC_GeoLocal_47.run(TC_GeoLocal_47:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
iav	ra:119)		
jav	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
ia\	ra:448)		
,	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
jaν	va:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(T	estCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(T	estCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
Jα\	/a:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(C	ommonExecutor.java:65)		
(0	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(T	estSuiteExecutor.java:151)		
(' '	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
10			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
18			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Sc	urce)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	used by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
'O	oject Repository/HomePageShubhum/action'		
/\ A	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(V\	/ebUIKeywordMain.groovy:64)		
/\ A	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(V)	ebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
ar	oovy:74)		
git	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(C	lickKeyword.groovy:40)		
, ,	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
01/	acutaKaywordEorPlatform(KaywordEvacutor groow/7/1)		

executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:54736}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 4c06b377897d94fb89d4fa959f774d57
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
```

EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_48

Description Verify EDD gets display for the added GWP item in cart

Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on

Tag

Start 2023-05-30 11:27:59 End 2023-05-30 11:28:30

Elapsed 30.741s
Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	3.081s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	0.000s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverPoolURL)		
3	navigateToUrl("https://odtaqab.liverpool.com.mx/tienda/pdp/JeansslimGAPlavadoobscuropa rania/1031371976?hs=true")	16.437s	PASSED
	Navigate to https://odtaqab.liverpool.com.mx/tienda/pdp/JeansslimGAPlavadoobscuroparania/1031371		
4	maximizeWindow()	0.670s	PASSED
	Current window maximized		
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	2.702s	PASSED

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	7.213s	FAILED
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/CommonMethods/loginFromHomePage' failed at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at TC_GeoLocal_48.run(TC_GeoLocal_48:30)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/HomePageShubhum/action' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:65)		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		

Elapsed

Status

```
Description
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:54850}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: bbc7e90109328d210e28c4f6e7029040
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
```

 $\label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:$

```
Description
                                                                                               Elapsed
                                                                                                                  Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUlKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_49

Description Verify EDD gets display for the added MKP item in cart

Tag

Start 2023-05-30 11:28:30 End 2023-05-30 11:29:41

Elapsed 1m - 11.133s

Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.576s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	49.423s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.340s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.569s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

Description	Elapsed	Status
callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	17.645s	FAILED
Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Cases/CommonMethods/loginFromHomePage' failed at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
groovy:334)		
at TC_GeoLocal_49.run(TC_GeoLocal_49:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/action'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		

executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:54976}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 514afa5c449ad6edb816ea6be81b26dd
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
```

at org.openga.selenium.support.events.

EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

TC_GeoLocal_50_Gift

Information

ID Test Cases/Geo Location/TC_GeoLocal_50_Gift

Description Verify EDD not gets displayed for the added gift registry / Digital / Pre-sale / Special item in cart

Tag

Start 2023-05-30 11:29:41 End 2023-05-30 11:29:41

Elapsed 0.458s Status PASSED

#	Description	Elapsed	Status
1	return null	0.000s	PASSED

Information

ID Test Cases/Geo Location/TC_GeoLocal_51

Description Verify "More delivery option" link gets display for the added item in cart

Tag

Start 2023-05-30 11:29:41 End 2023-05-30 11:30:50

Elapsed 1m - 8.916s

Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.820s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	47.312s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.318s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.558s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

Des	cription	Elapsed	Status
	TestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": rname, "password":Password], STOP_ON_FAILURE)	17.275s	FAILED
	ble to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
	.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Cas	es/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin.		
Cal	TestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
Cal	TestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Ke	ywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(Ca	IITestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(Ca	IITestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
exe	cuteKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
gro	ovy:334)		
	at TC_GeoLocal_51.run(TC_GeoLocal_51:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java	:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java	:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java	:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(Te	stCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(Te	stCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java	:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Co	mmonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Te	stSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Sou	rce)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
Cau	sed by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	ect Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(We	bUIKeywordMain.groovy:64)		
•	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(We	bUIKeywordMain.groovy:26)		
,	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
gro	ovy:74)		
3.0	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(Cli	ckKeyword.groovy:40)		
, 5.1	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
000	cuteKeywordForPlatform(KeywordFxecutor groovy:71)		

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:55141}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 4e1bd25304f0e1102f8a1056de5ce92c
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
```

at org.openga.selenium.support.events.

EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_52

Description Verify "More delivery option" link not gets display for the added BT item in cart

Tag

Start 2023-05-30 11:30:50 End 2023-05-30 11:31:37

Elapsed 47.245s
Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.938s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	32.348s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.328s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.862s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

#	Description	Elapsed	Status
5	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	10.244s	FAILE
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334)		
	at TC_GeoLocal_52.run(TC_GeoLocal_52:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:55323}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 3f1f5d34dbbe5895a98ddc2c8a587730
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
```

at org.openga.selenium.support.events.

EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_53

Description Verify "More delivery option" popup gets display on clicking "More delivery option" link for the added item in cart

Tag

Start 2023-05-30 11:31:37 End 2023-05-30 11:32:18

Elapsed 40.895s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.670s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	5.927s	PASSED
3	maximizeWindow()	0.151s	PASSED

Current window maximized

#	Description	Elapsed	Status
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.669s	FAILED
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root		
	cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call		
	(Unknown Source)		
	at TC_GeoLocal_53.run(TC_GeoLocal_53:26)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	$at\ com. kms. katalon. core. main. Test Case Executor. run Script (Test Case Executor.)$		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div		
	[5]/span' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1370)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		

Description

groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call
(Unknown Source)
 at Script1680842253743.run(Script1680842253743.groovy:26)
 ... 13 more
)

Information

ID Test Cases/Geo Location/TC_GeoLocal_54

Description Verify click & collect and ship home to delivery section gets display in "More delivery option" popup

Tag

Start 2023-05-30 11:32:18 End 2023-05-30 11:33:06

Elapsed 47.866s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.494s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	32.543s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.316s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.949s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		
5	delay(5)	5.018s	PASSED
	Delayed 5 second(s)		

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username":	5.943s	FAILED
	Username, "password":Password], STOP_ON_FAILURE)		
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
	com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334)		
	at TC_GeoLocal_54.run(TC_GeoLocal_54:30)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	at com.kms.katalom.core.webal.keyword.webolballankeywords.click		

Elapsed

Status

```
Description
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:55555}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: baaf1b145e41b59e6115c28208034f09
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:
```

```
Description
                                                                                                Elapsed
                                                                                                                  Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_55

Description Verify EDD gets display under click & collect and ship home to delivery section in "More delivery option" popup

as same as PDP

Tag

Start 2023-05-30 11:33:06 End 2023-05-30 11:33:54

Elapsed 47.815s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	3.107s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	32.634s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.378s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.894s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		
5	delay(5)	5.009s	PASSED
	Delayed 5 second(s)		

Description	Elapsed	Status
callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username":	5.188s	FAILED
Username, "password":Password], STOP_ON_FAILURE)		
Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Cases/CommonMethods/loginFromHomePage' failed		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:74)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
groovy:334)		
at TC_GeoLocal_55.run(TC_GeoLocal_55:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
(TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
'Object Repository/HomePageShubhum/action'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		

Elapsed

Status

```
Description
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:55710}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: c3103e81292c1a7bd5520b7a785a3487
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:
```

```
Description
                                                                                                Elapsed
                                                                                                                  Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUlKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_57

Description Verify EDD and more delivery option link gets display after moving the item from saved section

Tag

Start 2023-05-30 11:33:54 End 2023-05-30 11:34:34

Elapsed 39.860s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.546s	PASSED
2	navigateToUrl(LiverPoolURL) NOT_RUN: navigateToUrl(LiverPoolURL)	0.001s	NOT_RUN
3	navigateToUrl("https://odtaqab.liverpool.com.mx/tienda/pdp/JeansslimGAPlavadoobscuropa rania/1031371976?hs=true") Navigate to 'https://odtaqab.liverpool.com.mx/tienda/pdp/JeansslimGAPlavadoobscuroparania/1031371	4.955s	PASSED
4	maximizeWindow() Current window maximized	0.149s	PASSED

Status FAILED

#	Description	Elapsed
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.703s
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root	
	cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp'	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed	
	(WebUlKeywordMain.groovy:64)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	
	(WebUIKeywordMain.groovy:26)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.	
	groovy:74)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)	
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
	executeKeywordForPlatform(KeywordExecutor.groovy:74)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click	
	(WebUiBuiltInKeywords.groovy:620)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call	
	(Unknown Source)	
	at TC_GeoLocal_57.run(TC_GeoLocal_57:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)	
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.	
	java:119)	
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.	
	java:448)	
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.	
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase	
	(TestCaseExecutor.java:418)	
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:410)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.	
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase	
	(CommonExecutor.java:65)	
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase	
	(TestSuiteExecutor.java:151)	
	$at\ com. kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: the suite of th$	
	106)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown	
	Source)	
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)	
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web	
	element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div	
	[5]/span' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement	
	(WebUiCommonHelper.java:1370)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.	
	findWebElement(WebUIAbstractKeyword.groovy:27)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.	
	doCall(ClickKeyword.groovy:65)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call	
	(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	
	(WebUlKeywordMain.groovy:20)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.	

Description Elapsed Status

groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)

executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)

at Script1680866902294.run(Script1680866902294.groovy:28)
... 13 more

)

Information

ID Test Cases/Geo Location/TC_GeoLocal_59

Description Verify "My store: XXX" link gets displayed at the header level of cart page

Tag

Start 2023-05-30 11:34:34 End 2023-05-30 11:35:21

Elapsed 46.690s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.491s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	32.694s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.321s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.592s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		
5	delay(5)	5.015s	PASSED
	Delayed 5 second(s)		

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username":	4.906s	FAILED
	Username, "password":Password], STOP_ON_FAILURE)		
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
	com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at TC_GeoLocal_59.run(TC_GeoLocal_59:30)		
	at ro_deococal_59.run(ro_deococal_59.50) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		

Elapsed

Status

```
Description
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:55936}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: a2a609ef4a3b119aa6a6582d5b4f6fbb
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:
```

```
Description
                                                                                                Elapsed
                                                                                                                  Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUlKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_60

Description Verify EDD gets display for the added SL item in OPC

Tag

Start 2023-05-30 11:35:21 End 2023-05-30 11:35:50

Elapsed 29.656s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	3.304s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	16.534s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.411s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.957s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

#	Description	Elapsed	Status
5	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	7.942s	FAILED
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)		
	at TC_GeoLocal_60.run(TC_GeoLocal_60:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	evecuteKeywordForPlatform(KeywordFyecutor groow/:74)		

executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:56058}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: d15cbd8cca848eca152a47e14a7cacdb
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
```

EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_61

Description Verify EDD gets display for the added collection item in OPC

Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on

Tag

Start 2023-05-30 11:35:50 End 2023-05-30 11:36:20

Elapsed 30.032s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	3.091s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	0.002s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverPoolURL)		
3	navigateToUrl(collectionItemLink)	16.740s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/group/elvis-set-sala-contempor%C3%A1nea-gris/100000000147?skuid=100000000147' successfully		
4	maximizeWindow()	0.240s	PASSED
	Current window maximized		
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	1.015s	PASSED

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username":	8.434s	FAILED
	Username, "password":Password], STOP_ON_FAILURE)		
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
	com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)		
	at TC_GeoLocal_61.run(TC_GeoLocal_61:30)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		

Elapsed

Status

```
Description
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:56170}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 0f33df72ea7ba217608cc108b96be0bd
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
```

 $\label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:$

```
Description
                                                                                                Elapsed
                                                                                                                  Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUlKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_62

Description Verify EDD gets display for the added BT item in OPC

Tag

Start 2023-05-30 11:36:20 End 2023-05-30 11:37:00

Elapsed 39.454s
Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.505s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	0.001s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverPoolURL)		
3	navigateToUrl(BTItemsLink)	4.899s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/pdp/reclinable-violanti-bot%C3%B3n-back-oro/sb1030477118?skuid=sb1030477118' successfully		
4	maximizeWindow()	0.165s	PASSED
	Current window maximized		

Status FAILED

#	Description	Elapsed
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.488s
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute	
	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at TC_GeoLocal_62.run(TC_GeoLocal_62:28)	
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.	
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)	
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase	
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)	
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase	
	(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:	
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)	
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found	
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.	
	findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.	
	doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.	
	at contaction.core.webal.keyword.balltin.ollokiveyword.click(Ollokiveyword.	

Description

groovy:74)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)

 $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltInKeywords. click \\ (WebUiBuiltInKeywords. groovy: 620)$

 $at\ com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call\ (Unknown\ Source)$

at Script1681028720716.run(Script1681028720716.groovy:28) ... 13 more

)

Information

ID Test Cases/Geo Location/TC_GeoLocal_63

Description Verify EDD gets display for the added GWP item in OPC

Tag

Start 2023-05-30 11:37:00 End 2023-05-30 11:37:51

Elapsed 50.808s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.393s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	0.000s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverPoolURL)		
3	navigateToUrl(GWPProductLink)	16.188s	PASSED
	Navigate to 'https://dtaqa.liverpool.com.mx/tienda/pdp/SalasPruebe4/1029508204' successfully		
4	maximizeWindow()	0.149s	PASSED
	Current window maximized		

Status FAILED

#	Description	Elapsed
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.515s
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp'	
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword	
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.	
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)	
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)	
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call	
	(Unknown Source) at TC_GeoLocal_63.run(TC_GeoLocal_63:28)	
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)	
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)	
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase	
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)	
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase	
	(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:	
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)	
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)	
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div [5]/span' not found	
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370)	
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.	
	doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call	
	(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)	
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.	

Description

groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)

at Script1681041427054.run(Script1681041427054.groovy:28) ... 13 more

)

Information

ID Test Cases/Geo Location/TC_GeoLocal_64

Description Verify EDD gets display for the added MKP item in OPC

Tag

Start 2023-05-30 11:37:51 End 2023-05-30 11:38:37

Elapsed 46.587s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.223s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	32.409s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	navigateToUrl(DigitalItem)	0.001s	NOT_RUN
	NOT_RUN: navigateToUrl(DigitalItem)		
4	maximizeWindow()	0.271s	PASSED
	Current window maximized		
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.748s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username":	10.486s	FAILED
U	Username, "password":Password], STOP_ON_FAILURE)	10.4003	TAILLD
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
	com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334)		
	at TC_GeoLocal_64.run(TC_GeoLocal_64:30)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	at communication of the common that the common		

Elapsed

Status

```
Description
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:56502}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 8c729b56afd05912e90cce4da18867ea
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:
```

```
Description
                                                                                                Elapsed
                                                                                                                  Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
(WebUlKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_65_Update

Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on

Description Verify EDD not gets displayed for the added gift registry / Digital / Pre-sale / Special item in OPC

Tag

Start 2023-05-30 11:38:37 End 2023-05-30 11:39:10

Elapsed 33.222s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.930s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	0.000s	NOT_RUN
	NOT_RUN: navigateToUrl(LiverPoolURL)		
3	navigateToUrl(MKPProductLink)	21.371s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/jeans/cat660085' successfully		
4	maximizeWindow()	0.397s	PASSED
	Current window maximized		
5	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.891s	PASSED

#	Description	Elapsed	Status
6	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username":	7.056s	FAILED
	Username, "password":Password], STOP_ON_FAILURE)		
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
	com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334)		
	at TC_GeoLocal_65_Update.run(TC_GeoLocal_65_Update:30)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	at com.kms.katalon.core.webul.keyword.webolDulltinkeywords.click		

Elapsed

Status

```
Description
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:56629}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 1080517ecb0612aab2a1fde0b9d946c6
          at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \\ \$ EventFiringWebDriver. \\ java:
```

```
Description
                                                                                              Elapsed
                                                                                                                 Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$\_click\_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_66

Description

Tag

Start 2023-05-30 11:39:10 End 2023-05-30 11:39:36

Elapsed 25.265s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.937s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	15.195s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.345s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.591s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

#	Description	Elapsed	Status
5	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	5.715s	FAILED
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at TC_GeoLocal_66.run(TC_GeoLocal_66:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		

execute Keyword For Platform (Keyword Executor. groovy: 74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:56771}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: b900ae1053e388317506581611e3417c
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
```

at org.openga.selenium.support.events.

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_67

Description Verify EDD gets updated on changing to home delivery from click & collect address

Tag

Start 2023-05-30 11:39:36 End 2023-05-30 11:40:17

Elapsed 41.578s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.364s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	6.752s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.424s	PASSED

Current window maximized

#	Description	Elapsed	Status
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.523s	FAILED
	Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root		
	cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call		
	(Unknown Source)		
	at TC_GeoLocal_67.run(TC_GeoLocal_67:26)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div		
	[5]/span' not found		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:65)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		

```
# Description

groovy:74)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
    at Script1681124416674.run(Script1681124416674.groovy:26)
    ... 13 more
)
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_68

Description Verify EDD gets updated on changing to click & collect address from home delivery

Tag

Start 2023-05-30 11:40:17 End 2023-05-30 11:40:49

Elapsed 31.971s
Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.254s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	21.459s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.288s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.995s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

#	Description	Elapsed	Status
5	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	6.459s	FAILED
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.linternal.ReywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334)		
	at TC_GeoLocal_68.run(TC_GeoLocal_68:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:64)		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		

executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:56976}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 00f59b01106aa933085652c00ef4d539
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
```

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_69

Description

Tag

Start 2023-05-30 11:40:49 End 2023-05-30 11:41:15

Elapsed 25.411s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.248s	PASSED
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	15.533s	PASSED
3	maximizeWindow() Current window maximized	0.389s	PASSED
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.722s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

Descri	otion	Elapsed	Status
		•	
	stCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": ame, "password":Password], STOP_ON_FAILURE)	6.026s	FAILED
	to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
	ns.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Cases	(CommonMethods/loginFromHomePage' failed		
CallTa	at com.kms.katalon.core.keyword.builtin. stCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
Calife	at com.kms.katalon.core.keyword.builtin.		
CallTe	stCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keywo	ordMain.groovy:74)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTe	estCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTe	estCaseKeyword.groovy:44)		
over:	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execut	eKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
groovy			
9,0009	at TC_GeoLocal_69.run(TC_GeoLocal_69:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:11	9)		
	$at\ com. kms. katalon. core. main. Test Case Executor. run Script (Test Case Executor.)$		
java:44			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:43			
(TestC	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase aseExecutor.java:418)		
(10310	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestC	aseExecutor.java:410)		
· ·	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:28			
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Comn	nonExecutor.java:65)		
(T +0	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestS	uiteExecutor.java:151)		
106)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
100)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)	at sommand material of the state of the stat		
/	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source			
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	d by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
'Object	Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebL	IKeywordMain.groovy:64)		
(\Mahl	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(webc	IlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy			
9,00 v y	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(Clickk	(eyword.groovy:40)		
•	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execut	eKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:57111}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 7dd2195614ea56e3e0a96a3b2d07f719
          at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
```

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_70

Description Verify EDD gets displayed when user navigates to OPC through express checkout after selecting comprar in

click and collect delivery section

Tag

Start 2023-05-30 11:41:15 End 2023-05-30 11:41:57

Elapsed 42.692s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.909s	PASSED
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	29.463s	PASSED
3	maximizeWindow() Current window maximized	0.238s	PASSED
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp")) Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on	0.545s	PASSED

#	Description	Elapsed	Status
#	Description	Elapseu	Status
5	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	9.100s	FAILED
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/CommonMethods/loginFromHomePage' failed at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:334) at TC_GeoLocal_70.run(TC_GeoLocal_70:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	evecuteKeywordForPlatform(KeywordFvecutor groow/:74)		

executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:57226}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 409b93e8742dfa804549519d64c31179
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
```

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_71

Description Verify EDD gets displayed when user navigates to OPC through express checkout after selecting comprar in

home address delivery section

Tag

Start 2023-05-30 11:41:57 End 2023-05-30 11:42:38

Elapsed 40.338s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.266s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL) Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	5.824s	PASSED
	The state of the s		
3	maximizeWindow()	0.150s	PASSED

Current window maximized

# Description	Elapsed	Status
4 click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	31.645s	FAILED
	01.0100	1711223
Unable to click on object 'Object Repository/HomePageShubhum/Iniciar sesión_hp' (Root		
cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
'Object Repository/HomePageShubhum/Iniciar sesión_hp' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:620)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call		
(Unknown Source)		
at TC_GeoLocal_71.run(TC_GeoLocal_71:26)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source) at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
element with id: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' located by '//div		
[5]/span' not found		
at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
(WebUiCommonHelper.java:1370)		
at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
doCall(ClickKeyword.groovy:65)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
(ClickKeyword.groovy)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:20)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		

```
groovy:74)
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:620)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
at Script1681217335977.run(Script1681217335977.groovy:26)
... 13 more
)
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_72

Description

Tag

Start 2023-05-30 11:42:38 End 2023-05-30 11:43:07

Elapsed 29.610s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.226s	PASSED
	blowsel is opened with dif.		
2	navigateToUrl(LiverPoolURL)	18.882s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.375s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.873s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

De	scription	Elapsed	Status
ca	ITestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username":	6.768s	FAILED
	ername, "password":Password], STOP_ON_FAILURE)		
Un	able to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
СО	m.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Ca	ses/CommonMethods/loginFromHomePage' failed		
	at com.kms.katalon.core.keyword.builtin.		
Ca	llTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin.		
Ca	llTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
0.0	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(K	eywordMain.groovy:74)		
(C	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase allTestCaseKeyword.groovy:81)		
(0	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(C	all Confiktins. Rataion. Core. Reyword. Builtin. Cain est Caserkey word. execute all Test Case Keyword. groovy: 44)		
, 0	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
ex	ecuteKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
gro	povy:334)		
	at TC_GeoLocal_72.run(TC_GeoLocal_72:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
jav	a:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
jav	a:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
iav	a: com.kms.katalon.core.main. restoaseExecutor.doExecute(restoaseExecutor. a:439)		
jav	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(Te	estCaseExecutor.java:418)		
`	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(Te	estCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
jav	a:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(C	ommonExecutor.java:65)		
_	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(Te	estSuiteExecutor.java:151)		
10	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
10	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
18			
10	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
So	urce)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36)		
Ca	used by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	oject Repository/HomePageShubhum/action'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(W	ebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(W	ebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
gro	povy:74)		
10	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(C	ickKeyword.groovy:40)		
0.00	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		

executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:57453}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 42425f7faf29396afeae864f11bc2b52
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
```

at org.openga.selenium.support.events.

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_73

Description Verify user can update the address on clicking add address link in OPC

Tag

Start 2023-05-30 11:43:07 End 2023-05-30 11:43:53

Elapsed 45.676s
Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.863s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	31.594s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.285s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.738s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

Description	Elapsed	Status
callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username":	9.692s	FAILED
Username, "password":Password], STOP_ON_FAILURE)		
Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root	cause:	
com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Cases/CommonMethods/loginFromHomePage' failed		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy	y:63)	
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:74)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTestCaseKeyword.callTe	Se	
(CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKey	words.	
groovy:334)		
at TC_GeoLocal_73.run(TC_GeoLocal_73:28)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptEngine.runScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(ScriptAsRawText(S	gine.	
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.runScript(TestCaseExecutor.run))	utor.	
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExe	ecutor.	
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecu	tor	
java:285)	tor.	
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMain	Phase	
(CommonExecutor.java:65)	ii ridoo	
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPha	ase	
(TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecut	tor.java:	
106)	-	
$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. start Suite (Test Case Main$	n.java:	
185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown	wn	
Source)		
at TempTestSuite1685424777471.run(TempTestSuite1685424777471.gro		
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on	object	
'Object Repository/HomePageShubhum/action'	Falled	
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepl	Falled	
(WebUlKeywordMain.groovy:64)	'eyword	
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runK (WebUIKeywordMain.groovy:26)	aeyworu	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKey	vword	
groovy:74)	y word.	
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
evecuteKeywordForPlatform/KeywordEvecutor groovy:74)		

executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:57566}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 26700a2a87049c92e6d258ebc2e4a66f
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
```

at org.openga.selenium.support.events.

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_74

Description Verify EDD when user update the quantity of line item in OPC

Tag

Start 2023-05-30 11:43:53 End 2023-05-30 11:44:18

Elapsed 25.312s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.881s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	14.848s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		
3	maximizeWindow()	0.394s	PASSED
	Current window maximized		
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp"))	0.875s	PASSED
	Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on		

ŧ	Description	Elapsed	Status
5	callTestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username": Username, "password":Password], STOP_ON_FAILURE)	5.839s	FAILED
	Unable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
	Cases/CommonMethods/loginFromHomePage' failed at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)		
	at TC_GeoLocal_74.run(TC_GeoLocal_74:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/HomePageShubhum/action' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		

executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:57704}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 7157248baabf271f34bea5222811d727
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
```

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_75

Description

Tag

Start 2023-05-30 11:44:18 End 2023-05-30 11:44:48

Elapsed 29.808s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.432s	PASSED
2	navigateToUrl(LiverPoolURL)	18.699s	PASSED
2	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully	10.0995	FASSED
3	maximizeWindow() Current window maximized	0.311s	PASSED
4	click(findTestObject("HomePageShubhum/Iniciar sesión_hp")) Object: 'Object Repository/HomePageShubhum/Iniciar sesión_hp' is clicked on	0.948s	PASSED

De	escription	Elapsed	Status
	. IITestCase(findTestCase("CommonMethods/loginFromHomePage"), ["username":	6.907s	FAILED
	sername, "password":Password], STOP_ON_FAILURE)	0.00.0	.,
	hable to call Test Case 'Test Cases/CommonMethods/loginFromHomePage' (Root cause:		
	m.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test		
Ca	ases/CommonMethods/loginFromHomePage' failed		
0	at com.kms.katalon.core.keyword.builtin.		
Ca	allTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
C	allTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
0	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(K	eywordMain.groovy:74)		
(at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(C	allTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(C	allTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
ех	ecuteKeywordForPlatform(KeywordExecutor.groovy:74)		
~-	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
gr	povy:334) at TC_GeoLocal_75.run(TC_GeoLocal_75:28)		
	at re_GeoLocal_75.run(re_GeoLocal_75.26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
ia	/a:119)		
,	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
ja	/a:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
ja	/a:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(T	estCaseExecutor.java:418)		
/ T	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(1	estCaseExecutor.java:410)		
ia	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
ja	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(C	ommonExecutor.java:65)		
, –	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(T	estSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
10			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
18			
0	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Si	ource)		
C.	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) aused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	bject Repository/HomePageShubhum/action'		
J	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(V	/ebUIKeywordMain.groovy:64)		
ζ.	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(V	/ebUIKeywordMain.groovy:26)		
•	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
gr	povy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(C	lickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
AV	ecuteKeywordForPlatform(KeywordFyecutor groovy:74)		

executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

Status

```
Description
                                                                                           Elapsed
(WebUiBuiltInKeywords.groovy:620)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
          at loginFromHomePage.run(loginFromHomePage:28)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
          at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
 (Session info: chrome=107.0.5304.63)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os.
arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
107.0.5304.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576...,
userDataDir: C:\Users\user\AppData\Local...}, goog:chromeOptions: {debuggerAddress:
localhost:57805}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: c29deb07d3df614128e637828bc5a263
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
iava:84)
          at org.openga.selenium.support.events.
```

```
Description
                                                                                              Elapsed
                                                                                                                Status
404)
          at com.sun.proxy.$Proxy11.click(Unknown Source)
          at org.openqa.selenium.support.events.
\label{lement.click} EventFiringWebDriver\$EventFiringWebElement.click (EventFiringWebDriver.java: 417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          ... 35 more
```

Information

ID Test Cases/Geo Location/TC_GeoLocal_76

Description

Tag

Start 2023-05-30 11:44:48 End 2023-05-30 11:45:25

Elapsed 36.973s
Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")	2.829s	PASSED
	Browser is opened with url: "		
2	navigateToUrl(LiverPoolURL)	33.603s	PASSED
	Navigate to 'https://odtaqab.liverpool.com.mx/tienda/home' successfully		

Descript	on	Elapsed	Status
•	eWindow()	0.041s	FAILED
l Inchia t	movimina surrent window (Doot source com lime ketalon core evention		
	maximize current window (Root cause: com.kms.katalon.core.exception.edException: Unable to maximize current window		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIK	eywordMain.groovy:64)		
() 8 () 1 1 1 1 1 1	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIK	eywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword.		
maximize	eWindow(MaximizeWindowKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword.execute		
(Maximiz	eWindowKeyword.groovy:69)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execute	(eywordForPlatform(KeywordExecutor.groovy:74)		
(Mobilia	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.maximizeWindow uiltInKeywords.groovy:283)		
(webolb	at com.kms.katalon.core.webui.keyword.		
WebUiBu	uiltInKeywords\$maximizeWindow\$5.call(Unknown Source)		
	at TC_GeoLocal_76.run(TC_GeoLocal_76:24)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
. 440	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)			
java. i io	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	eExecutor.java:418)		
(ToetCar	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase eExecutor.java:410)		
(Testeas	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
ava:285			
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	nExecutor.java:65)		
(T+0	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSun	eExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	at confinition. Nation to the interest of the stock of th		
.00)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	at TompTootCuite4605404777474 **up/TompTootCuite4605404777474 **request26\		
Caused I	at TempTestSuite1685424777471.run(TempTestSuite1685424777471.groovy:36) by: org.openga.selenium.NoSuchWindowException: no such window: target window		
already of			
-	nown error: web view not found		
	n info: chrome=107.0.5304.63)		
	: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	nfo: host: 'DESKTOP-MMGTPVS', ip: '172.22.68.198', os.name: 'Windows 10', os. d64', os.version: '10.0', java.version: '1.8.0_282'		
	o: com.kms.katalon.selenium.driver.CChromeDriver		
	es {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	04.63, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576,		
userData	Dir: C:\Users\user\AppData\Local}, goog:chromeOptions: {debuggerAddress:		
	:57929}, javascriptEnabled: true, networkConnectionEnabled: false,		
pageLoa	dStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		
Dress /			

```
Description
                                                                                        Elapsed
                                                                                                         Status
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: bf946b1a10b4a7fcb341805d5271cca0
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:609)
         at org.openqa.selenium.remote.
RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize
(RemoteWebDriver.java:837)
         at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWindow.maximize(EventFiringWebDriver.java:769)
         at com.kms.katalon.core.webui.kevword.builtin.
MaximizeWindowKeyword$ maximizeWindow closure1.doCall(MaximizeWindowKeyword.
groovy:85)
         at com.kms.katalon.core.webui.keyword.builtin.
MaximizeWindowKeyword$_maximizeWindow_closure1.call(MaximizeWindowKeyword.
groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword.
maximizeWindow(MaximizeWindowKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword.execute
(MaximizeWindowKeyword.groovy:69)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.maximizeWindow
(WebUiBuiltInKeywords.groovy:283)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$maximizeWindow$5.call(Unknown Source)
         at Script1681218332294.run(Script1681218332294.groovy:24)
         ... 13 more
```