



HR-EB Department
SIMHADRI

Ref:SMTPP/HR-EB/2021-22/LMI/790296

Date:12/02/2022(16:30:35)

Subject:SAFETY KEY ROLES -LMI

Ref. SMPP/HR/ER

Date: 08.02.2022

Subject: Nominations for Safety Key Roles

In line with the Operation Guidance Note (OGN) Ref: COS-ISO-00-OGN/OPS/SAFT/001, Rev. No: 0, September 2021, Draft LMI for Appointment of Key Safety Roles for NTPC Simhadri is prepared and enclosed in the file.

1. With reference to Page no:7, S. No:6.3 – Key safety roles, All HOD/ HOS (Head of Sections) are requested to kindly give the nomination for appointment of Key safety roles.
2. The non-exhaustive list of such Key Safety Roles as mentioned in Annexure-1 page no:10, that are required to be appointed is given below

S.No	Key Safety roles	Department
1	Safety Officer/Coordinator – Responsibility HR Department	As per Office Order issued from time to time
2	Safety stewards/ representatives – Responsibility Safety Department	As per Office Order issued from time to time
3	Emergency management team member - Responsibility Safety Department	As per DMP
4	Incident investigator - Responsibility Safety Department	As per Office Order

5	Internal Auditor - Responsibility Safety Department	issued from time to time
6	Safety Committee and its Members – Responsibility Safety Department	
7	1. Hot work assessor 2. Lifting equipment inspector 3. Scaffolding and Ladder inspector	Concerned Sectional Heads of MM Dept
8	CoSHH-Hazardous Chemical Substances (HCS) coordinator	Chemistry Dept
9	Permit-To-Work System appointments	MTP Dept
10	Portable electrical equipment inspector	EM Dept
11	Stacking supervisor for stores.	C&M-Stores Dept
12	1. Occupational hygienist 2. Occupational health/medical practitioner. 3. Occupational health nurse(s) 4. First aider(s)	M&HS Dept

In the above-mentioned list, roles at S.No 1 to 6 shall be as per the issued Office Orders and wherever the nominations are required; the same may kindly be done by the concerned departments as mentioned above.

Submitted by:

के वी एस प्रशान्ती - उप महाप्रबंधक

K V S Prashanthi - 009372 (DY. GENERAL MANAGER ,HR-EB) ,Simhadri
(KVSPRASHANTHI@NTPC.CO.IN, 8332970684)

On:12/02/2022(16:30:35) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

Submitted by:

श्याम कुमार दगानी - उप महाप्रबंधक

Syam Kumar Dagani - 007524 (DY. GENERAL MANAGER ,HR)
(SKDAGANI@NTPC.CO.IN, 9650990820) ,Simhadri

On:14/02/2022(18:42:09) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

The list of Key Safety Roles have been mentioned in Pg. 1 of notesheet. Wherever the nominations are to be done, concerned departments may pl. nominate.

As regards Sl No. 1, Office Order exists as on date.

The draft LMI is attached.

Submitted pl.

Submitted by:

रूमा डे शर्मा - अपर महाप्रबंधक

Ruma De Sharma - 006923 (ADDL. GENERAL MANAGER ,HR)
(RDSHARMA@NTPC.CO.IN, 9650999329) ,Simhadri

On:17/02/2022(10:55:42) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

Submitted by:

चिप्पासत्य नारायण - अपर महाप्रबंधक

Chippa Satya Narayana - 031083 (ADDL. GENERAL MANAGER ,SAFETY)
(CSNARAYANA@NTPC.CO.IN, 9491876071) ,Simhadri

On:17/02/2022(11:13:59) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

Submitted for approval please

Submitted by:

झिमलि धर - अपर महाप्रबंधक

Jhimli Dhar - 006460 (ADDL. GENERAL MANAGER ,EEMG)
(JHIMLIDHAR@NTPC.CO.IN, 9650998085) ,Simhadri

On:17/02/2022(12:49:36) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

Already Mrs Lavanya Kalathuru Dy Manager (Chemistry) has been identified as the chemical hazard control officer as per the requirement of safety frame work

Submitted by:

एन वेणुगोपाल - अपर महाप्रबंधक

N Venugopal - 004781 (ADDL. GENERAL MANAGER ,CHEMISTRY)
(VENUGOPALN@NTPC.CO.IN, 9412715649) ,Simhadri

On:21/02/2022(16:23:06) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

Mr. Krishna Prasad, Sr. Manager is nominated from EMD

Submitted by:

धर्मेन्द्र कुमार तोमर - अपर महाप्रबंधक

Dharmendra Kumar Tomar - 007286 (ADDL. GENERAL MANAGER ,ELECT MAINT)
(DHARMENDRAKUMAR02@NTPC.CO.IN, 9416212079) ,Simhadri

On:21/02/2022(18:25:58) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

Submitted by:

वि सिवा प्रसाद - अपर महाप्रबंधक

V Siva Prasad - 031702 (ADDL. GENERAL MANAGER ,STORES)
(VSIVAPRASAD@NTPC.CO.IN, 9440918096) ,Simhadri

On:23/02/2022(12:22:32) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

1.Job assigned to Occupational hygienist like Lighting/Illumination Survey,Noise Survey,Dust Surveys,Ventilation/Indoor Air Quality Survey,Heat and Cold Stress Survey,Hazardous Biological Agents Survey,Ergonomics Survey are beyond the scope of M&HS department

2.Medical officer/occupational health medical practitioner - Dr.Venkata kalyan nunna

3.Occupational health nurse-Mrs.K.Joseph

4.First aiders- Srinivas,Ganesh

Submitted by:

अक्षय कुमार दास महापात्र - अपर महाप्रबंधक (चिकित्सा)

Akshaya Kumar Das Mohapatra - 032538 (ADDITIONAL GENERAL MANAGER (MEDICAL)
,PHYSICIAN)

(AKDASMOHAPATRA@NTPC.CO.IN, 9437572538) ,Simhadri

On:03/03/2022(19:12:10) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

Submitted by:

के वी एस प्रशांती - उप महाप्रबंधक

K V S Prashanthi - 009372 (DY. GENERAL MANAGER ,HR-EB)
(KVSPRASHANTHI@NTPC.CO.IN, 8332970684) ,Simhadri

On:05/03/2022(12:10:19) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

Submitted by:

सन्जित मजूमदार - अपर महाप्रबंधक

Sanjit Majumdar - 005065 (ADDL. GENERAL MANAGER ,FUEL MANAGEMENT)
(SMAZUMDAR@NTPC.CO.IN, 9650990065) ,Simhadri

On:05/03/2022(13:04:07) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

Submitted by:

Vishwa Mohan Choudhary - 003932 (GENERAL MANAGER ,FUEL MANAGEMENT)
(VMCHOUDHURY@NTPC.CO.IN, 7588691232) ,Simhadri

On:05/03/2022(15:42:44) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

Please clarify if any further action is required from Maintenance end of O&M department.

Submitted by:

मैथ्यू ई कोवूर - महाप्रबंधक

Mathew Eipe Kovoor - 005637 (GENERAL MANAGER ,MAINTENANCE)
(MEKOVOOR@NTPC.CO.IN, 9650994652) ,Simhadri

On:11/03/2022(18:00:56) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

Key Safety Roles at S. No 7 to be nominated by MM at S.No 9 by MTP and at S.no 11 by AGM Stores Sir

Submitted by:

के वी एस प्रशान्ती - उप महाप्रबंधक

K V S Prashanthi - 009372 (DY. GENERAL MANAGER ,HR-EB)
(KVSPRASHANTHI@NTPC.CO.IN, 8332970684) ,Simhadri

On:15/03/2022(10:42:35) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

AGM(BMD)-I/c may please nominate two persons for sl. no. 7; one for Hot work assessor and one for the combined role of Lifting equipment-cum-scaffolding and ladder inspector.

Submitted by:

मैथ्यू ई कोवूर - महाप्रबंधक

Mathew Eipe Kovoor - 005637 (GENERAL MANAGER ,MAINTENANCE)
(MEKOVOOR@NTPC.CO.IN, 9650994652) ,Simhadri

On:15/03/2022(11:33:58) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

1. Sh. Shashi Kant, Sr. Manager, nominated for Hot work assessor
2. Sh. Krishan Lal, Sr. Manager, nominated for Lifting Equipment cum Ladder Inspector.

Submitted by:

ओम प्रकाश - अपर महाप्रबंधक

Om Prakash - 007105 (ADDL. GENERAL MANAGER ,MECH MAINT- BOILER)
(OMPRAKASH08@NTPC.CO.IN, 9650994070) ,Simhadri

On:15/03/2022(12:10:31) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

Submitted by:

राजेश कुमार झा - महाप्रबंधक

Rajesh Kumar Jha - 003323 (GENERAL MANAGER ,OPERATION)
(RKJHA02@NTPC.CO.IN, 9415342046) ,Simhadri

On:15/03/2022(13:30:29) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

Pl review.

Submitted by:

गिरीश चन्द्र चौकसे - महाप्रबंधक

Girish Chandra Choukse - 002907 (GENERAL MANAGER ,O & M)
(GCCHOUKSE@NTPC.CO.IN, 9425178006) ,Simhadri

On:16/03/2022(18:08:46) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

We shall review this LMI in view of comments of CMO

Submitted by:

चिप्पासत्य नारायण - अपर महाप्रबंधक

Chippa Satya Narayana - 031083 (ADDL. GENERAL MANAGER ,SAFETY)
(CSNARAYANA@NTPC.CO.IN, 9491876071) ,Simhadri

On:23/03/2022(10:24:42) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

LMI revised wrt Occupational Hygienist . Revised LMI enclosed

Submitted by:

के वी एस प्रशान्ती - उप महाप्रबंधक

K V S Prashanthi - 009372 (DY. GENERAL MANAGER ,HR-EB)
(KVSPRASHANTHI@NTPC.CO.IN, 8332970684) ,Simhadri

On:23/04/2022(09:50:40) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

Revised LMI is put up pl.

Submitted by:

रूमा डे शर्मा - अपर महाप्रबंधक

Ruma De Sharma - 006923 (ADDL. GENERAL MANAGER ,HR)
(RDSHARMA@NTPC.CO.IN, 9650999329) ,Simhadri

On:23/04/2022(11:22:24) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

Submitted by:

चिप्पासत्य नारायण - अपर महाप्रबंधक

Chippa Satya Narayana - 031083 (ADDL. GENERAL MANAGER ,SAFETY)
(CSNARAYANA@NTPC.CO.IN, 9491876071) ,Simhadri

On:23/04/2022(16:53:39) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

Submitted by:

के वी एस प्रशान्ती - उप महाप्रबंधक

K V S Prashanthi - 009372 (DY. GENERAL MANAGER ,HR-EB)
(KVSPRASHANTHI@NTPC.CO.IN, 8332970684) ,Simhadri

On:25/04/2022(10:57:02) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

Submitted by:

एस पद्मप्रिय - महाप्रबंधक

S Padmapriya - 004521 (GENERAL MANAGER ,TECH SERVICES)
(SPADMAPRIYA@NTPC.CO.IN, 9650992835) ,Simhadri

On:25/04/2022(17:11:16) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

Submitted by:

के वी एस प्रशांती - उप महाप्रबंधक

K V S Prashanthi - 009372 (DY. GENERAL MANAGER ,HR-EB)
(KVSPRASHANTHI@NTPC.CO.IN, 8332970684) ,Simhadri

On:26/04/2022(09:32:31) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

Submitted by:

एस पद्मप्रिय - महाप्रबंधक

S Padmapriya - 004521 (GENERAL MANAGER ,TECH SERVICES)
(SPADMAPRIYA@NTPC.CO.IN, 9650992835) ,Simhadri

On:26/04/2022(10:01:21) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

Pl review. Responsibility to be specific and not on department.

Submitted by:

गिरीश चन्द्र चौकसे - महाप्रबंधक

Girish Chandra Choukse - 002907 (GENERAL MANAGER ,HEAD OF PROJECT)
(GCCHOUKSE@NTPC.CO.IN, 9425178006) ,Simhadri

On:26/04/2022(18:37:25) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

Revised LMI is attached and put up pl.

Submitted by:

रूमा डे शर्मा - अपर महाप्रबंधक

Ruma De Sharma - 006923 (ADDL. GENERAL MANAGER ,HR)
(RDSHARMA@NTPC.CO.IN, 9650999329) ,Simhadri

On:27/04/2022(12:23:55) **Ref:**SMTTP/HR-EB/2021-22/LMI/790296

LMI Approved.

Copies may be sent to all HODs concerned .

Approved & Submitted by:

गिरीश चन्द्र चौकसे - महाप्रबंधक

Girish Chandra Choukse - 002907 (GENERAL MANAGER ,HEAD OF PROJECT)
(GCCHOUKSE@NTPC.CO.IN, 9425178006) ,Simhadri

On:27/04/2022(19:15:19) **Ref:**SMTPP/HR-EB/2021-22/LMI/790296

NTPC LTD

SIMHADRI SUPER THERMAL POWER STATION

LOCATION MANAGEMENT INSTRUCTION

**LMI/SMTTP/HR-01/OGN/OPS/SAFT/001
Rev: 00 Date: February, 2022**

Appointment of Key Safety Roles

Approved for Implementation by: _____
HOP (SMTTP)

Date_____

Enquiries to: Head of HR(SMTTP)

Reference PRADIP note sheet No: _____

LMI APPROVAL DOCUMENT

1	LMI NAME	Appointment of Key Safety Roles
2	LMI No.	LMI/SMTTP/HR-01/OGN/OPS/SAFT/001
3	Reference Document	COS-ISO-00-OGN/OPS/SAFT/001
4	Superseded Document	NIL
5	PREPARED BY	Name : KVS PRASHANTHI DESIGNATION : DGM (HR)
6	CHECKED BY	Name : RUMA DE SHARMA DESIGNATION : AGM (HR)
7	REVIEWED BY	Name : RAJESH KUMAR JHA DESIGNATION : GM (O&M)
8	APPROVED FOR ISSUE	NAME : GIRISH CHANDRA CHOUKSE DESIGNATION : GGM (SMTTP)

INDEX

S.NO	CONTENTS	PAGE NO
1.0	SCOPE	4
2.0	SUPERSEDED DOCUMENTS	4
3.0	REVISION DETAILS	4
4.0	INTRODUCTION	4
5.0	ROLES & ACCOUNTABILITY	5
6.0	SYSTEM FOR KEY SAFETY ROLES	6-8
7.0	RECORDS	8
8.0	AUDIT	9
9.0	REVIEW	9
10.0	ANNEXURE 1 -INDICATIVE LIST OF KEY SAFETY ROLES	10-24

Appointment of Key Safety Roles

1.0 SCOPE

This LMI provides guidance to appoint suitable roles at NTPC SMTTP to coordinate Health & Safety programs and to render necessary service and advice to its management and employees. Persons are also appointed at the specific business unit to perform necessary statutory roles there.

If at Simhadri operational responsibility is outsourced to third-parties but continues, as the project developer, to have a legal obligation of ensuring a safe working environment, the designated person responsible for such a project shall be accountable for ensuring that the philosophy and principles of this OGN are implemented by all such third-parties to ensure a safe working environment.

2.0 SUPERSEDED DOCUMENTS / REFERENCE DOCUMENTS

--- NIL---

3.0 REVISION DETAILS

---NIL---

4.0 INTRODUCTION

NTPC has made a policy commitment to comply with applicable legal and other safety & occupational health requirements that relate to its activities. And one of such key commitments is ensuring a safe working environment.

There are multiple possible scenarios with respect to responsibility for safe working environment.

In the *construction phase*, the contractors are accountable for ensuring a safe work environment for their areas of execution, NTPC has a monitoring role as the project developer.

In *brownfield expansion* or *partly operational* projects, in the construction area/zone the contractors are accountable for safe work environment for their areas of execution, NTPC has a monitoring role as project developer. Within the partly operational area/phase, NTPC is accountable for providing a safe work environment.

In the fully operational plants, NTPC is accountable for safe work environment whether the day-to-day operational control is retained by the company or outsourced to third parties.

To ensure that the company meets its policy commitments, a structured approach is required to ensure that the key roles that facilitate monitoring and ensuring safe work environment are appointed or outsourced either by the company or that the philosophy of such requirements is implemented by the contractors or third-parties where operational activity is outsourced.

5.0 ROLES & ACCOUNTABILITY

- **Head of the Project (HOP) is accountable:**
 - Ensure a system for identifying of key safety roles based on risk assessments and appointments of the same either directly or, through the Head(O&M) depending on the administrative arrangement at the location.
 - Ensure a system is in place to audit of such system at least once a year.
- **Head of O&M is accountable to:** Identify based on risk assessment, key safety roles for the location, for ensuring a safe work environment; appoint all such identified Key Safety Roles.
- If operations and maintenance functions are outsourced to third-parties, the designated Person accountable for the performance of such a project, where ever he/she is located, shall be accountable for implementing the philosophy of this OGN related to the above two roles

- Persons nominated under different roles shall be accountable for such roles as detailed under their role requirement.

6.0 SYSTEM FOR KEY SAFETY ROLES

6.1 Identification of Key Safety Roles

The HOP shall arrange to identify and document the applicable key safety roles based on assessed risks.

6.2 Appointment of Key Safety Roles

Ensuring a safe working environment is not only a policy commitment but also a legal obligation on the company. It is critical that a project identify all key safety roles as early as practicable but necessarily before the legal obligation for providing a safe working environment is transferred to the company.

All Appointments of Key Safety Roles, through Circulars, should be in writing and accepted by the appointee and records maintained by the Safety Department, on behalf of the HOP.

Electronic acceptance of the role by the person through his/her official email id is acceptable as a record.

All Documentation can be preferably electronic or, as a hard copy. When maintained electronically, access controls should be established to ensure editing be restricted for designated roles only, with version trail maintained for audit purposes.

The appointment circular should contain at the minimum, the detailed role requirements.

Site Safety Coordinator or, the person nominated by the HOP shall periodically (at least annually) update compliance status of the key safety roles, and maintain it in a central database.

6.3 Key Safety Roles

The types and numbers of Key Safety Roles would vary as per the location and its circumstances. Also, depending on the individual projects circumstances, some of the key safety roles may be outsourced. All the persons appointed directly or outsourced by a location under Key Safety Roles need not be physically available at that location all the time. All appointed persons should be competent for the role based on training, education and/or experience.

The non-exhaustive list of such Key Safety Roles that are required to be appointed is given below:

- Site Safety Officer: As per Office Order issued from time to time
- Site Safety Coordinator : As per Office Order issued from time to time
- Emergency management team members: As per DMP
- Safety committee & its members : As per Office Order issued from time to time
- Safety stewards/representatives : As per Office Order issued from time to time
- CoSHH-Hazardous Chemical Substances (HCS) coordinator:Smt. K Lavanya,Dy Manager (Chemistry)
- Permit-To-Work System appointments – Control Person, Senior Authorized Person, Authorized Person, Competent Person, Nominated Supervisor, and Selected Person.
- Hot work assessor :Shri Shashikant Sr.Manager BMD
- Scaffolding and Ladder inspector : Shri Krishan Lal , Sr.Manager BMD
- Lifting equipment inspector : Shri Krishan Lal , Sr.Manager BMD
- Portable electrical equipment inspector:Shri Krishna Prasad ,Sr.Manager(EMD)
- Stacking supervisor for stores :Shri V Siva Prasad (Stores)
- Incident investigator : As per Office Order issued from time to time
- Internal Auditor : As per Office Order issued from time to time
- Occupational hygienist :As mentioned on Page 22
- Occupational health/medical practitioner:Dr V Kalyan Nunna
- Occupational health nurse(s) :Mrs K Joseph
- First aider(s) : Shri Srinivas and Shri Ganesh

Safety function is not a specialist in all types of works and cannot be expected to extend detailed guidance for all types of works. To insure quality of advice, HOP to ensure representation from all functions in such appointed roles. It is strongly recommended that location safety function not to be involved in any of the key safety roles as the function performs an overarching role and any specific appointment can lead to dilution of that role.

For illustrative purposes, the responsibilities for some Appointed Key Safety Roles are laid out in detail in Annexure-1. All training records shall be maintained by a person designated by the HOP for such purpose.

6.4 Updating Requirements

The Station shall review and update its list of appointed key safety roles annually. The person nominated by the HOP shall be responsible for this action.

Any shortfall in the numbers of trained persons for key safety roles shall be flagged by the respective Head of Section to the Site Safety Coordinator who will consolidate such requirements and forward to the respective RLI / Training Coordinators for the project.

6.5 Communication & Awareness

All levels of management should know in writing what is the responsibility and accountability of the roles appointed.

7.0 RECORDS

Records of appointment and acceptance of all key safety roles shall be maintained by the Site Safety Coordinator or any other person designated by the HOP for the purpose and uploaded as scanned electronic copies that cannot be edited like a secure PDF in to a central repository.

Records of training of persons on the key safety roles shall be maintained by the locations RLI/training function, wherever located, and be accessible to the Site Safety Coordinator for demonstrating compliance.

8.0 AUDIT

Compliance assessments/audits should be conducted annually. Such compliance assessments/audits can be included as part of other compliance audits or assessments like technical compliance audits. It is to be ensured that roles specified to be in place by legal and other requirements shall be assessed / audited at a frequency that is at least equal to, if not better than that required by the relevant legislation or other requirements.

In an audit or assessment, the project should be able to demonstrate: that it has based on risk assessments identified all relevant key safety roles and appointed persons for the same based on their education, experience, and training, or a combination thereof.

Training records of appointed roles shall be maintained and checked at random for at least five roles and observations included in the audit report.

If operational responsibility is outsourced to third-parties, but continues, as the project developer, to have a legal obligation of ensuring a safe working environment, the designated person accountable for such a project shall be accountable for ensuring periodic audits of implementation of the philosophy and principles of this OGN are implemented and audited. Records of such audits shall be maintained.

9.0 REVIEW

The Head (HR) shall arrange for review with HOD (Safety) of this LMI as and when required, or every two years in consultation.

ANNEXURE 1 - List of Key Safety Roles

NOTE: THIS IS AN INDICATIVE LIST OF KEY SAFETY ROLES GIVEN FOR ILLUSTRATIVE PURPOSE ONLY. ACTUAL ROLES MAY VARY AS PER PROJECT TYPE & LOCATION.

WHERE THE PROJECT OPERATIONAL CONTROL IS OUTSOURCED TO THIRD PARTIES, THE PERSON ENACTING THE ROLE OF THE HOP (WHEREVER LOCATED) SHALL ENSURE THAT THE PHILOSOPHY OF THIS OGN IS IMPLEMENTED.

1. SITE SAFETY COORDINATOR

As per Office Order issued from time to time. Responsibility – AGM(HR)

Safety Coordinator shall be appointed as deemed necessary. Duties and responsibilities of Site Safety Co-coordinator shall include:

- Act as the single-point contact for the HOP and Site staff on Safety matters.
- Assist HOP in establishing site safety relevant LMIs and work instructions.
- Coordinate to identify and measure health and hygiene hazards or risks in the workplace and take, or cause to take, positive action to prevent occupational accidents or diseases.
- Provide coaching and internal briefing relating to the Safety Framework.
- Coordinate hazard surveys and studies.
- Plan and facilitate management system self-audits.
- Discuss with the Health & Safety Committee Chairman on safety performance and recommend safety measures at the safety meetings.
- Co-ordinate and compile incident statistics.
- Assist with planning the locations annual safety & occupational health related training calendar & co-ordinate if required and monitor unit's safety related training programs.
- Assist in arranging Safety promotion and publication.
- Arrange Safety talks and briefing.

- Monitor the implementation schedule of the safety programs and co-ordinate regular inspections of the areas by Safety Representatives, and
- Compile data, prepare and submit reports to HOP & Regional Safety Office.
- Making daily site rounds to identify potential hazards and reporting the findings to the HOP.
- Compile & investigate as appropriate, accidents/dangerous occurrences and report to the HOP.
- Advising the HOP of any repair or maintenance in respect of premises, plant and equipment that ought to be carried out in the interest of safety and health.
- Mentoring, monitoring safety stewards and/or safety representatives.
- Maintain all safety related records.

2. SITE SAFETY OFFICER

As per Office Order issued from time to time. Responsibility – AGM(HR)

Safety Officer shall be appointed as deemed necessary or, as required to comply with the location applicable legislations like Factories Act. The Site Safety Officer is accountable to ensure that the site complies fully with the relevant Health & Safety related legislations and licenses. Safety Officer role may be combined with Site Safety Coordinator role.

3. EMERGENCY MANAGEMENT TEAM MEMBERS

As per Disaster Management Plan. Responsibility – AGM(Safety)

The HOP must assign Persons/Roles unambiguously in the Emergency Response Plan for different aspects of handling emergencies/disasters. Detailed role responsibilities is as listed in the location's Emergency Response Plan. All persons enacting roles under the Emergency Management Plan must undergo a refresher training program on the Emergency/Disaster Management Plan, every year. Training records shall be maintained.

4. SAFETY COMMITTEE

As per Office Order issued from time to time. Responsibility – AGM(Safety)

Safety Committees are constituted at projects, to establish and maintain arrangements that ensure Safety & Health issues are adequately attended. The Safety Committee should be appointed according to the organization set up at the site and should comply with the location's legal requirements.

- The Committee, preferably, consists of the following roles: Chairman – nominated by the HOP; Secretary – usually, the Site Safety Coordinator; Members - consists of persons from different levels; Safety Representatives; Occupational Health Practitioner/Nurse; External Member - an experienced Safety/Health practitioner as an invited member
- The Committee shall be provided with written terms of reference and meeting procedures including the tenure of the office of its members and their rights and duties.
- Safety committee should meet periodically, which shall not be less than once per quarter.
- Agenda of the meeting shall include among other things, learning's from recent incidents, incident recall case studies, any expressed concerns related to safety & occupational health, suggestions for improving the safety & occupational aspects of the work environment.
- Minutes of Meeting (MoM) should be kept for all meetings.
- MoM should record actions to be taken, responsible persons, and their target completion dates.
- MoM should be signed by the Chairperson or the designated manager.
- MoM should be circulated/communicated at all levels in the site.

- All minutes should be filed and retained for at least 5 years (or, as required by the law) for reference and possible later perusal.

5. SAFETY STEWARDS/REPRESENTATIVES

As per Office Order issued from time to time. Responsibility – AGM(Safety)

To have system that ensures personnel, who are familiar with the work activities and conditions at the workplace, to carry out regular safety inspections, so as to identify and eliminate unsafe acts and conditions. Such roles may be deployed by the project as part of the outsourced services.

Sufficient number of Safety Representatives should be deployed for specific areas at the Site. Such deployment of Safety Representatives should be at ratio of at least 1:50 or part thereof or, as per the location's legal requirements, whichever is higher. For e.g., there would be at least one safety steward/representative for a contract that has 14 persons working and at least two safety stewards/representatives if the contractor has 55 persons working and so on.

- Deployed persons should be familiar with the work activities and conditions at the workplace.
- Names of Safety Representatives and their areas of responsibility should be circulated/displayed/ be accessible by all employees.
- Safety Representatives shall give feedback about their duties, daily with Site Safety Coordinator.
- Safety Representatives shall inspect their designated work areas as advised or instructed.
- Safety Representatives shall report deviations, in accordance with legal requirements, as well as the Safety Framework requirements;
- When required by the HOP/Management, Safety Representatives shall participate in accident investigations or, act as the member of Safety Committee.

6. CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH (CoSHH) / HAZARDOUS CHEMICAL SUBSTANCES (HCS) COORDINATOR

Responsibility – AGM(Chemistry)

A person should be appointed to co-ordinate control of all hazardous chemical substances at a business unit / premises. The coordinator should be trained or, have sufficient knowledge of the hazardous substances on site. The coordinator's duties include:

- Conduct health & safety risk surveys on impact of Hazardous Chemicals stored at site.
- Maintain list of hazardous chemical substances (considering the quantities maintained at site).
- Monitor any hazardous substance brought into the factory premises including the occupational exposure limit of the substance.
- Monitor proper storage, handling and disposal of the substances as per applicable norms.
- Advise management on the control of hazardous chemical substances.
- Ensure sufficient information is provided to appropriate personnel.
- Understand training requirements.
- Understand emergency provisions
- Ensure updated MSDS Material Safety Data Sheets, are available at the required locations.

7. PERMIT TO WORK SYSTEM - COMPETENT PERSONS

Permit To Work System - Responsibility – AGM (MTP)

Competent Persons shall have the responsibilities, which are detailed in the E&M Safety Rules and specified in a limited way below. A Competent Person shall:

- Comply with Safety Rules when carrying out work or, testing whether instructions are issued orally or, in writing.

- Use safe methods of work, safe means of access and personal protective equipment which are required for their safety.
- Shall understand the contents of Safety Document under which, work shall proceed.
- During the course of the work adhere to, and instruct others under their charge to adhere to, any conditions, instructions or limits specified on a Safety Document. This shall also apply to a Selected Person's report, an Earthing Schedule, any written instruction/ procedure regarding the method of work or testing, or an Approved written procedure for restoration of motive power supplies.
- If during the course of work or testing, a hazard which could give rise to Danger arises or, is suspected, warn all persons as quickly as possible to withdraw from and not to work on the Plant and Apparatus concerned until further notice. This situation shall be reported immediately to the Central Control Room.
- Competent Persons clearing or, suspending a Safety Document shall only do so after all persons working under the Safety Document have been withdrawn from, and warned not to work on, the Plant and Apparatus concerned. They shall ensure that all tools, gear and loose material have been removed, guards and access doors replaced, the work site left tidy and any exceptions clearly noted in the Clearance section of the Safety Document.

PERMIT TO WORK SYSTEM - NOMINATED SUPERVISORS

In addition to responsibilities as Competent Persons, Nominated Supervisors shall have the responsibilities, which are detailed in the E&M Safety Rules and specified in a limited way below:

- Before setting people to work, implementing the necessary measures to establish General Safety at and, in the vicinity of the workplace and, instructing Working Parties in respect of General Safety provisions that must be maintained throughout the work.

- Retaining in safe custody, personally retained Safety Documents, Keys and associated items which are surrendered for transfer, and when work is required to recommence.

PERMIT TO WORK SYSTEM - AUTHORISED PERSONS

In addition to responsibilities as Competent Persons, Authorized Persons shall have some or all of the following responsibilities, which are detailed in the E&M Safety Rules and specified in a limited way below, within the limits imposed by their certificate of authorization. These shall include:

- When working for achieving Safety from the System, correctly implementing procedures specified by the Senior Authorized Person, before work commences;
- Carrying out the instructions of the Senior Authorized Person in other circumstances, to apply safety precautions. Reporting back and signing a record of the completion of these actions;
- As the recipient of a Sanction for Test:
 - Meeting the requirements of E&M Safety Rules;
 - Being present during testing & be responsible for all matters of safety concerned with the test;
 - Giving instructions for the removal and re-application of those safety precautions which may be disturbed whilst at the same time maintaining Safety from the System;
 - Implementing procedures to ensure Safety from the System and from the test equipment as dictated by the test program.

PERMIT TO WORK SYSTEM - SENIOR AUTHORISED PERSON

In addition to responsibilities as Authorized Persons, Senior Authorized Persons (SAP) shall have some or, all of the following responsibilities, which are detailed in the E&M Safety Rules and specified in a limited way below, within the limits imposed by their certificate of authorization:

- Correctly implementing specified procedures for releasing Plant and Apparatus for work or, testing and, for ensuring that all safety precautions which achieve Safety from the System are completed, meeting the requirements of E&M Safety Rules.
- Ensuring that Safety from the System has been achieved or, will be achieved when the requirements of the Safety Document are completely implemented;
- When issuing or, reissuing a Safety Document after transfer or suspension: ensuring that the contents of the Safety Document, Earthing Schedule and any Selected Person's report or, approved written procedure for the restoration of motive power supplies, to be issued with the Safety Document, are fully explained to the recipient and satisfying himself that the recipient understands those contents;
- When a Safety Document is to be suspended: receiving the Safety Document under the transfer procedure; and when work or, testing is to be resumed and the Safety Document is to be reissued following suspension, checking and confirming that the recorded safety precautions for the Safety Document are as stated and still valid;
- When cancelling a Safety Document: satisfying himself that the requirements of the clearance section of the Safety Document have been correctly implemented; checking that all the items issued with the Safety Document have been returned or, accounted for; satisfying himself as to the operational state of the Plant and Apparatus;
- When the means of achieving Safety from the System is by limiting the work or, testing or, the area in which they are to be carried out, deciding to issue a Limited Work Certificate, in those situations, where oral instructions may be insufficient.
- When work or testing is to be done outside Safety Distance from exposed High Voltage conductors, deciding whether to issue a Limited Work Certificate because of the close proximity of the limit of Safety Distance.

PERMIT TO WORK SYSTEM - SELECTED PERSON

A Selected Person is responsible for using his appropriate technical knowledge and experience for making a report and recommendations to overcome hazards, which may prevent work or, testing being performed safely, on Plant and Apparatus that has otherwise been made safe.

If it is considered necessary by a Senior Authorized Person or, a Competent Person responsible for work, to carry out a check on Plant and Apparatus or working areas for hazards, the Selected Person shall carry out tests and examinations, he considers necessary. A written report shall be prepared by the Selected Person, who will be responsible for ensuring that its recommendations, when implemented, will ensure safe working conditions relating to the hazards.

The following Appointments are special cases of Selected Person role:

HOT WORK ASSESSOR**Selected Person - Responsibility – AGM(BMD)**

Must have good understanding of the hot work involved including and not limited to:

- Check the location where hot work will be conducted, including consideration of other work in the vicinity;
- Understand fire safety;
- Assess hot work and recommend protection measures to prevent danger;
- Must have good grasp of site procedures for authorization of hot work
- Recommend post hot-work actions.

SCAFFOLDING AND LADDER INSPECTOR

Must have good understanding of inspection of scaffold & ladders including and not limited to:

- Relevant Regulations and Codes of Practice.
- Understand and recommend fall arrest equipment.

- Assess Safe ladder access and egress.
- Assess types of scaffolds.
- Assess Bracing and tying scaffolds.
- Assess Types of System Scaffolding.
- Carry out a Scaffold Inspection.
- Tag the inspected scaffold or ladder.

LIFTING EQUIPMENT INSPECTOR

- Possess knowledge of inspection and testing techniques with regard to different types of lifting equipment.
- Possess knowledge of lifting equipment.
- Possess knowledge of location legislation health and safety requirements.
- Manually operated lifting equipment such as chain hoists, wire rope, lifting and pulling machines and beam trolleys.
- Power operated lifting equipment (including but not limited to electric, pneumatic, and hydraulic powered systems, powered winches, etc.).
- Electric overhead travelling cranes.
- Inspect mobile cranes.
- Inspect forklift, excavators and other plant trucks of various types.
- Inspect lifting accessories, including chain slings, webbing slings and wire rope slings.
- Generate necessary records in line with location procedures, and legal compliance requirements.

The following roles are also cases of Selected Person role, but are not part of the E&M Safety Rules:

PORTABLE ELECTRICAL EQUIPMENT INSPECTORS

Selected Person - Responsibility – AGM(EMD)

- Organize and execute an inspection and testing program for portable electrical equipment like Portable Electric Tools, ELCB/RCCB, extension

boards, and other portable electrical equipment as required by location or statutory provisions.

- Clearly tag the portable electrical equipment as: safe to use, validity of the test etc.
- Maintain records in the form of register of electrical equipment, its name and location, and a database of test results is established and retained according to location or legal requirements whichever is longer.
- Provide an ad-hoc inspection and testing service for electrical equipment from departments where local test operatives have not been appointed, and provide advice on electrical equipment safety as required.
- Recommend repair or safe disposal of faulty portable electrical equipment.
- Prepare an annual report summarizing the results and recommendations from the inspection and testing program for review by the location management. Electric overhead travelling

STACKING SUPERVISOR FOR STORES

Responsibility –AGM (Stores)

- Be familiar with general safety requirements regarding stacking
- Inspect all stacking in his/her area on a regular basis and ensure that the prescribed stacking heights as per the norms are not exceeded.
- Ensure that stacks do not obstruct or interfere with the efficiency of fire-fighting equipment or emergency escapes.
- Ensure that hazardous chemical substances including flammable liquids and portable gas cylinders are stored safely as prescribed by applicable norms.
- To ensure unsafe stacks are dismantled promptly and good housekeeping practices are maintained at all times.

8. INCIDENT INVESTIGATORS

As per Office Order issued from time to time. Responsibility – AGM(Safety)

Trained investigators are to be designated in writing at the site for conducting investigations on Safety incidents. Appropriate Safety & other expertise may be co-opted to the investigation team as required. Appointed investigators should be properly trained in the principles and techniques of incident investigation to ensure proper investigation process are performed. Site Safety Coordinator and Safety Representatives should also be trained and involved in relevant incident investigations. Training records should be maintained in accordance with the current corporate requirements. Outside expert services may be utilized in investigation process where in-house expertise is insufficient. Incident Investigators shall:

- Structure the investigation – what & why it happened, how to stop it happening again.
- Gather information and evidence related to the incident.
- Interview witnesses.
- Assess human factor failures between person / job / organization.
- Understand simple analysis tools that can be used relative to incident severity.
- Draw conclusions about causation and recommendations / action plans to prevent recurrence including role accountabilities.
- Generate the incident investigation report and present the findings.

9. INTERNAL AUDITORS

As per Office Order issued from time to time. Responsibility – AGM(Safety)

The location shall appoint internal auditors including those for rotating cross-functional audit, for internal audits. Thus the project shall always be able to draw in from a pool of designated Internal Auditors as part of system audits for Safety Assurance program. Responsibilities of Internal Auditors shall include and not be limited to the following:

- Conduct risk evaluation of assigned functional area or, department as per the schedule.
- Evaluate level of conformance of safety system processes with against compliance requirements of Policy, Framework, legal & regulatory requirements or standards.
- Evaluate site safety processes to analyze productiveness of controls and risk alleviation.
- Obtain, analyze and evaluate previous reports, data, etc.
- Identify loopholes and recommend risk mitigation measures.
- Engage to continual knowledge development regarding sector's rules, regulations, best practices, tools, techniques and performance standards.
- Assist in development of audit plans, audit schedules.
- Identify processes, situations, etc., where organization is meeting requirements, as well as identify opportunities for improvement.
- Document process and prepare audit findings memorandum.
- Assist with follow-up audits, as required.

10. OCCUPATIONAL HYGIENIST

The location should appoint an Occupational Hygienist or, when necessary establish an access to such (external) services. Primary purpose of hygiene surveys is to ensure periodically that health stressors are being managed appropriately. Some of the Occupational Health Stressor surveys that are done by the appointed Hygienist are:

- | | |
|---|--|
| • Lighting/Illumination Survey | - Responsibility: AGM (EMD) |
| • Noise Survey | - Responsibility: AGM (Chemistry) |
| • Dust Surveys | - Responsibility: AGM (EMG) |
| • Ventilation/Indoor Air Quality Survey | - Responsibility: AGM (TMD) |
| • Heat and Cold Stress Survey | - Responsibility: AGM (TMD) &
AGM (BMD) |
| • Hazardous Biological Agents Survey | - Responsibility: AGM (EMG) |
| • Ergonomics Survey | - Responsibility: AGM (HR) |

11. MEDICAL OFFICERS / OCCUPATIONAL MEDICINE PRACTITIONER

Responsibility – CMO

Occupational Medicine Practitioner / Medical Officer is appointed to maintain optimum health status of workforce through the provision of a holistic occupational health service in order to ensure early identification of disabilities, occupational diseases of all employees, and to assess the effectiveness of the health and hygiene program at the workplace. Responsibilities for the role include, and are not limited to:

- Identify all occupational health risks for all severe emergency scenarios at Sites.
- Ensure through periodic reviews, adequacy of occupational health service/facilities to cater for identified risks, including emergencies.
- Ensure that the site's occupational health service/facilities, such as clinic are adequately sized/staffed and accessible.
- Ensure emergency first-aid service shall be available at all times, at the Site.
- Establish standard purchasing specifications for equipment and medicine stocks.
- Ensure medical equipment is properly maintained, serviced and calibrated.
- Implement and maintain, a records control system, assuring maintenance of applicable confidentiality code of patient information.
- Ensure adequate number of qualified occupational nursing practitioners and first-aiders at the workplaces in compliance with the legal requirements.
- Formulate and ensure imposing appropriate controls against infectious diseases like HIV, Hepatitis B, Swine Flu, Avian Flu, Covid-19 etc.
- Generate & maintain periodic reports on occupational health status & developments in the site.

12. OCCUPATIONAL NURSING PRACTITIONER

Responsibility – CMO

The location should appoint a professional registered Occupational Nursing Practitioner(s) or, establish an access to such services.

- Appointed Nurse(s) shall have professional registration. The license/registration of the Occupational Nursing Practitioner(s) should be accessible when needed.

- Appointed nurses shall be trained in general safety hazards of their workplace like trips.
- Occupational Nursing Practitioner(s) participate and carry out when asked, in health risk assessment training.
- Carry out First-aid training at general level on specific first-aid treatment associated with plant/workplace specific hazards.
- Nurse(s) shall ensure that all tests should be carried out in accordance with standards.

13. **FIRST AIDERS**

Responsibility – CMO

The site shall have properly trained first-aid personnel as well as adequate first-aid equipment at the workplaces; and to minimize injury/diseases/illnesses severity and impact. Certified First-Aiders should be trained by qualified first-aider trainer of accredited institution.

Appointed First-Aiders shall carry out First-aid training at general level on specific first-aid treatment associated with plant/workplace specific hazards.