



SAFETY Department
SIMHADRI

Note No :1



Ref:SMTTPP/SAFETY/2024-25/Safety/164897

Date:

27/05/2024(11:25:52)

Subject:Approval of LMI on Mitigating Occupational Health Risks - Stressors Hygiene and Facilities

Sub:- Approval of LMI on Mitigating Occupational Health Risks - Stressors Hygiene and Facilities -reg.

The LMI on Occupational Health Risks - Stressors Hygiene and Facilities, Ref no: LMI-OGN-OPS-SAFT-004, Dated: MAY - 2024 is reviewed and no changes incorporated in the LMI.

This Supersedes LMI-OGN-OPS-SAFT-004, Dated: APR -2022

Put up for approval of Competent authority.

Encl:-

1. Old LMI-OGN-OPS-SAFT-004 Mitigating Occupational Health Risks - Stressors Hygiene and Facilities reviewed on Apr 2022
2. Latest OGN on Mitigating Occupational Health Risks - Stressors Hygiene and Facilities
3. Latest LMI-OGN-OPS-SAFT-004 Mitigating Occupational Health Risks - Stressors Hygiene and Facilities May 2024

Submitted by:

VIGNESHWAR D - 035252 (ASSISTANT OFFICER ,SAFETY) ,Simhadri

(VIGNESHWARD@NTPC.CO.IN, 8778387209)

On:27/05/2024(11:25:52) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:2

reviewed and forwarded

Submitted by:

पुली सदाशिव रेड्डी - उप महाप्रबंधक

Puli Sadashiva Reddy - 062135 (DY. GENERAL MANAGER ,SAFETY)

(PSADASHIVAREDDY@NTPC.CO.IN, 9425823806) ,Simhadri

On:03/06/2024(17:17:11) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:3

Submitted by:

तुषार कानूनगो - अपर महाप्रबंधक

Tushar Kanungo - 007981 (ADDL. GENERAL MANAGER ,SAFETY)

(TUSHARKANUNGO@NTPC.CO.IN, 9437960590) ,Simhadri

On:05/06/2024(09:39:54) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:4

Submitted by:

ऊमा शंकर वर्मा - अपर महाप्रबंधक

Uma Shanker Verma - 006137 (ADDL. GENERAL MANAGER ,EEMG)

(USVERMA@NTPC.CO.IN, 9650992821) ,Simhadri

On:05/06/2024(10:05:33) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:5

Submitted by:

पीयूष श्रीवास्तव - अपर महाप्रबंधक

Piyush Srivastava - 006316 (ADDL. GENERAL MANAGER ,CHEMISTRY)

(PIYUSHSRIVASTAVA@NTPC.CO.IN, 9650999535) ,Simhadri

On:05/06/2024(10:30:45) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:6

Submitted by:

राजेश चावला - अपर महाप्रबंधक

Rajesh Chawla - 007383 (ADDL. GENERAL MANAGER ,MTP)

(RAJESHCHAWLA@NTPC.CO.IN, 9425534528) ,Simhadri

On:05/06/2024(16:16:00) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:7

Submitted by:

के विजय - अपर महाप्रबंधक (चिकित्सा)

Kamaraju Vijaya - 068583 (ADDITIONAL GENERAL MANAGER (MEDICAL) ,MEDICAL)

(VIJAYAMURTHY@NTPC.CO.IN, 9414071342) ,Simhadri

On:05/06/2024(17:58:31) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:8

Review

Submitted by:

धर्मेन्द्र कुमार तोमर - अपर महाप्रबंधक

Dharmendra Kumar Tomar - 007286 (ADDL. GENERAL MANAGER ,ELECT MAINT)
(DHARMENDRAKUMAR02@NTPC.CO.IN, 9416212079) ,Simhadri

On:05/06/2024(18:34:40) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:9

Reviewed.

Forwarded for further approvals

Submitted by:

तेन्नेटि विजय कृष्ण - अपर महाप्रबंधक

Tenneti Vijay Krishna - 007966 (ADDL. GENERAL MANAGER ,ELECT MAINT)
(TVIJAYKRISHNA@NTPC.CO.IN, 9437188892) ,Simhadri

On:07/06/2024(11:17:50) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:10

reviewed and forwarded

Submitted by:

मकाला नागेश्वर राव - उप महाप्रबंधक

Makala Nageswara Rao - 007521 (DY. GENERAL MANAGER ,ELECT MAINT- MAIN PLANT)
(MAKALANAGESWAR@NTPC.CO.IN, 8331016103) ,Simhadri

On:08/06/2024(10:25:20) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:11

Submitted by:

धर्मेंद्र कुमार तोमर - अपर महाप्रबंधक

Dharmendra Kumar Tomar - 007286 (ADDL. GENERAL MANAGER ,ELECT MAINT)
(DHARMENDRAKUMAR02@NTPC.CO.IN, 9416212079) ,Simhadri

On:08/06/2024(16:39:51) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:12

Please review

Submitted by:

नीलांजन मंडल - अपर महाप्रबंधक

Nilanjan Mandal - 007418 (ADDL. GENERAL MANAGER ,ASH HANDLING)
(NILANJANMANDAL@NTPC.CO.IN, 9434097418) ,Simhadri

On:10/06/2024(16:32:47) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:13

Reviewed and forwarded for approval.

Submitted by:

तन्मय सिन्हा - वरिष्ठ प्रबंधक

TANMOY SINHA - 101612 (SENIOR MANAGER ,ASH HANDLING)
(TANMOYSINHA@NTPC.CO.IN, 9434737629) ,Simhadri

On:10/06/2024(17:52:41) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:14

Submitted by:

नीलांजन मंडल - अपर महाप्रबंधक

Nilanjan Mandal - 007418 (ADDL. GENERAL MANAGER ,ASH HANDLING)
(NILANJANMANDAL@NTPC.CO.IN, 9434097418) ,Simhadri

On:10/06/2024(18:59:22) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:15

Submitted by:

डॉ वी जयन - अपर महाप्रबंधक

Velayudhanpillai Jayan - 006202 (ADDL. GENERAL MANAGER ,ENVT. MGT.)
(VJAYAN@NTPC.CO.IN, 9650991721) ,Simhadri

On:11/06/2024(09:06:15) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:16

Submitted by:

जे आर वर्गीस - अपर महाप्रबंधक

Jayamol Rachel Varughese - 006127 (ADDL. GENERAL MANAGER ,C & I MAINT)
(JAYAMOLRV@NTPC.CO.IN, 9440918557) ,Simhadri

On:11/06/2024(09:56:12) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:17

Submitted by:

महेश अलुगोलु - अपर महाप्रबंधक

Mahesh Alugolu - 006936 (ADDL. GENERAL MANAGER ,CIVIL MAINT.)
(AMAHESH@NTPC.CO.IN, 9650993435) ,Simhadri

On:11/06/2024(19:06:39) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:18

Submitted by:

टी वी राजशेखर - अपर महाप्रबंधक

T V Rajasekhar - 007005 (ADDL. GENERAL MANAGER ,MECH MAINT- OFF SITE)
(TVRSEKHAR@NTPC.CO.IN, 9650998176) ,Simhadri

On:12/06/2024(17:29:57) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:19

Submitted for approval

Submitted by:

ओम प्रकाश - अपर महाप्रबंधक

Om Prakash - 007105 (ADDL. GENERAL MANAGER ,MECH MAINT- BOILER)
(OMPRAKASH08@NTPC.CO.IN, 9650994070) ,Simhadri

On:12/06/2024(17:49:02) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:20

Please review.

Submitted by:

नवीन किशोर - अपर महाप्रबंधक

Navin Kishore - 006964 (ADDL. GENERAL MANAGER ,MECH MAINT- TURBINE)
(NAVINKISHORE@NTPC.CO.IN, 9650990460) ,Simhadri

On:15/06/2024(09:58:58) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:21

Reviewed and No changes proposed.

Put up for further approval.

Submitted by:

रश्मि रंजन सतपथी - वरिष्ठ प्रबंधक

RASHMI RANJAN SATAPATHY - 100837 (SENIOR MANAGER ,MECH MAINT- TURBINE)
(RRSATPATHY@NTPC.CO.IN, 9437021584) ,Simhadri

On:17/06/2024(19:20:24) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:22

Reviewed and submitted for aproval.

Submitted by:

नवीन किशोर - अपर महाप्रबंधक

Navin Kishore - 006964 (ADDL. GENERAL MANAGER ,MECH MAINT- TURBINE)
(NAVINKISHORE@NTPC.CO.IN, 9650990460) ,Simhadri

On:17/06/2024(20:01:36) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:23

For review and necessary comment please.

Submitted by:

मलय कांति जाना - अपर महाप्रबंधक

Malay Kanti Jana - 007824 (ADDL. GENERAL MANAGER ,OPERATION)
(MKJANA@NTPC.CO.IN, 9437963403) ,Simhadri

On:19/06/2024(17:47:00) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:24

Reviewed and forwarded for further action.

Submitted by:

बी राज शेखर - उप महाप्रबंधक

Batana Raja Sekhar - 008273 (DY. GENERAL MANAGER ,OPERATION)
(BRSEKHAR@NTPC.CO.IN, 9445869087) ,Simhadri

On:20/06/2024(09:19:57) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:25

Reviewed.

Submitted by:

Amulya Kumar Behera - 097433 (ADDL. GENERAL MANAGER ,FUEL MANAGEMENT)
(AMULYABEHERA@NTPC.CO.IN, 9425534368) ,Simhadri

On:20/06/2024(12:38:16) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:26

Submitted by:

आन्नप्रगद रमा कोटेश्वरराव - अपर महाप्रबंधक

Annapragada Rama Koteswararao - 047211 (ADDL. GENERAL MANAGER ,FUEL HAND.- OPN)
(ARKOTESWARARAO@NTPC.CO.IN, 8332988907) ,Simhadri

On:29/06/2024(17:57:58) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:27

Submitted by:

सोमनाथ राउत - अपर महाप्रबंधक

Somanath Rout - 006476 (ADDL. GENERAL MANAGER ,IT)
(SOMANATHROUT@NTPC.CO.IN, 9437138223) ,Simhadri

On:01/07/2024(10:09:01) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:28

Submitted by:

भक्त बत्सल पात्रा - अपर महाप्रबंधक

Bhakta Batsala Patra - 097351 (ADDL. GENERAL MANAGER ,HR)
(BBPATRA@NTPC.CO.IN, 9650991250) ,Simhadri

On:02/07/2024(16:18:37) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:29

Submitted by:

अजय गिरि - अपर महाप्रबंधक

Ajay Giri - 007629 (ADDL. GENERAL MANAGER ,FGD)

(AJAYGIRI@NTPC.CO.IN, 7440228332) ,Simhadri

On:04/07/2024(18:32:37) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:30

Submitted by:

एस पद्मप्रिय - महाप्रबंधक

S Padmapriya - 004521 (GENERAL MANAGER ,TECH SERVICES)

(SPADMAPRIYA@NTPC.CO.IN, 9650992835) ,Simhadri

On:05/07/2024(10:03:21) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:31

Submitted by:

सुरेश जॉन डेविड - महाप्रबंधक

Suresh John David - 005206 (GENERAL MANAGER ,O & M)

(SJDAVID@NTPC.CO.IN, 9447797541) ,Simhadri

On:12/07/2024(07:35:01) **Ref:**SMTTPP/SAFETY/2024-25/Safety/164897

Note No:32

Approved & Submitted by:

संजय कुमार सिन्हा - मुख्य महाप्रबंधक

Sanjay Kumar Sinha - 005185 (CGM ,HEAD OF PROJECT)
(SKSINHA06@NTPC.CO.IN, 9431215239) ,Simhadri

On:12/07/2024(08:48:21) **Ref:**SMTPP/SAFETY/2024-25/Safety/164897



SIMHADRI

LOCATION MANAGEMENT INSTRUCTION

MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES

LMI-ISO-00-OGN-OPS-SAFT/004 Rev: 00

May 2024

Approved for Implementation by HOP (Simhadri)

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

Table of Contents

1.0 SUMMARY	4
2.0 SCOPE / INTRODUCTION	4
3.0 INTRODUCTION	4
4.0 ROLES & ACCOUNTABILITY	5
5.0 REQUIREMENTS	6
5.2.1 NOISE	6
5.2.2 ILLUMINATION & LIGHTING	8
5.2.3 HEAT AND COLD EXTREMES	9
5.2.4 VIBRATION	9
5.2.5 VENTILATION	9
5.2.6 DUST	10
5.2.7 CHEMICAL STRESSORS	11
5.2.8 BIOLOGICAL STRESSORS	12
5.2.9 ERGONOMICS SURVEYS	12
5.2.10 PSYCHOLOGICAL STRESSORS	12
5.2.11 FOOD RELATED HEALTH RISKS	12
5.3 OCCUPATIONAL HEALTH RISK IDENTIFICATION AND EVALUATION	12
5.4 PROVISION OF ADEQUATE INFRASTRUCTURE/FACILITIES	12
5.5 MAINTENANCE OF HYGIENE CONDITION OF THE FACILITIES	14
5.6 NO FOOD IN UNAUTHORIZED AREA	14
5.7 REGULAR INSPECTIONS	14
6.0 RECORDS	15
7.0 AUDIT	16
8.0 ASSOCIATED DOCUMENTS	16
ANNEXURE 1 - MONITORING OCCUPATIONAL NOISE INDUCED HEARING LOSS	17
ANNEXURE 2 - LISTS AND LOCATIONS OF WELFARE & HYGIENE FACILITIES	19
<i>List and Location of Welfare Facilities – Canteens & Pantries</i>	19
<i>List and Location of Welfare Facilities – Restrooms</i>	19
<i>List and Location of Welfare Facilities – Crèche</i>	19
<i>List and Location of Hygiene Facilities – Toilets/Washrooms</i>	19
<i>List and Location of Hygiene Facilities – Drinking Water Points</i>	19
ANNEXURE 3 - CHECKLISTS FOR HYGIENE	20

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

SAFETY DEPARTMENT

TITLE OF LMI:		Safety Monitoring, Measurement and Improvement at Simhadri Super Thermal Power Station					
LMI No:		LMI-OGN-OPS-SAFT/004					
ISSUE NO	REV NO	DATE	CHANGES DONE	PREPARED BY	CHECKED BY	REVIEWED BY	APPROVED BY
01	00	.03.22	All clauses are new as the document is being issued for the first time.	P S S REDDY	ALL HODs	GM(O&M)	HOP
02	00	.05.24	Document reviewed. No changes done.	Safety Officer	ALL HODs	GM(O&M)	HOP

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

LMI APPROVAL DOCUMENT

<i>Title of LMI:</i>	Safety Monitoring, Measurement and Improvement at Simhadri Super Thermal Power Station	
<i>LMI No.:</i>	LMI-OGN-OPS-SAFT/004	
<i>Issue No. : 02</i>	<i>Revision: 00</i>	<i>Date : .05.2024</i>
	<i>Name</i>	<i>Designation</i>
<i>Prepared by</i>	Vigneshwar D	Asst Officer (Safety)
<i>Checked by</i>	P Sada Shiva Reddy	DGM (Safety)
	Tushar Kanungo	AGM (Safety)
	Uma Shankar Verma	AGM (EEMG)
	Debjit Kumar Kar	AGM (C&M Stores)
	Rajesh Chawla	AGM (MTP)
	Malay Kanti Jana	AGM (Operation)
	Om Prakash	AGM (BMD)
	Dharmendra Kumar Tomar	AGM (EMD)
	Navin Kishore	AGM (TMD)
	Nilanjan Mondal	AGM (AHD)
	Mahesh Alugolu	AGM (Civil)
	Dr. T V Rajasekhar	AGM (OFS)
	Jayamol Rachel Varughese	AGM (C&I)
	Piyush Srivastava	AGM (Chemistry)
	Amulya Kumar Behera	AGM (FT&FC)
	Dr. V Jayan	AGM (EMG)
	Kamaraju Vijaya	Chief Medical Officer (CMO)
	Ajay Giri	AGM (FGD)
	Somanath Rout	AGM (IT)
	Bhakta Batsala Patra	AGM (HR&RLI)
	A R Koteswar Rao	AGM (FM)
	S Padmapriya	GM (TS)
<i>Reviewed by</i>	Suresh John David	GM (O&M)
<i>Approved by</i>	Sanjay Kumar Sinha	CHIEF GENERAL MANAGER (S)
<i>Date of Issue</i>		

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

1.0 SUMMARY

1.1 Superseded documents	Not Applicable	
1.2 Scope	NTPC Simhadri Super Thermal Power Station.	
1.3 Review	Responsibility	HOD - Safety
	Review Frequency	2 yearly basis or as and when required, whichever is earlier
	Review Authority	Head of Project

2.0 SCOPE

The NTPC Safety Policy requires projects to assess what could cause harm to people as a result of work activities and to ensure in place appropriate precautions. This directive provides guidance on mitigating occupational health risks as part of safety assurance to make every location a better workplace. This LMI is to ensure that occupational health risks are identified, assessed and managed; adequate provisions are made for personal hygiene amenities at the workplace for use by employees, contractors and visitors; and, that all premises, facilities and the work environment are maintained in a high standard of cleanliness and hygiene.

a. NOTE: This LMI relates to occupational health risks only and does not cover general health risks brought about by epidemics/pandemics. Such scenarios require the project to act on specific circumstances and, guidance provided by or, rules enforced by authorities and as interpreted by the corporate health management team. Accordingly, the term “health” as used in this document refers to “occupational health” only.

b. If NTPC Simhadri has outsourced operational responsibility to third-parties but continues, as the project developer, to have a legal obligation of ensuring a safe working environment, the designated person responsible for such a project shall be accountable for ensuring that the philosophy and principles of this procedure are implemented by all such third-parties to ensure a safe working environment.

3.0 INTRODUCTION

a. The major health related risks shall be identified in a systematic process based on guidance provided under the LMI on Hazard Identification and Risk Assessment. Such health risk assessments should cover the full scope of the project responsibility and accountability. Health risk assessments should be

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

carried out by trained and competent persons who can be either internal assessors or, outsourced from external agencies.

- b. Stressors that affect health adversely may take different forms like physical stressors (noise, dust, lighting, ventilation), chemical stressors (vapors, mists, gases, fumes and dust), biological stressors (viruses, fungus and parasites), physiological stressors (ergonomics and manual handling), psychological stressors (extreme concentration, work pressure) etc. Occupational hygiene surveys should be conducted by appropriately qualified persons and according to accepted standards and methodologies. Instrumentation used should comply to instrument specification and calibrating standards. Analyses of samples should be carried out by appropriately accredited laboratories. Results of such surveys should be compared with appropriate standards and communicated to all interested and affected parties.

4.0 ROLES & ACCOUNTABILITY

i. Head of the Project/Stations (HOP) is accountable for:

Ensuring that relevant aspects of this LMI is implemented at their location; to ensure in place a system to manage health related risks through assessments and surveys and provide for adequate personal hygiene amenities and facilities.

ii. Head of Function/Section is accountable for:

- a. To ensure health risks are assessed as part of respective Section's Hazard Identification & Risk Assessment document.
- b. To ensure all persons working under respective Section are trained on personal protective equipment (PPE).
- c. To ensure persons set off to work in respective section are provided with appropriate PPE.
- d. To ensure scheduled self-assessments to assure the implementation of the risk mitigation measures and maintain records of the implementation of such self-assessments.
- e. To ensure a system is in place to control access to substances that contain hazardous chemical stressors.

iii. Site Safety Coordinator is accountable for:

- a. Ensure to use only the standard site induction general safety training module for location induction.
- b. coordinate to arrange for location health surveys like noise, lighting.

iv. Area Engineer:

- a. for completion and recording the completion of such inspections and assessments as assigned to them by the respective HOS, or under their role requirement.

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

- b. to include health risks as part of task risk assessments viz., Job Safety Analysis (JSA).
- c. to include health risks as part of task Tool Box talks and maintain such records.
- d. The term: Area Engineer is used to refer to Area Engineers and other Persons who are handling or, are accountable for a given work area. Thus, it also includes a person who may or, may not have a formal qualification in engineering, like a HR person who manages a location's facilities.

v. Where operations and maintenance functions are outsourced:

For projects where operations and maintenance functions are outsourced to third parties, the designated Person accountable for the performance of such a project, wherever he/she is located, shall be accountable for implementing the philosophy of this LMI related to the above two roles.

5.0 REQUIREMENTS

5.1 HYGIENE SURVEYS

Depending on the nature of the health and hygiene risks, some surveys also may be needed to be undertaken as a baseline input for occupational health risk assessments. An indicative list of such site health surveys expected to be in place, is listed below:

- Confined spaces especially those containing hazardous substances – Chemistry/CHP/BMD/OFS
- Illumination / Lighting – EMD / Safety
- Noise – Chemistry / Safety
- Dust – CHP / AHP
- Ventilation – TMD / OPN
- Use of pesticides/weedicides – Civil (TAD /O&M)
- Manual handling – Stores/MM Dept & OPN
- Heat – outside work in summers, any fatalities in the field due to sun stroke/cardiac arrest – All depts.
- Age related risks – having older workers / workers with medical health issues increasing risk for certain activities - All depts.

5.2 MAJOR HEALTH STRESSORS

5.2.1 NOISE

- a. Noise-control measures are required by the legislations and regulations that establish permissible noise levels. The HOP shall take all reasonably practicable

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

measures to minimize occupational noise-induced hearing loss in persons working within its premises.

b. Baseline noise assessment/survey shall be organized by, and records maintained by the Site Safety Coordinator, for work areas where there is a likelihood of posing noise hazard to employees/contractors. Further noise assessment should be conducted when there has been a significant change in the equipment used, plant layout, mode of operation, legislation, etc. to which the assessment is believed to be no longer valid, as per applicable local legislation, or once in five years.

– **- (Responsibility - Chemistry/Safety)**

c. High noise zones as defined by relevant legislation, shall be identified and demarcated as Ear Protection Zones. Signage shall be displayed in conspicuous positions to indicate the Ear Protection Zones and persons shall be instructed to wear approved ear protectors while in the Zones during the location induction training, records of such induction training shall be maintained by the Site Safety Coordinator

. **- (Responsibility - Safety)**

d. Respective HOS shall ensure, that all persons (directly employed and outsourced) in his section, who may be exposed to high noise levels including noise due to portable tools, are trained in the proper use of such tools and ear protectors and maintain records of such trainings. Such HOS is accountable to provide appropriate hearing protectors to all persons working under his section.

. **- (Responsibility – All Sections)**

e. Persons (including those outsourced) who are working in the high noise zones shall use the provided ear protectors and where applicable report any damage to the provided hearing protectors to the respective Area Engineer/HOS. Use of PPE shall be part of periodic contractor assessments by the respective HOS. Not using or, improper use of the provided ear protectors can be a ground for penal action including exclusion from the project.

- **- (Responsibility – All Sections)**

f. Hearing acuity testing should be administered to all persons who routinely perform duties/work in areas/zones where noise exposures may be high or, as defined

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

by legislation, regulations or, permits. Records shall be maintained by the medicine practitioner. Trend analysis for 5% of the exposed population shall be done randomly from the pool of reports to understand underlying trends. Such trends shall be reported to the HOP and records maintained. Occupational hearing loss cases shall be treated as incidents and investigated as per relevant LMI. Guidance on the same is provided as Annexure-1. -

- (Responsibility – CMO)

5.2.2 ILLUMINATION & LIGHTING

a. The intent is to ensure: all workplaces are provided with sufficient lighting levels and visibility, by natural or, artificial lighting, and the maintenance thereof, so that work may be performed in accordance with health standards/regulations/statutes.

b. Baseline light intensity survey should be organized for work areas that are occupied continuously and records maintained by the Site Safety Coordinator. All measurement points should be properly identified and recorded for future reference or surveys. The light intensities measured should be recorded and compared to the legislative requirements or other internationally recognized standards, whenever appropriate. Improvement actions to rectify the deviations, if any, should be explicitly mentioned in the survey as suggestion to management for consideration/action. Employees'/outsourced persons' complaints on lighting issue should be investigated and considered. The survey may be repeated when there has been a significant change in the plant layout, mode of operation, equipment used, legislation, etc. to which the survey is believed to be no longer valid, or once in five years.

(Responsibility – Electrical /Safety)

c. Periodic inspection for lighting facilities should be carried out to ensure that the workplace is sufficiently well lit, and identify any damage on lighting fittings, dirt accumulating on windows or skylights obstructing the natural lighting levels.

(Responsibility – Electrical /Safety)

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

5.2.3 HEAT AND COLD EXTREMES

Health risks of work in high or very low temperatures should be considered and included in the respective Hazard Identification and Risk Assessments by the respective HOS and in the applicable JSA by the respective Area Engineer. Records of such risk assessments shall be maintained by the respective HOS. Age related risk of persons involved in working exposed to such extreme temperatures need to be carried out. Tool Box Talks (Task based), by respective Area Engineers shall include dangers of extreme heat/cold when works/tasks are undertaken in extreme weather conditions. Record of such tool box talk shall be maintained by respective Area Engineer.

- (Responsibility – Heads of Sections)

5.2.4 VIBRATION

a. Vibration assessment should include determination of hazards; identification of effects; and establishment of exposure. Sources of vibration (like portable power tools) potentially impacting on the health should be identified, quantified and controlled.

b. Portable vibrating tools: where exposure of high vibration is possible due to operation of a portable tool, the respective Area Engineer shall ensure that the person operating the tool gets adequate rest from fatigue and is not over-worked. Tool box talk by respective Area Engineers shall include dangers of vibration-induced health dangers when works/tasks are undertaken that expose his workers to potentially high vibrations like use of such tools. Record of such tool box talk shall be maintained by respective Area Engineer.

(Responsibility – Heads of Sections)

5.2.5 VENTILATION

a) Intent is to provide and maintain internal air quality for all work areas for the purpose of eliminating possible health hazards and to ensure conformance to all relevant legislation and meets accepted standards. The project's ventilation design basis report serves as the basis for the adequacy of the ventilation system as it is installed conforming to relevant national / international design standards. The performance test of the ventilation system shall be considered as the baseline performance study and be available with the respective HOS.

(Responsibility – Heads of Sections)

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

b) Workplace stress factors such as airborne contaminants, humidity, air movements, temperature, etc. which will have health effects for employees should be identified and monitored regularly. Employees' complaints should be investigated and considered in the ventilation study. Periodic air monitoring survey, by means of static and/or personal sampling should be organized the location-linked occupational medicine practitioner at least once in five years, whenever there is concern on prevention of exposure to pathogenic organisms. Or, by the respective HOS when there has been a significant change in the use of materials, equipment used, plant layout, mode of operation, etc., due to which the previous air monitoring survey is no longer valid. The result of air quality should be recorded and compared to the legislation or, other acceptable standards to identify the risks.

(Responsibility – Heads of Sections)

c) Local Ventilation/Extraction:

- i. Appropriate ventilation/extraction system shall be provided for all hazardous areas or tasks producing unhealthy environments to reduce the airborne pollutants to an acceptable level by respective Area Engineer. Ventilation requirement for Work in Confined Space shall follow the requirement of a method statement.
- ii. In the event where adequate ventilation is not physically possible, alternative arrangement such as the provision of personal protective equipment, or segregation of employees from the pollutants should be considered.
- iii. All the ventilation/extraction systems both fixed and portable including their accessories should have a maintenance system in place. Respective HOS shall maintain such maintenance records.

(Responsibility – Heads of Sections)

5.2.6 DUST

a. The intent of dust risk assessment or, survey is to minimize occupational health risk due to dust or, fugitive dust. Dust can enter a person through inhalation, skin contact, eye contact or ingestion and cause health problems like respiratory problems, skin problems.

b. Prevention of health risks due to dust is more effective if it is considered at the planning stage of any work process. The work may be planned to minimize as far as reasonably practicable to prevent or minimize emission of the dust to the air; and, if it is not possible to prevent exposure by any other methods like: reduction the quantum of exposure in the form of smaller number of persons exposed, reduction in time for which they are exposed, provision of local exhaust ventilation, using mechanical handling, sprinkling water, reducing the fall of the material, stockpiling of material etc. Where dust continues to be present in significant quantities, then use personal

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

protective equipment, such as gloves, coveralls and a respirator that fits the wearer, to the workers and other persons, as needed. Protective clothing may be needed to prevent contamination of skin, hair or personal clothing. The respective HOS should plan for supervision and maintenance, in order to ensure that dust controls are used and continue to be effective. Dust survey should be organized for such work areas by the Site Safety Coordinator, and records maintained.

-

(Responsibility – Heads of Sections)

c. Work that produces fugitive dust can occur in some of the following ways: ground clearing and preparation; movement of equipment / vehicles on-site; transporting materials into and out of the work area. The respective HOS should take reasonable precautions like sprinkling water to reduce the risk of fugitive dust.

(Responsibility – Heads of Sections)

5.2.7 CHEMICAL STRESSORS

Surveys and risk assessments should cover identification of hazards related to airborne substances (vapors, mists, gases, fumes and dust).

Risks due to Pesticides, Weedicides

Risks to health from pesticides may arise from exposures causing absorption through the skin, ingestion through the mouth, or inhalation of vapors, mists, aerosols or dusts; however, the primary route of contamination is likely to be absorption through the skin. All exposure to pesticides must be assessed by respective HOS in the respective section- related Hazard Identification & Risk Assessment document.

(Responsibility – Heads of Sections)

When contractors are employed to use pesticides etc., on behalf of the project, the respective HOS shall be accountable to ensure that contractor workers handling and using pesticides have received appropriate training in handling and use of pesticides/weedicides, and for maintaining such training records. Tool box talk by respective Area Engineers shall include relevant safe working practices that are to be strictly followed when using pesticides, etc., including the use of protective clothing and safe disposal of the empty pesticide containers. Record of such tool box talk shall be maintained by respective Area Engineer.

(Responsibility – Heads of Sections)

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

5.2.8 BIOLOGICAL STRESSORS

Surveys and health risk assessments should cover occupational hazards involving relevant endemic pathogens like bacteria, fungi and parasites. Location-linked occupational medicine practitioner shall be accountable for ensuring such study is carried out periodically, and repeated if some complaints were observed.

(Responsibility – CMO)

5.2.9 ERGONOMICS SURVEYS

These surveys should cover permanently occupied workplaces like control rooms. This includes Manual Handling. The intent is to reduce as far as reasonably practicable the fatigue and stress imposed on employees caused by incorrect man-machine relationships, working environment or manual handling operations. A baseline assessment shall be organized by the Site Safety Coordinator, to identify the safety and health risks associated with the manual handling operations. As far as reasonably practicable, arrangements shall be made for employees/contractors to avoid undertaking any manual handling operations which may create health risks.

(Responsibility – Safety)

5.2.10 PSYCHOLOGICAL STRESSORS

Assessments by the location occupational medicine practitioner, based on complaints or recommendation from any HOS or Site Safety Coordinator, should cover, for example, identification of stressors like age, extreme concentration or work pressure.

(Responsibility – CMO)

5.2.11 FOOD RELATED HEALTH RISKS

Health risks pertaining to food processing in the project premises are to be assessed (risks to both food handlers and consumers should be included in the assessment).

(Responsibility – Head of HR)

5.3 OCCUPATIONAL HEALTH RISK IDENTIFICATION AND EVALUATION

Risks related to all identified occupational health stress factors should be assessed, taking full cognizance of Material Safety Data Sheets (MSDS) data, hygiene survey results, medical surveillance information and employee/contractor complaints. Health risk assessments should be reviewed regularly, or upon availability of new information by respective HOS or location occupation medical practitioner.

(Responsibility – CMO/ Head of Sections)

5.4 PROVISION OF ADEQUATE INFRASTRUCTURE/FACILITIES

a. The above mentioned surveys and risk assessments provide the foundation for instituting appropriate risk control measures, including providing for infrastructure and

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

facilities. For stressors like noise, dust, ventilation, ergonomics, lighting the HOP shall arrange to ensure remedial measures where necessary.

b. Site Induction training by Site Safety Coordinators should include information on authorized food areas and, personal hygiene including use of toilets, hand washing practices for relevant persons.

c. Where PPE are the final risk mitigation measure the respective HOS shall ensure adequate quality and quantities are available to relevant persons carrying out the work.

d. Hazardous chemicals used for cleaning shall be properly stored, labeled and locked to prevent for unauthorized access and empty containers disposed as per applicable consent conditions. Arrangements for the safe disposal of empty containers and unused pesticides in accordance with hazardous waste and other consent requirements; and, appropriate warning notices where required shall be ensured by respective HOS/Area Engineer.

e. Personal Hygiene amenities:

1. Adequate toilet, wash basins, lockers, changing rooms (ensuring privacy for different genders) shall be provided at the location. Adequate supplies like soaps, sanitizers, towels etc., shall be ensured.

2. Adequate drinking water shall be provided at the workplace for the consumption by employees.

3. Adequate lockers and changing rooms should be provided where appropriate.

4. Adequate kitchen, canteen and food storage facilities should be provided, where appropriate.

5. Sufficient cleaning tools (brooms, sponges, detergents, disinfectants etc.) should be provided.

6. Sufficient and appropriate waste bins should be provided.

7. All such provided personal hygiene facilities and shall at least meet or, if not be much better than the applicable legal requirements.

f. Location HR Head (or, the role designated for welfare) shall ensure that numbers of welfare and hygiene facilities like canteens, pantries, toilets/washrooms crèches, shall be comply with, or be better than those specified under local regulations. All welfare & hygiene facilities shall have unique identification numbers for facilitating tracking of inspections. Format to maintain the lists and locations of Welfare & Hygiene Facilities are given under Annexure-1.

(Responsibility – Head of HR)

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

5.5 MAINTENANCE OF HYGIENE CONDITION OF THE FACILITIES

- All personal hygienic amenities including tiles, floors, walls, fixtures and fittings shall be maintained in clean and hygienic condition. Adequate supplies of consumables like sanitizers, soaps shall be ensured.
- Waste bins shall be cleaned and emptied regularly.
- Dining rooms, food preparation and storage areas should be kept clean, tidy and vermin free. Food handlers should be clean, tidy, and included in health surveillance where endemic infectious diseases are prevalent. Measures to control flies, rodents and other vermin should be continuously implemented. Sufficient ventilation shall be provided, especially in toilets and kitchens, to provide fresh air and remove smell.
- Periodic deep cleaning program including fumigation should be put in place for kitchens, canteens, washrooms, toilets, lockers. Schedule shall be maintained by the location HR Head.

(Responsibility – Head of HR)

5.6 NO FOOD IN UNAUTHORIZED AREA

- No food should be allowed in unauthorized areas such as work stations, changing rooms, lockers, etc. Suitable facilities should be provided for storage of food/drinks. Food should only be allowed in designated area, away from the industrial work process.

(Responsibility – Head of Sections)

- List and locations of authorized food areas shall be included in the location site induction training by the Site Safety Coordinator.

(Responsibility – Head of Safety)

5.7 REGULAR INSPECTIONS

- Location HR Head (or, the role designated for welfare) shall ensure that all facilities like canteens, pantries, toilets/washrooms shall have unique identification numbers for facilitating tracking of inspections. It is to be ensured that periodic inspections specified to be in place by legal and other requirements shall be done so, at a frequency that is at least equal to, if not better than that required by the relevant legislation or other requirements.
- Regular inspections using standardized checklists should be coordinated by the location HR Head (Human Resources function), at all the hygiene facilities and services. Deviation or, damages should be reported to responsible officer and ensured that prompt actions are effected. Inspections should include hygiene habits of food handlers.

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

c. Annexure-3 provides suggested checklists for hygiene facilities. Checklists covering all relevant health and hygiene aspects for each type of facilities and unique to the location should be prepared by the location HR Head, to suit the circumstances. Checklist should be used by the appointed Safety Representative when conducting the regular inspection. The findings shall be shared by the location HR function with the Site Safety Coordinator for inclusion in periodic safety meetings and periodic reports of the location HR function.

(Responsibility – Head of HR)

6.0 RECORDS

Any record that is maintained as an electronic copy shall be in a format like secure PDF, that cannot be edited.

LOCATION LINKED HEAD - OCCUPATIONAL HEALTH PRACTITIONER:

- o Monthly report to HOP to explicitly include matters of concern on occupational health. In case there are no such concerns, record of explicitly mentioning the same.
- o Analysis of location persons' health records for trends like hearing acuity trends (for human hearing frequency range) for ~5% of the total reports to study underlying trends to identify any matters of concern.
- o Records of surveys for biological pathogens.

HOD/HOS:

- o Evidence that health risks are assessed as part of respective Section's HIRA document.
- o Training records of all persons working under respective Section trained in use of PPE.
- o System to ensure persons set off to work in respective section are provided with appropriate PPE.
- o Records of scheduled self-assessments to assure the implementation of the risk controls.
- o Records of access control to substances that contain hazardous chemical stressors.

SITE SAFETY COORDINATOR:

- o Coordinate to arrange for location health surveys like noise, lighting.

HR:

- o System of identification by unique numbers all canteens, pantries, toilets/washrooms.
- o Hygiene related inspection schedules.

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

- o Records of hygiene related inspections that were carried out.
- o gate pass issuance to outsourced workers only after site induction training is completed.

If NTPC Simhadri has outsourced operational responsibility to third-parties, but continues, as the project developer, to have a legal obligation of ensuring a safe working environment, the designated person accountable for such a project shall be accountable for ensuring requirements of periodic assessments are implemented. Records of such periodic assessments shall be obtained as part of periodic reports from the agency and maintained by the designated person.

7.0 AUDIT

Evaluation of the compliance with this Guidance shall be carried out at least once annually and can be part of a larger scope technical or other audits. The audit shall be a combination of verification of records, verification of implementation in the field and interviews.

System: Auditors shall validate the evidence of a system as specified under 6.0.

Records: Verification of availability of the records detailed under 7.0.

Field Audit Checkpoints: Auditors shall take a random sample of at least two toilets, one pantry, one canteen, to assess the implementation of this directive.

If NTPC simhadri has outsourced operational responsibility to third-parties, but continues, as the project developer, to have a legal obligation of ensuring a safe working environment, the designated person accountable for such a project shall be accountable for ensuring periodic audits of implementation of the philosophy and principles of this guidance. Records of such audits shall be maintained.

8.0 ASSOCIATED DOCUMENTS

ANNEXURE 1 - Monitoring Occupational Noise Induced Hearing Loss

ANNEXURE 2 - Lists and Locations of Welfare & Hygiene Facilities

ANNEXURE 3 - Checklists for Hygiene

Annexure 3.1 : Random checks for canteens/pantry

Annexure 3.2 : Daily checks for canteens/pantry

Annexure 3.3 : Random checks for washrooms/toilets

Annexure 3.4 : Daily checks for washrooms/toilets

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

ANNEXURE 1 - Monitoring Occupational Noise Induced Hearing Loss

Records are to be maintained with the designated/appointed location medical officer.

Pure-tone audiometry records shall be maintained in tabular form to facilitate trends analyses. An example, the table below gives a Tabular Audiogram. Hearing thresholds are entered for each frequency. Multiple tables may be placed on single page to show hearing tests results in a serial audiogram form. **NOTE: Blue font is given for illustrative purposes only.**

Frequency (Hz)	500	1000	2000	3000	4000	6000	8000
Right Ear (dB)	5	10	0	15	5	5	10
Left Ear (dB)	10	5	0	5	15	10	5

There are several advantages in using a tabular audiogram. It does not require drawing on a chart or having to read a chart or worry about colors of the lines and symbols to interpret the audiogram. One sheet of paper may contain multiple audiograms, effectively holding a record of all the tests a person may have had over a 10 to 40-year range. And, by having access to prior tests, trends analyses can be made easily to see if the changes in hearing are large enough to be considered a significant threshold shift.

If there are 500 persons who are at risk of exposure to higher noise levels, trend analysis shall be made for at least 5 persons chosen at random from that pool of 500.

World Health Organization Grades of hearing impairment (WHO, 2008) are given below for guidance:

Grade of impairment	Audiometric ISO value (average of 500, 1000, 2000, 4000 Hz)	Impairment Description	Recommendations
0 – No impairment	25 dB, or better (better ear)	No or very slight hearing problems. Able to hear whispers.	Nil
1 - Slight impairment	26-40 dB (better ear)	Able to hear and repeat words spoken in normal voice at 1 meter.	Counseling. Hearing aids maybe needed.
2 - Moderate impairment	41-60 dB (better ear)	Able to hear and repeat words spoken in raised voice at 1 meter.	Hearing aids usually recommended.

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

3 - Severe impairment	61-80 dB (better ear)	Able to hear some words when shouted into better ear.	Hearing aids needed. If no hearing aids available, lip- reading and signing should be taught.
4 - Profound impairment including deafness	81 dB or greater (better ear)	Unable to hear and understand even a shouted voice.	Hearing aids may help understanding words. Additional rehabilitation needed. Lip-reading and

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

ANNEXURE 2 - Lists and Locations of Welfare & Hygiene Facilities

Lists are to be maintained with the designated/appointed location welfare officer.

NOTE: Blue font is given for illustrative purposes only.

List and Location of Welfare Facilities – Canteens & Pantries

#	Unique ID #	LOCATION
01	D-01	Near Service Building
02	P-01	Next to CHP Control Room

List and Location of Welfare Facilities – Restrooms

#	Unique ID #	LOCATION
02	R-03	MGR area
07	R-05	Near Service Building

List and Location of Welfare Facilities – Crèche

#	Unique ID #	LOCATION
01	C-01	Near Safety Center
02	C-02	Near Ash Dyke

List and Location of Hygiene Facilities – Toilets/Washrooms

#	Unique ID #	LOCATION	TO COVER PERSONS IN THESE AREAS
01	T-01	Admin Building	Admin Building – 1 st floor – left wing
54	T-54	CHP Control Room	CHP area

List and Location of Hygiene Facilities – Drinking Water Points

#	Unique ID #	LOCATION	TO COVER PERSONS IN THESE AREAS
01	DW-01	Main Gate	Common point for all persons entering the premises
12	DW-12	Ash Handling area	Ash handling area

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

ANNEXURE 3 - Checklists for Hygiene

Annexure 3.1 : RANDOM CHECKS FOR CANTEENS/PANTRY

Department / Section:

Area:

Date:

Contractor/Agency:

#	Description	Yes/ No	Remarks
1	Premises walls, doors, ceilings clean, ventilated & well lit		
2	Storage areas are clean		
3	No signs of pests/vermin activity in premises incl. storage		
	Pest controls like screens, insect electrocuting device are provided.		
4	No signs of spilled oil, food material on the floor		
5	Cooking platforms are clean		
6	Serving tables, chairs are clean & orderly		
7	All (raw & cooked) food containers are covered		
8	Personal hygiene facilities are clean		
9	Wash basin is clean and soap is available		
10	Persons working are wearing clean clothing		
11	Food waste & garbage are segregated in covered containers		
12	Cleaning chemicals - segregated and stored separately		

Additional Observations, incl. positives & penal actions taken: (Mention Canteen/Pantry ID #).

INSPECTED BY: NTPC AREA ENGINEER/EIC/HOS (Name & Signature):

Corrective Actions completed:

1

2

CONTRACTOR (Name, Signature, Date):

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

Annexure 3.2 : DAILY CHECKS FOR CANTEENS/PANTRY
(to be hung on a wall and be visible to users of canteen/pantry)

Department / Section:

Area:

Month & Year:

Contractor/Agency:

Supervisor (Name & Phone):

Canteen/Pantry Id. Number (should be labelled with unique number):

The following shall be cleaned everyday: stovetops, cooking areas, food preparation platforms, washbasins/sinks, mirrors (if provided), fittings, doors, windows, ventilators.

The following shall be checked every day: material properly, no visible ants/cockroaches/rats, soap is available, water supply, water leaks, doors closing properly.

#	DATES	1	2	3	4	5	6	7
	Person cleaning/checking shall sign in the boxes							
		8	9	10	11	12	13	14
	Person cleaning/checking shall sign in the boxes							
		15	16	17	18	19	20	21
	Person cleaning/checking shall sign in the boxes							
		22	23	24	25	26	27	28
	Person cleaning/checking shall sign in the boxes							
		29	30	31				
	Person cleaning/checking shall sign in the boxes							

Verified that the cleaning is being done as per schedule: Supervisor (name & signature)

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

**Annexure 3.3 : RANDOM CHECKS FOR
WASHROOMS/TOILETS**

Department / Section:

Area:

Date:

Contractor/Agency:

#	Description	Yes/No	Remarks
1	Daily checklist is available on the door & being signed-off		
2	Soap is available		
3	Floor is generally clean		
4	No leaks, water is available		
5	Mirror (if provided) is clean		
6	All fittings are clean		

Additional Observations, incl. positives & penal actions taken: (mention

Toilet ID Number). INSPECTED BY: NTPC AREA ENGINEER/EIC/HOS

(Name & Signature):

Corrective Actions completed:

1

2

CONTRACTOR (Name, Signature, Date):

	TITLE	MITIGATING OCCUPATIONAL HEALTH RISKS – STRESSORS, HYGIENE & FACILITIES	SIMHADRI
	LMI NO	LMI-ISO-00-OGN-OPS-SAFT/004	

Annexure 3.4 : DAILY CHECKS FOR WASHROOMS/TOILETS

(to be hung on the door of toilet/washroom)

Department / Section:

Area:

Month & Year:

Contractor/Agency:

Supervisor (Name & Phone):

Toilet/Washroom Id. Number (should be labelled with unique number):

The following shall be cleaned everyday: washbasins / sinks, commodes, urinals, mirrors (if provided), taps, fittings, doors, windows, ventilators. The following shall be checked every day: soap is available, water supply, water leaks, doors closing properly.

#	DATES	1	2	3	4	5	6	7
	Person cleaning/checking shall sign in the boxes							
		8	9	10	11	12	13	14
	Person cleaning/checking shall sign in the boxes							
		15	16	17	18	19	20	21
	Person cleaning/checking shall sign in the boxes							
		22	23	24	25	26	27	28
	Person cleaning/checking shall sign in the boxes							
		29	30	31				
	Person cleaning/checking shall sign in the boxes							

Verified that the cleaning is being done as per schedule: Supervisor (name & signature).