


Introduction to AI

Dirk deRoos
WW Technology Sales Enablement
Data & AI Manager
dderoos@ca.ibm.com

Gina Hawkins
WW Technology Sales Enablement
Gina.Hawkins1@ibm.com



Seller guidance and legal disclaimer

IBM and Business Partner
Internal Use Only

Slides in this presentation marked as **"IBM and Business Partner Internal Use Only"** are for IBM and Business Partner use and should not be shared with clients or anyone else outside of IBM or the Business Partners' company.

© IBM Corporation 2023.
All Rights Reserved.


The information contained in this publication is provided for informational purposes only. While efforts were made to verify the completeness and accuracy of the information contained in this publication, it is provided AS IS without warranty of any kind, express or implied. In addition, this information is based on IBM's current product plans and strategy, which are subject to change by IBM without notice. IBM shall not be responsible for any damages arising out of the use of, or otherwise related to, this publication or any other materials. Nothing contained in this publication is intended to, nor shall have the effect of, creating any warranties or representations from IBM or its suppliers or licensors, or altering the terms and conditions of the applicable license agreement governing the use of IBM software.

References in this presentation to IBM products, programs, or services do not imply that they will be available in all countries in which IBM operates. Product release dates and/or capabilities referenced in this presentation may change at any time at IBM's sole discretion based on market opportunities or other factors and are not intended to be a commitment to future product or feature availability in any way. Nothing contained in these materials is intended to, nor shall have the effect of, stating or implying that any activities undertaken by you will result in any specific sales, revenue growth, or other results.

All client examples described are presented as illustrations of how those clients have used IBM products and the results, they may have achieved. Actual environmental costs and performance characteristics may vary by client.

What is AI?

AI refers to the ability of computer systems to attempt to mimic the problem-solving and decision-making capabilities of the human mind.




Computer vision



Data science




Natural language
processing (NLP)




Robotics

AI milestones



Artificial Intelligence (AI)


Human intelligence exhibited by machines



AI can be defined as a technique that enables machines to mimic cognitive functions associated with human minds – cognitive functions include all aspects of learning, reasoning, perceiving, and problem solving.

Machine Learning (ML)


Systems that learn from historical data



ML-based systems are trained on historical data to uncover patterns. Users provide inputs to the ML system, which then applies these inputs to the discovered patterns and generates corresponding outputs.

Deep Learning (DL)


ML technique that mimics human brain function




DL is a subset of ML, using multiple layers of neural networks, which are interconnected nodes, which work together to process information. DL is well suited to complex applications, like image and speech recognition.

Foundation Model


Generative AI systems



AI model built using a specific kind of neural network architecture, called a transformer, which is designed to generate sequences of related data elements (for example, like a sentence).




Rules-based systems



*programmed with a series
of **instructions** & logical rules*

for example: “a triangle has three sides”

Machine learning systems




*trained with a
series of **examples***

*for example: “here are
pictures of many triangles”*

What is a machine learning (ML) model?

Example: Spam detection for email



Machine learning (ML) types


Classification models

Classification models assign labels to model inputs or assign them to specific categories.

Common use cases include:

- Fraud detection: predict whether a transaction is fraudulent based on patterns in the data
- Sentiment analysis: classify text as positive, negative, or neutral
- Medical diagnosis: assign a disease label to a patient's case, based on symptoms and medical history
- Image recognition: recognize objects or identify people based on visible features and characteristics

Example: Spam detection for email



Machine learning (ML) types


Regression models

Regression models make predictions based on the model input.

Common use cases include:

- Stock market analysis: securities price prediction based on historical data or news events
- Sales: forecasting based on historical data or market trends
- Healthcare: predict patient outcomes based on factors such as age, gender, medical history, or treatment plans
- Customer behavior analysis: predict future customer purchasing patterns based on demographic data, past purchase history, and advertising campaigns

Example: House price prediction



Machine learning (ML) types


Clustering models

Clustering models identifies distinct groupings of individual data points that share common characteristics within a larger data set.

Common use cases include:

- Customer segmentation: group customers based on similar preference, behaviors, and demographics
- Genetic analysis: group genes with similar functions or processes
- Social network analysis: identify communities or groups within a social network
- Market basket analysis: identify items that are commonly purchased together


Example: Market basket analysis



Machine learning operations (MLOps) lifecycle

Use math, statistics, specialized programming, and analytics to extract meaningful insights from data.

Designed to build, deploy, manage, and monitor ML models.



Machine learning (ML) methods

Supervised learning

An operator provides the ML algorithm with a known dataset that includes desired inputs and outputs.

Semi-supervised learning

By using a combination of labeled and unlabeled data, ML algorithms can learn to label unlabeled data.

Unsupervised learning

The machine determines the correlations and relationships by analyzing available data.

Reinforcement learning

A technique that teaches an AI model to find the best result by trial and error.


Foundation models

Generative models create new data in response to input requests (prompts).

Common use cases include:

- Text generation: generate new text in response to a prompt, summarizing text, or writing a lengthy essay
- Code generation: generate computer code based on a textual description of the proposed program
- Image generation: create images based on the prompt

Example: Text generation



Generative model training

long, expensive process of capturing knowledge from the training data

Foundation model usage


Prompt engineering

Engineered prompts (hard prompts) are developed through trial and error

The underlying model does not change

Useful for quick experimentation

Example: Text summarization



Foundation model usage


Prompt tuning

Tunable soft prompts are encoded sets of labeled training data

The underlying model does not change

Good model performance for specific use cases reflected by the training data

Example: Sentiment classification



Foundation model usage


Fine tuning

A fine-tuned model is a new customized deployment of a pre-existing model

The underlying model has been changed to reflect the training data

Good model performance for specific use cases reflected by the training data

Example: Text generation




Fine tuning

expensive process of modifying the model to reflect the training data

Generative AI development lifecycle

Use foundation models to infuse AI into business workflows.

Designed to choose, adapt, deploy, and monitor customized generative AI models.



Large language models (LLMs)

LLMs are machine learning models that have been trained on large quantities of unlabeled text using self-supervised learning and can perform a variety of natural language processing tasks .

ChatGPT is an example of a generative AI chatbot developed using an LLM.



Traditional AI applications




Speech
recognition



Customer
service

.



Computer
vision



Recommendation
engines




Automated stock
trading

Natural language processing


The technology that gives computers the ability to understand text and spoken words in much the same way humans can.



Natural
language
processing
use cases



Spam
detection



Machine
translation



Chatbots and
virtual assistants



Social media
sentiment analysis



Text
summarization

Conversational AI


Chatbots and virtual assistants or agents, can make it easy for users to find the information they need by responding to their questions and requests through text or audio input without the need for human intervention, providing 24-hour availability to users.




Conversational AI use cases



Customer support




Accessibility




HR processes



Healthcare




IoT devices




Computer software


Generative AI applications




Text
generation



Code
generation



Music
generation



Generate
simulated data




Image & video
generation

Glossary of AI terms

- Algorithm
- Artificial general intelligence (AGI)
- Artificial intelligence (AI)
- Artificial narrow intelligence (ANI)
- Artificial super intelligence (ASI)
- Bias
- Convolutional neural network (CNN)
- Deep learning (DL)
- Foundation model
- Generative AI
- Hallucination
- Large language model (LLM)
- Machine learning (ML)
- Natural language generation (NLG)
- Natural language processing (NLP)
- Natural language understanding (NLU)
- Neural networks
- Parameters
- Transformer model

