Contents

1 10.26.20

- Disease cases frim infected mosquitoes, ticks, and fleas have tripled in the last 13 years

1.1 Malaria

- Vector: Mosquito
- Transmission: Bite from infected mosquitoes

- Prevalence: Est 219M cases of Malaria, cases are mostly children w 660k Deaths
- US Prevalence: An average of 1,500 reported cases of malaria in the U.S. each year

1.2 Dengue Gever:

- Vector: Asian tiger mosquito (in 36 US states)
- Transmission: Bite from infected mosquito
- Prevalence: 100M cases worldwide, endemic in the Americas
- Occurs rarely, but there is a small risk for dengue outbreaks in the continental United States, mainly in the Southern US

1.3 Chikungunya

- Transmitted by mosquitoes
- Mainly in Africa, Asia, Europe, Indian, and Pacific Oceans
- First found in the Americas on Carribean islands in 2013
- Beginning in 2014, reported in US travelers

1.4 West Nile Virus

- Vector: Mosquito
- Transmission: Bite form infected mosquito
- Prevalence: commonly found in Africa, Europe,Middle East, North America, West Asia
- U.S. Prevalence: Between 1999 and 2012, about 37,000 cases of West Nile Virus were reported in the U.S. Over 1,500 people died as a result.

1.5 Spread of Disease

- Increased connectivity increases rate and spread of infectious diseases across the globe

- Correlation between travel advisory and amount of travel to infected areas for Zika
- Zika most likely to be found in the Southeast because of Zika-transmitting mosquito population residence
- High poverty rates correlated with high risk of disease spread due to high population density, potential lack of good healthcare
- Warmer average temps, longer growing seasons, changes in precipiation may lead to more standing water and conditions that may be better for disease spread
- Warning temps could expose more than 1.3B people to Zika by 2050

1.6 Climate Change and Health

- Without effective responses, climate change will:
  - Water quality and quantity: Contributing to a doubling of people living in water-stressed basins by 2050.
  - Food security: In some African countries, yields from rain-fed agriculture may halve by 2020.
  - Control of infectious disease: Increasing population at risk of malaria in Africa by 170 million by 2030, and at risk of dengue by 2 billion by 2080s.
  - Protection from disasters: Increasing exposure to coastal flooding by a factor of 10, and land area in extreme drought by a factor of 10-30
- Rainfall: tranports and disseminates infectious agents
- Flooding: sewage treatment plants overflow, water sources contaminated
- Sea levels rise: Increased risk of severe flooding
- Higher temps: increases growth and survival rates of infection
- Drought: increases concentration of pathogens, hurts hygiene

1.7 Health Outcomes from Climate Change

- Some expected impacts will be beneficial but most will be adverse.Expectations are mainly for changes in frequency or severity of familiar health risks
- See Zika Climate Final for diagrams

1.8 Poverty and Disease

- Diarrhea is related to temperature and precipiatation; Diarrhea increased 8% for each 1 degree C temp increase
- Health impacts of climate change unfairly distributed, hurt mortality of developing, low-income countries, especially in Africa

1.9 Temperature Effects on Vectors and Pathogens

- Vector:
  - Survival inc/dec depending on species
  - Changes susceptibility of vectors to some pathogens
  - Changes in rate of vector population growth
  - Changes in feeding rate and host contact
- Pathogen:
  - Decreased incubation period at higher temps
  - Changes in transmission season
  - Changes in georgraphical distribution
  - Decreased viral replication

1.10 Percipitation Effects on Vectors

- Survival: increased rain may increase larval habitat
- Excess rain can eliminate habitat by flooding•Low rainfall can create habitat as rivers dry into pools (dry season malaria)
- Decreased rain can increase container-breeding mosquitoes by forcing increased water storage
- Heavy rainfall events can synchronize vector host-seeking and virus transmission
- Increased humidity increases vector survival and vice-versa

1.11 IPCC

- Intergovernmental Panel on Climate Change, intl body for assessing the science related to climate change
- Set up in 1988 by the World Meteorological Organization and the UN Environmental Programme
- Provide policymakers w regular assessments about climate change, impacts and future risks, options for mitigation and adaptation

2 10.14.20

- Exam Review
  - Taxonomoc group with the most known species: insects
  - Types of biodiversity
    - Genetic
    - Species
    - Ecosystem
  - Biodiversity in the Southeast
    - Describe SE biodoviersity using the terms "richness," "endemic," and "hotspot"
  - Mussels: diversity, life history, and ecosystem service (nutrient cycling)
  - What is diversity?
- Isolation & Extinction Risk
  - Hawaii's biodiversity is vulnerable to extinction - more than 90% of native species on Hawaiian islands are endemic, one half of indigenous species face extinction

2.1 Community Ecology

- Mutualism - A symbiotic relationship between individuals where both species benefit
- Parasitism - A symbiotic relationship between individuals of two species in which one benefits and the other is negatively affected (may or may not lead to death)

- Commensalism - A symbiotic relationship between individuals of two species in which one is benefitted and the other is unaffected
- All species contribute to theur ecosystem but some are more important than others
- Keystone species influence community structure disporportionately to their abundance
  - Role: create/modify habitats, influence interactions between other species
  - Removal of a keystone species may lead to a loss of biodiversity and changes in community structure within the ecosystem
- Food web: complex and realistic representation of how species feed on each other in a community
- Food chains: a linear representation of how different species in a community feed on each other
- Producers and Consumers
  - Producers: photosynthetic organisms that capture energy directly form the sun and convert it into food
  - Consumers: organisms that gain energy and nutruents by eating other organisms
    - Animals, fungi, most bacteria, and protozoa
- Trophic level - a level in a food chain or food web
  - Primary consumer: a species that eats producers
  - Secondary consumer: a species that eats primary consumers
  - Tertiary consumer: a species that eats secondary consumers
  - Decomposers can be put practically anywhere on the food web
- Conservation Status: IUCN Designations
  - The International Union for Conservation of Nature established the Red List of Threatened Species in 1963
- Single species conservation programs focus on an individual species, successfully protecting some high-profile species but are less often used for less visible or valued species

- CITES
  - Convention on International Trade in Endangered Species of Wild Flora and Fauna
- Lacey Act: First law protecting wildlife

3 10.12.20

3.1 Definitions of Diversity

- Genetic Diversity: Variations in the genes among individuals of the same species
- Species Diversity: The variety of species present in an area; includes the number of different species that are present as well as their relative abundance
- Ecological Diversity: The variety of habitats, niches, trophic levels, and community interactions

3.2 Robust Redhorse

- Thought to be extinct until rediscovered in the Oconee in 1991
- Extripated: Extinct in a local area

3.3 Species Diversity

- Richness: number of different species
- Evenness: relative abundance of each species
- Diversity: combined richness and evenness

3.4 Endemic Species

- Because areas w high ecological diversity offer many habitats and niches, they have a large number of endemic species
- Endemic species: a species that is native to a particular area and not usually found elsewhere
  - Most commonly found in small ecosystems

3.5 Hotspots

- Biodiversity hotspots: areas that have high endemism and have lost at least 70% of their original habitat
- These areas contain a large number of endangered species (species at high risk of becoming extinct)
- The Southeast US is a global hotspot of freshwater biodiversity supporting 2/3 of the country's fish species, over 90% of the US total species of mussels and nearly half of the global total of crayfish species

3.6 Habitat v Niche

- Habitat: the physical location of an species
- Niche: the biotic and abiotic needs for a species to survive

3.7 Biodiversity Loss

- As much as 20% of the world's biodiversity may be lost in the next 30 years
- 50-66% of biodiversity may be lost by the end of the century
- Current rate of extinction is 1500 times greater than pre-human background rate

3.8 Causes of Biodiversity Loss

- Human actions are having significant impacts on biodiversity loss
- Threats include:
  - Habitat destruction
  - Invasive Species introduction
  - Pollution
  - Overharvesting
  - Climate change

3.9 Value of Biodiversity

- Provides key connections between species and their environment
- Provides direct protection against disease
- Provide food, fuel, building materials, and pharmaceuticals

3.10 Ecosystem Services

- Supportive Services:
  - Purification of air and water
  - Carbon sequestration
  - Erosion Prevention
  - Habitats for animals and Plants
- Provisioning Services: Food, resources, water, fuel
- Regulating Services: Pollination, seed dispersal, protection, biological control
- Cultural Services: Recreation, Spiritual Tourism, mental health
- Human Wellbeing:
  - Strong economic growth
  - Medicinal resources
  - Reduction in toxin exposure

3.11 Isolation and Extinction Risk

- Number of unique species increases with isolation
  - Isolation and high endemism makes remote islands particularly vulnerable to species loss
  - Human impact contributes to isolation in the form of habitat fragmentation
  - Habitat fragmentation: destruction of part of an area that creates a patchwork of suitable and unsuitable havitat areas that may exclude some species altogether

4 10.09.20

4.1 Evolution and Resistance

- Evolution happens to populations, not individuals
- Natural selection is the mechanism for evolution
- Genetic drift more likely with low population size
- The potential for antibiotic resistance to develop in bacteria is very high
- Improper waste disposal

4.2 Athens Water Quality

- 10/17 Athens watershed are impaired or unhealthy
- Athens drinking water comes from:
  - N Oconee River
  - Middle Oconee River
  - Cedar Creek
- Athens had E. Coli outbreaks in water, showing prevalence of bacteria

4.3 Gonnorhea & Resistance

- Gonorrhea treatment is done through antibiotics
- Shown increase in resistance to every drug used to treat Gonnorhea
- CDC currently recommending two-drug comination to preserve our last highly effective antibiotic
- Higher reported rates of Gonnorhea occur in SE US, on an overall upward trend with younger populations

4.4 Developing new Antibiotics

- First antibiotic developed by Alexander Fleming in 1982 after noticing the fungus penicillium could kill disease causing bacteria
- Antibiotics aren't profitable for drug companies
- Developing antibiotics are high risk, very expensive, and very difficult
- Low return on investment, development void since 1990

4.5 Post-antibiotic Era

- Currently:
  - 80% of gonnorhea infections now resistant to antibiotics- 440,000 new cases of resistant tuberculosis annually
- In the future
  - Strep throats to scraped knees could be deadly
  - Cost to treat drug resistant double that of the status quo
- Davos Declaration
  - Reducing the development of drug resistance.
  - Increasing investment in R&D that meets global public health needs.
  - Improve access to high-quality antibiotics for all.
  - Signed by 98 companies, 11 industrial associations in 21 countries

5 10.07.20

5.1 Genetic Diversity & Natural Selection

- Genetic diversity in a population is the raw material natural selection
- The larger the amount of genetic diversity, the higher probability that some individuals from that pool can survive changes to its environment
- Phenotype = expressed gene
- Natural selection acts directly on the phenotype, resulting in changes in allele frequencies from parental to offspring generations

6 10.05.20

- Following widespread usage of antibiotics on humans and animals, waste from livestock and humans is generating antibiotic-resistance bacteria
- These bacteria are getting back into the environment through out waste

6.1 Antibiotic Resistance:

- A complex problem that involves helping many actors see the big picture and not just their part of it
- Issues where an action affects (or is affected by) the environment surrounding the issue, either the natural environment or the competitive environment
- Problem whose solutions are not Obvious

6.2 Systems Thinking

- Considers the whole rather than parts of the whole:
  - Events
  - Patterns
  - Underlying Structure

6.3 Cycle of Infection

- Farm animals recieve antibiotics often, developing resistant bacteria in their gut
- This can be transmitted through produce, waste, shared environments, etc.

6.4 Bacteria

- Bacteria are single celled organisms that can grow in colonies
- Many different kinds of bacteria can grow together in similar environments

6.5 Explaining Resistance

- Antibiotics kill almost all antibiotic sensitive bacteria, leaving few sensitive and many unsensitive
- Reproduction occurs with the mostly-unsensitive remaining bacteria, leaving to many unsensitive off- spring. This increases the amonut of resistant bacteria as a whole.

6.6 Genetic Variation

- Variation in the susceptability of bacteria to antibiotics allows for the propogation of these genes in bacterial communities
- Individuals of the same species have the same basic gene
- Alleles: variants of genes that account for the diversity of traits seen in a populat
- Adaptation: traits that promote the success of a species
- An adaptive trait for one environmental condition does not mean that it is adaptive for all conditions

6.7 Genetic Diversity

- Within populations, biodiversity is measured by genetic diversity
- Genetic diversity improves survival of a population
- Outbreeding, through sexual reproduction of not closely related individuals, maximizes genetic diversity
- Inbreeding, or mating between closely related individuals, results from small populations, and increases chances of genetic diseases (e.g., hemophilia, cystic fibrosis, etc.)

6.8 Sources of Genetic Variation

- Mutation: A change in the DNA sequence of sex cells that alter a gene
  - Can be neutral, beneficial, or harmful
- Genetic Recombination: The production of eggs and sperm that results in a shuffling of alleles, creating new combinations in offspring

6.9 Natural Selection

- Constant struggle of organisms to survive and mate
- Organisms tend to produce more offspring that can survive
- Individuals of the same species are not identical
- Evidence of Natural Selection: Selective breeding (artificial selection) of dogs and cats
- Natural selection results in changes in gene frequencies
  - Some individuals will be able to obtain more resources and can produce more offspring
    - Differential reproductive success results in changes to gene frequencies

7 09.18.20

7.1 Hurricanes

7.1.1 How Hurricanes Form

- Water evaporates over the ocean and forms clouds when it touches cold air
- A column of low pressure develops at the center with winds around the column
- Speed of the wind around it increases
- Categorized based on wind speed (1-5)
- Hurrican development requires warm water and low wind shear
  - Carribean has warm water all year but also high wind shear which isn't conducive to hurricanes

7.1.2 Climate Change & Hurricanes

- Storm surge more dangerous (accoutns for 90% of hurricane deaths)
- 40% increase with a 0.5 decree C inc in temperature

- Increasing of North Atlantic hurricane season
- Climate change is expected to shift the Bermuda high westward
  - Bermuda High is a pressure system over the Atlantic
  - Has the ability to move hurricanes on the Atlantic

7.1.3 Hurricane Harvey Intensification

- Went from a tropical depression to a Cat 4 Hurricane in 57 hours
- Soil in TX affected the amount of water maintained in the Earth
- Huge economic impacts

7.1.4 General Impacts

- Storm Surge
- Extreme Rainfall
- Potential Wind Speed

8 09.16.20

8.1 Heat Waves

- Heat extremes doubled in frequency from 1980-1999 to 2000-2019
- Climate change affecting heat waves
  - Shifting the frequency of hot and cold weather, heat waves are more frequent
  - Exacerbating heat inducing droughts, dry land leads to even hotter temps
- Causes: Global warming ->
  - Large scale global circulation change
  - Atmospheric Blocking increase
  - Air mass temp increase
- Effects and Consequences

  - Decreased human productivity
  - Increased tropical disease and death
  - Environmental racism
  - Crop productivity decreases
  - Lower biodiversity
  - Decreased water availability
  - Increased fire risk

8.2 Wildfires

- Climate change is increasing the size, intensity, and frequency of wildfires
- Wildfires create more cimate change through the increase of carbon expulsion through wildfires
- Wildfires have global impacts due to smoke and temperature changes
- Wildfire season has gotten longer due to climate change

9 09.14.20

9.1 Coriolis Effect

- Deflection of an object's path due to the rotation of the Earth
- North and south poles have different deflections of wind patterns
- Little/no deflection at the equator

9.2 Air circulation

- Hottest air at the equator, moves north or south, cools, then comes back into equator

9.2.1 Cells

- Hadley cells: 0-30 degrees North and South
- Ferrell Cell: 30-60 degrees North
- Polar cells: North and South poles

- Northeast and Southeast trade winds (remember directions!)
- Westerlies: bring rain and precipitation

9.3 Surface Ocean Currents

- Ocean currents also affect the distribution of climates
- Surface ocean currents generated by wind, Coriolis effect, heat, and continents
- Heat redistribution from the Tropics
  - Trade winds push warm surface waters west
  - Water reaches continents and flows north and south
  - water cools
  - Westerlies push cooler water east
  - Water reaches continents and flows to equator

9.4 El Nino (Southern Oscillation)

- Recurring climate pattern involving changes in the termperature of waters in the central and eastern tropical Pacific Ocean.
- The ocean and atmosphere can interact to affect climate
  - Water in the eastern pacific warms up
  - Sea level pressure drops but rises in the W pacific
  - Trade winds weaken
  - Upwelling in the Pacific is reduced
  - Warmer waters - increased rainfall in Peru
  - Cooler waters, drought in Australia/Indonesia
- Critical because of its ability to change atmospheric circulation, temps, and percipitation
- Significantly hurts fisheries and developing countries

9.5 La Nina

- exacerbates normal conditions and leads to cooling in the Eastern pacific

9.6 Heat Waves

- Global warming has amplified the intensity, duration, and frequency of extreme heat and heat waves.

10 09.11.20

- Northern latitudes experience greater seasonality in CO2 concentrations
  - This is due to variation in photosynthetic activity by plants
- Greenhouse effect
  - Some incoming solar radiation is absorbed
  - Other amounts are reflected back into the atmosphere
  - Greenhouse gases capture and reradiate some heat over and over, warming the Earth
  - More gases, more heat
- Albedo: measure of the reflectivity of a surface
  - light surfaces have a higher albedo, darker surfaces have a lower albedo
  - surfaces with a low albedo release more heat into the atmosphere
- Positive Feedback Loops
  - applied to albedo:
  - temps rise -> more ice melting -> more water warming -> temps rise
- Urban Heat Island Effect
  - cities will be inc their population, inc energy and temperature
  - cities in particular have higher temperatures
  - tree cover -> cooler temperatures
- Small changes in overall global temp can cause significant changes in weather creating more extreme storms and more record temps
  - roughly twice as many heat records

  - alterations in global jet streams
  - frost comes later and begins earlier
- General climate change impacts:
  - Health impacts
  - Crop productivity
  - Coastal erosion
  - Biodiversity
  - Water availability
  - Fire risk
- Weather events getting more extreme with
  - sea levels
  - wildfires
- Need both adaptation and mitigation
  - Adaptation: Responding to warming that has already happened
  - Mitigation: Preventing further warming by addressing climate change causes

11 09.09.20

11.1 The Earth's Atmoshphere

- Climate change is a serious environmental problem impacting species, ecosystems, and the globe
- The atmosphere helps protect the Earth from the sun and keeps the temperature of the Earth cool
- Atmosphere has a significant impact on climate
- Earth's Atmosphere Composition
  - Nitrogen (78%)
  - Oxygen (21%)
  - Other - Greenhouse Gases (1%)

11.2 The Keeling Curve

- Curve developed to track atmospheric CO2 levels in Earth's atmosphere since 1952

12 09.02.20

12.1 Demographic Transition Model

- Demographers use age structure diagrams to predict future growth potential of a population
  - Pyramid structures indicate fast growth
  - House-shaped structures have moderate growth
  - Diamond structures have low/negative growth
- Development leads to smaller families
- Demographic transitions happen country by country
- Industrialization might not lead to a demographic transition in all countries
  - May not be linked to quality of life
  - Religion/Cultural beliefs
  - Social justice issue, improving the well-being of women and children key to dec. fertility

12.2 Social Justice: Education for Women

- Education of girls & economic opportunities for women are correlated with lower birth rates
- Education empowers women to take control over thri own fertility through:
  - Birth control
  - Marrying later
  - Delaying childbirth for career opportunities
- Women earning more money is correlated to lower child mortality

12.3 Environmental Impact

- Slowing population growth is critical to sustainability and reducing our population impact
- Our impact on the population is a result of (1) our population size and (2) our consumption habits - both must be addressed
- Ecological footprint: the land area needed to provide the resources for, and assimilate the waste of, a person or population

12.4 Sustainability

- A dynamic process between the economy, society, and environment
- Sustainable: The process or the activity can be mantained without exhaustion or collapse
  - Intra & Inter-generational issue
  - Capacity of a system to accomodate changes:
    - rates of renewable resource use should not exceed regeneration rate
    - rates of non-renewable resource use should not exceed rate of renewable substitute dev
    - rates of pollution should not exceed ssimilative capacity of the environment
- Sustainable development has three factors:
  - Social equity
  - Economic efficiency
  - Environmental responsibility

12.5 Worldviews

- Culture influences our beliefs through:
  - Knowledge
  - Beliefs
  - Values
  - Learned ways of life

- Worldviews are affected by:
  - Environmental Ethics

13 08.31.20

13.1 Human Populations

- 3 major sparks of growth
  - Agricultural Revolution
  - Industrual Revolution
  - Green Revolution
- With more food and technology, the population and need for more human labor increased
- The human population is rapidly increasing and the impact of humans is due to:
  - More humans overall
  - Greater growth / person
- To address population growth, we need to pursue a variety of approaches that address factors encouraging high birth rates
- Zero population growth: the absence of population growth, occurs when birth rates = death rates
  - Replacement fertility is reached

13.2 Population Ecology

- Analyze and categorize human populations using population ecology techniques
- Population Ecology: a branch of biology dealing with the number of individuals in a particular species in an area over time
- Ecologists study populations to understand what makes them survive and thrive
- Size, distribution, and growth rate is influenced by a variaty of factors and are important to understanding popilation ecology

13.3 Monitoring Population Dynamics

- Population Dynamics: Changes over time in population size and composition
- Important metrics:
  - Minimum viable population - min number of individuals that would still allow population to persist or grow
  - Carrying Capacity (K) - the maximum population size that a particular environment can support indefinitely
- Population Density - the overall desnity a particular populaiton can sustain

13.4 Exponential Growth & Populations

- Exponential growth occurs in populations when growth is unrestricted. This is, overall, unsustainable
- Growth which becomes progressively larger each breeding cycle
- Produces a J curve when plotted

13.5 Monitoring Population Growth

- Population growth rate - the rate at which a population of a species grows over time
- Growth factors - factos which assist in the growth of a population
- Resistance factors - factors which inhibit the growth of a population
- Limiting factos: resources needed for survival but that may be in short supply

13.6 Logistic Growth

- Occurs when a population nears carrying capacity (k)
  - Maximum sustainable population size
  - Determined by limiting factors

13.7 Density-dependent/ Density-independent Factors

- Density dependent factors increase as populations grow, typically biotic
  - Disease
  - Competition
  - Predation
- Density independent facts affect population growth regardless of population size
  - Storm
  - Fire/Flood
  - Avalanche

13.8 Regulation

- Tendency for populations to decrease in size when above acertain level, and increase in size below that level
- Populations can only be regulated by density-dependent factors
- Top down Regulation
  - Predation
  - Disease
- Bottom up Regulation
  - Nutrients
  - Water
  - Sunlight

14 08.28.20

14.1 What is Science?

- Science: a body of knowledge that allows us to understand the world around us
- Science is based on empirical evidence

- Science allows us to test our ideas and evaluate the evidence
- Scientific knowledge, including facts, theories, and laws, is subject to change
- Scientific claims change as new evidence is made available

14.2 White-Nose Syndrome Case Study

14.2.1 About WNS

- White-Nose Syndrome
  - 2007-2016, 6+ million bats dead as a result of White Nose Syndrome
  - The reason for the deaths was White-Nose Syndrome
- Chytridiomycosis
  - Infectious, fungal disease affecting amphibians
  - Helped understand white-nose syndrome with bats

14.2.2 Science with WNS

- Scientific Method: the procedure used to empirically test a hypothesis
  1. Observations generate questions
  2. Choose a question to investigate
  3. Consult literature
  4. Develop a hypothesis and make a testable prediction
  5. Design and carry out a study
  6. Analyze data
  7. Draw a conclusion
- Inferences: Conclusions drawn based on observations
- Hypothesis: An inference that proposes possible explanation that includes previous knowledge/observation
- Testing a Hypothesis: Hypotheses can be tested through an observational or experimental study

- Scientific Studies: A fair test with results that could support or falsify the research prediction
  - Experimental Studies: Conditions are manipulated intentionally
    - Test Group: the group in an experimental study such that it differs from the control in only one way
    - Control Group: the group in an experimental study to which the test group's results are compared
  - Observational Studies: Gather real-world data without any intentional variable manipulation
- Theory: A hypothesis that survives repeated testing by significant research can become a theory
- Correlation v Causation
  - Correlation: two things occuring together but not necessarily having a cause-effect relationship
  - Cause-Effect Relationship: the associationof a two variables that identifies one variable occurring as a result of the other
  - Observational studies can derive correlation but not causation
  - Experimental studies can derive causational relationships
- Policy: a formalized plan that addresses a desired outcome or goal
  - policies need to be flexible, adapt to new findings, address the environmental problem, fit social need and be economically viable in order to work effectively.

14.3 Summary

- Scientific knowledge, through reliable and durable, is never absolute pr certain
- This knowledge, including facts, theories, and laws, is subject to change
- Physical evidence, systematically collected and logically analyzed, helps scientists understand environmental issues and guide policy decisions

15 08.25.20

15.1 Applied v Empirical Science

- Applied Science = research whose findings are used to solve practical problems
- Empirical science: A scientific approach that investigates the natural world through case studies

15.2 Social Traps

- Occurs when a large amount of people are using a shared resource
- Seem good in the short term but are actually bad in the long term
- 3 Types:
  - Tragedy of the Commons: When resources are shared, individuals try to maximize personal benefit which hurts the resource itself
  - Time delay: Collective decisions that are good today but gone tomorrow
  - Sliding reinforcer: related to the evolution of natural organisms and GMOs

15.3 Beginning with Data Interpretation

- Variables represent factors that can be manipulated, controlled, or merely measured for research
- Variation = how much a variable changes
- Independent var is controlled to see effects in the Dependent var
- Graphs explore relationships with data and report this data

15.4 Observational v Experimental Studies

- Observational studies can observe a correlation but are unable to derive a causational reln.
- Experimental studies have a control var (required) and are able to derive causactional rlns.

16 08.24.20

16.1 Definitions

- Ecology: the branch of science dealing with the relationships of living things to one another & the environment
- Environmental Science: The study of all aspects of the environment, including physical, chemical, and biological factos, particularly with respect to how these aspects affect humans, and vice versa
- Environmental Ethics: Personal philosophy that influences how a person interacts with their natural environment and thus influences how one responds to environmental problems

16.2 Ecology != Environmentalism

- Distinguish between envrironmentalism & ecology

Environmentalism	Ecology
Activism to protect the environment	Scientific study of living and non-living things