

```
SQL Shell (psql)
Server [localhost]:
Database [postgres]:
Port [5432]:
Username [postgres]:
Password for user postgres:

psql (18.1)
WARNING: Console code page (437) differs from Windows code page (1252)
        8-bit characters might not work correctly. See psql reference
        page "Notes for Windows users" for details.
Type "help" for help.

postgres=# \l

      List of databases
  Name | Owner  | Encoding | Locale Provider | Collate | Ctype  | Locale | ICU Rules | Access privileges
-----+-----+-----+-----+-----+-----+-----+-----+-----
 postgres | postgres | UTF8     | libc             | English_India.1252 | English_India.1252 |         |          | =c/postgres +
 student   | postgres | UTF8     | libc             | English_India.1252 | English_India.1252 |         |          | postgres=CTc/postgres
 template0 | postgres | UTF8     | libc             | English_India.1252 | English_India.1252 |         |          | =c/postgres +
 template1 | postgres | UTF8     | libc             | English_India.1252 | English_India.1252 |         |          | postgres=CTc/postgres
(4 rows)

postgres=# \c student
You are now connected to database "student" as user "postgres".
student=# \d

      List of relations
 Schema | Name   | Type  | Owner
-----+-----+-----+-----
 public | students | table | postgres
(1 row)

student=# select * from students;
 name | number | age
-----+-----+-----
(0 rows)
```

```
SQL Shell (psql) × + ▾

student=# INSERT INTO students (name,number,age) values('Anshu',90,20);
INSERT 0 1
student=# INSERT INTO students (name,number,age) values('Vazi',98,21);
INSERT 0 1
student=# INSERT INTO students (name,number,age) values('Pulkit',95,19);
INSERT 0 1
student=# select * from students;
  name | number | age
-----+-----+-----
 Anshu |     90 |   20
  Vazi |     98 |   21
 Pulkit |     95 |   19
(3 rows)

student=# select name from students;
 name
-----
 Anshu
  Vazi
 Pulkit
(3 rows)

student=# select name from students where age = 19;
 name
-----
 Pulkit
(1 row)

student=# select name,number from students where age = 20;
  name | number
-----+-----
 Anshu |     90
(1 row)

student=# Truncate table students;
TRUNCATE TABLE
```

SQL Shell (psql)

```
student=# select name from students where age = 19;
name
-----
Pulkit
(1 row)


student=# select name,number from students where age = 20;
name | number
-----+-----
Anshu |      90
(1 row)

student=# Truncate table students;
TRUNCATE TABLE
student=# select * from students;
name | number | age
-----+-----+-----
(0 rows)

student=# \c postgres
You are now connected to database "postgres" as user "postgres".
postgres=# drop database student;
DROP DATABASE
postgres=# \l

      List of databases
  Name | Owner  | Encoding | Locale Provider | Collate | Ctype | Locale | ICU Rules | Access privileges
-----+-----+-----+-----+-----+-----+-----+-----+-----
postgres | postgres | UTF8 | libc | English_India.1252 | English_India.1252 |  |  | =c/postgres +
template0 | postgres | UTF8 | libc | English_India.1252 | English_India.1252 |  |  | postgres=CTc/postgres
template1 | postgres | UTF8 | libc | English_India.1252 | English_India.1252 |  |  | =c/postgres +
                                           postgres=CTc/postgres
(3 rows)

postgres=#
```



File Edit Selection View Go Run Terminal Help

PYTHON

EXPLORER

PYTHON

AIIM

FileAndExceptionHandling.py

Functions And Module

Loops

OOPS

Regular Expression

Tkinter

ASSIGNMENT 1 SEMESTER 2

ASSIGNMENT 2 SEMESTER 2

ASSIGNMENTsem1

BASIC

LIST

PROJECT

PROJECT TUTEDUDE

TuteDude

disaster.db

file1.txt

labSheet.py

labsheet123Sam2.py

PASSWORDGENERATOR.py

PROJECT TUTEDUDE.zip

udb_connect.py

userInputInDatabase.py

userInputInDatabase.py

udb_connect.py

1 import psycopg2

2 def table():

3 conn = psycopg2.connect(dbname = "postgres", user = "postgres", password = "viansh94", host ="localhost", port = "5432")

4

5 cursor = conn.cursor()

6 cursor.execute('create table employees(Name text, Number int, id int, age int);')

7 print('Table created successfully!!')

8

9 conn.commit()

10 conn.close()

11

12 def data():

13 conn = psycopg2.connect(dbname = "postgres", user = "postgres", password = "viansh94", host ="localhost", port = "5432")

14

15 cursor = conn.cursor()

16

17 name = input('Enter name: ')

18 number = input('Enter number: ')

19 id = input('Enter id: ')

20 age = input('Enter age: ')

21

22 query = 'insert into employees(Name,Number,id,age)values(%s,%s,%s,%s);'

23 cursor.execute(query,(name,number,id,age))

24 print('Data Added Successfully!!!')

25

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell

PS C:\Users\sudha\OneDrive\Documents\PYTHON> python userInputInDatabase.py

Enter name: SUDHANSHU BHATT

Enter number: 91

Enter id: 01

Enter age: 20

Data Added Successfully!!!

PS C:\Users\sudha\OneDrive\Documents\PYTHON>

Ln 29, Col 7

Spaces: 4

UTF-8

CRLF

() Python

Inline suggestions quota reached

3.10.0

postgres=# \l

List of databases								
Name	Owner	Encoding	Locale Provider	Collate	Ctype	Locale	ICU Rules	Access privileges
postgres	postgres	UTF8	libc	English_India.1252	English_India.1252			
template0	postgres	UTF8	libc	English_India.1252	English_India.1252			=c/postgres +
template1	postgres	UTF8	libc	English_India.1252	English_India.1252			postgres=Ctc/postgres +
								=c/postgres +
								postgres=Ctc/postgres

(3 rows)

postgres=# \d

List of relations			
Schema	Name	Type	Owner
public	employees	table	postgres

(1 row)

postgres=# select * from employees;

name	number	id	age
Sam	90	1	21
Sudhanshu Bhatt	90	1	20
SUDHANSHU BHATT	91	1	20

(3 rows)

postgres=#