

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int feet,inches;
5     float centimeters;
6     scanf("%d",&feet);
7     scanf("%d",&inches);
8     centimeters=(feet*30.48)+(inches*2.54);
9     printf("%.2f",centimeters);
10    return 0;
11 }
12
13
```

	Input	Expected	Got	
✓	5 6	167.64	167.64	✓

Passed all tests! ✓

```

1  #include<stdio.h>
2  int main()
3  {
4      int a,b,sum,diff,product,division,remainder;
5      scanf("%d",&a);
6      scanf("%d",&b);
7      sum=a+b;
8      diff=a-b;
9      product=a*b;
10     division=a/b;
11     remainder=a%b;
12     printf("%d\n%d\n%d\n%d\n%d\n",sum,diff,product,division,remainder);
13     return 0;
14 }
15
16

```

	Input	Expected	Got	
✓	100	106	106	✓
	6	94	94	
		600	600	
		16	16	
		4	4	

Passed all tests! ✓

```

1 #include<stdio.h>
2 int main()
3 {
4     int loaves;
5     float price,discount,total;
6     scanf("%d",&loaves);
7     price=3.49*loaves;
8     printf("Regular price: %.2f\n", price);
9     discount= price*0.60;
10    printf("Discount: %.2f\n",discount);
11    total=price-discount;
12    printf("Total: %.2f",total);
13    return 0;
14 }

```

	Input	Expected	Got	
✓	10	Regular price: 34.90 Discount: 20.94 Total: 13.96	Regular price: 34.90 Discount: 20.94 Total: 13.96	✓

Passed all tests! ✓

```

1  #include<stdio.h>
2  int main()
3  {
4      int X,Y;
5      scanf("%d %d",&X,&Y);
6      if(X>Y)
7      {
8          printf("NO");
9      }
10     else
11     {
12         printf("YES");
13     }
14     return 0;
15 }
16
17
18

```

	Input	Expected	Got	
☐	100 110	YES	YES	☐
☐	100 90	NO	NO	☐

Passed all tests! ☐

```

1  #include<stdio.h>
2  int main()
3  {
4      int N;
5      scanf("%d",&N);
6      printf("%d",N*(N-1)/2);
7      return 0;
8  }

```

	Input	Expected	Got	
☐	1	0	0	☐
☐	2	1	1	☐

Passed all tests! ☐

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int a,b,c;
5     scanf("%d %d %d",&a,&b,&c);
6     if(a>b && a>c)
7     {
8         printf("%d",a);
9     }
10    else if(b>a && b>c)
11    {
12        printf("%d",b);
13    }
14    else
15    {
16        printf("%d",c);
17    }
18    return 0;
19 }
```

	Input	Expected	Got	
☐	81 26 15	81	81	☐

Passed all tests! ☐