




Week 5 Practical





POST/REGISTER

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/register' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "username": "student1",
    "password": "password123"
  }'
```

Request URL

http://127.0.0.1:8000/register

Server response

Code	Details
200	Response body <pre>{ "message": "Member registered successfully", "username": "student1", "role": "member" }</pre> Response headers <pre>content-length: 82 content-type: application/json date: Fri, 18 Sep 2026 03:24:57 GMT server: uvicorn</pre>

Responses

Code	Description	Links
------	-------------	-------

LOGIN

Request URL

http://127.0.0.1:8000/login

Server response

Code	Details
200	Response body <pre>{ "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ2ZmI0IjZdHVkZW50MSIsInJvbGU0Ij0tZmI0IjZlZXIiLCJleHAiOjE3ODk3MDU1ODN9.1xFOUSDASyrTzioxFppeIRz4VxLYUqA627IB1Ugfg00", "token_type": "bearer"}</pre> Response headers <pre>content-length: 190 content-type: application/json date: Fri, 18 Sep 2026 03:26:22 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{  "access_token": "string",  "token_type": "string"}
```

Library Backend & Security API 1.0 OAuth 3.1

OpenAPI JSON

default

GET / Home

POST /register Register

Parameters

No parameters

Request body REQUIRED

Edit Value | Schema

Authorize

Available authorizations

Scopes are used to grant an application different levels of access to data on behalf of the end user. Each API may declare one or more scopes. API requires the following scopes. Select which ones you want to grant to Swagger UI.

OAuth2PasswordBearer (OAuth2, password)

Authorized

Token URL: /login

Flow: password

username: student1

password: *****

Client credentials location: basic

client_secret: *****

Logout Close

Cancel Reset

application/json

POST/BOOKS

http://127.0.0.1:8000/books

Server response

Code	Details
201	Response body <pre>{ "message": "Book added successfully", "book_id": 1, "added_by": "student1" }</pre> Response headers <pre>content-length: 71 content-type: application/json date: Fri, 18 Sep 2026 03:29:07 GMT server: uvicorn</pre>

Responses

Code	Description	Links
201	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
"string"
```

File Edit Selection View Go Run ...

library_fastapi_project

book_events.txt database.py models.py schemas.py security.py embedding.py require

book_events.txt

```
1 New Book Added: id=1, title=Python for Beginners
2
```

Problems Output Debug Console Terminal Ports

```
(.venv) PS D:\library_fastapi_project> python -m pip show bcrypt
INFO: Will watch for changes in these directories: ['D:\library_fastapi_project']
INFO: Uvicorn running on http://127.0.0.1:8000 (Press CTRL+C to quit)
INFO: Started reloader process [11816] using StatReload
INFO: Started server process [18780]
```

Tip: Use /create-agent to scaffold a custom agent for your workflow.

+ book_events.txt

Describe what to b...

+ Local

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF Plain Text Go Live

GET/BOOKS/SEARCH

Accept: application/json
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ2ZmwiOiJzdHJvZmVkbW50MSIsInZyb3UiOiJ0IiwiaWF0IjE3OTI1MTI1LCJleHAiOiJlE3ODk3MDU2ODI5LXI8PTFGUicXhQ80YdgZxNDJwIi-ek7gq3Yosl7ys3H

Request URL

http://127.0.0.1:8000/books/search?q=Python&limit=5

Server response

Code	Details
200	Response body <pre>{ "query": "Python", "results": [{ "id": 1, "title": "Python for Beginners", "author": "John Smith", "isbn": "1234567890123", "price": 29.99, "published_date": "2024-01-01", "description": "A beginner friendly guide to Python", "similarity": 0.0974504146403783 }]}</pre> Response headers <pre>content-length: 243 content-type: application/json date: Fri, 18 Sep 2026 03:31:20 GMT server: uvicorn</pre>

Responses

Code	Description	Links
200	Successful Response	No links

POST/BOOKS

INCORRECT ISBN:

Request URL

http://127.0.0.1:8000/books

Server response

Code	Details
422	Error: Unprocessable Content Response body <pre>{ "detail": [{ "type": "string_too_short", "loc": ["body", "isbn"], "msg": "String should have at least 13 characters", "input": "123", "ctx": { "min_length": 13 } }]}</pre> Response headers <pre>content-length: 150 content-type: application/json date: Fri, 18 Sep 2026 03:33:24 GMT server: uvicorn</pre>

Responses

Code	Description	Links
------	-------------	-------

INCORRECT PRICE:

```
    "author": "John Smith",
    "isbn": "1234567890123",
    "price": -1,
    "published_date": "2024-01-01",
    "description": "A beginner friendly guide to Python"
  }
}
```

Request URL

http://127.0.0.1:8000/books

Server response

Code	Details
422	Error: Unprocessable Content

Response body

```
{
  "detail": [
    {
      "type": "greater_than",
      "loc": [
        "body",
        "price"
      ],
      "msg": "Input should be greater than 0",
      "input": -1,
      "ctx": {
        "gt": 0
      }
    }
  ]
}
```

Response headers

```
content-length: 124
content-type: application/json
date: Fri, 18 Sep 2026 03:35:27 GMT
server: uvicorn
```

INCORRECT THAT IS FUTURE PUBLISHED DATE:

```
    "author": "John Smith",
    "isbn": "1234567890123",
    "price": 1,
    "published_date": "2030-01-01",
    "description": "A beginner friendly guide to Python"
  }
}
```

Request URL

http://127.0.0.1:8000/books

Server response

Code	Details
422	Error: Unprocessable Content

Response body

```
{
  "detail": [
    {
      "type": "value_error",
      "loc": [
        "body",
        "published_date"
      ],
      "msg": "Value error, published_date cannot be in the future",
      "input": "2030-01-01",
      "ctx": {
        "error": {}
      }
    }
  ]
}
```

Response headers

```
content-length: 167
content-type: application/json
date: Fri, 18 Sep 2026 03:36:55 GMT
server: uvicorn
```

Responses

Code	Description	Links
------	-------------	-------