




Spring boot

DBMS

```
mysql> CREATE DATABASE studentdb;
Query OK, 1 row affected (0.07 sec)

mysql> USE studentdb;
Database changed
mysql>
mysql>
```





```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
1552:55:9:80 INFO 12345 ---{secret:
Starting StudentManagementApplication using Java 17.0.10
No active profile set, falling back to 1 default profile: "default"
Tomcat initialized with port 8080(http)
Starting service [Tomcat]
Starting Servlet engine: [Apache Tomcat/10.1.23]
Root WebApplicationContext: initialization completed in 1356 ms
Hibernate ORM core version 6.4.4.Final
HikariPool-1 - Starting...
HikariPool-1 - Start completed.
Tomcat started on port 8080 (http) with context path '/'
Started StudentManagementApplication in 3.028 seconds (JVM running for
3.48s)
```

```
POST http://localhost:8080/api/students
Params Authorization Headers (0) Body Pre-request Script
raw JSON
1 {
2   "name": "Ravi",
3   "department": "CSE",
4   "email": "ravi@example.com"
5 }
Body Cookies Headers (5) Test Results
Pretty Raw Preview 200 OK - 456 ms - 248 B
1 {
2   "id": 1,
3   "name": "Ravi",
4   "department": "CSE",
5   "email": "ravi@example.com"
6 }
7 }
```

