

Kali GPT Offensive Prompt Field Guide

From Reconnaissance to Post-Exploitation

This guide is a practical field companion designed for cybersecurity professionals and red teamers using Kali GPT. Prompts are categorized across the offensive kill chain and tagged for quick reference.

Reconnaissance & Footprinting

Prompt: Perform passive recon on example.com using open-source tools. List exact commands and tools.

Tags: [Passive Recon] [Beginner] [OSINT]

Prompt: Simulate recon using theHarvester. What details should I look for in the output?

Tags: [Email Harvesting] [Intermediate]

Prompt: How do I fingerprint a target's web tech stack using WhatWeb and Wappalyzer in Kali?

Tags: [Web Recon] [Tool Usage]

Prompt: Enumerate subdomains using dnsenum and dnsrecon, and explain the differences in output.

Tags: [DNS Recon] [Brute Force]

Prompt: What's the difference between active and passive DNS recon? Show me tools and examples of each.

Tags: [Theory] [Recon] [Intermediate]

Scanning & Enumeration

Prompt: Create a fast but detailed Nmap scan for a live target with OS and version detection.

Tags: [Nmap] [Speed Scan] [Live Host]

Prompt: How do I perform SMB enumeration using enum4linux and smbclient? Explain outputs.

Tags: [Windows Enum] [SMB]

Prompt: Generate a Bash script to automate service enumeration for HTTP, FTP, and SSH.

Tags: [Automation] [Bash] [Intermediate]

Prompt: Use Kali GPT to generate Gobuster and Dirb commands to brute-force directories on a web server.

Tags: [Web Fuzzing] [Wordlists]

Prompt: Enumerate users from an exposed RPC or LDAP service. What tools should I use?

Tags: [RPC Enum] [Active Directory]

Exploitation

Prompt: Search for known CVEs in Apache 2.4.49. Suggest a Metasploit module and usage example.

Tags: [CVEs] [Metasploit]

Prompt: Generate an msfvenom reverse TCP payload for Windows over port 443, explain the encoding options.

Tags: [Payloads] [Encoding]

Prompt: Create a Python reverse shell and obfuscate it. Walk me through how it bypasses basic AV.

Tags: [Scripting] [Obfuscation]

Prompt: What are effective privilege escalation vectors after gaining access to a Linux host with limited shell?

Tags: [Post Exploitation] [Linux]

Prompt: Demonstrate a file upload attack on DVWA medium security, and how to trigger the shell.

Tags: [Web Exploits] [Labs]

Privilege Escalation

Prompt: Analyze LinPEAS output. What red flags should I focus on for privilege escalation?

Tags: [LinPEAS] [Analysis]

Prompt: What is the difference between Kernel, SUID, and Capability-based privesc? Provide exploit examples.

Tags: [Linux Privesc] [Theory]

Prompt: Enumerate misconfigured services on Windows using winPEAS. How do I exploit a vulnerable service binary?

Tags: [Windows] [Service Exploit]

Prompt: Find writable cron jobs or scheduled tasks. Generate exploitation steps with a payload example.

Tags: [Crontab] [Persistence]

Prompt: I found a Docker group user. How can I escape from the container to host in Linux?

Tags: [Containers] [Breakout]

Post-Exploitation

Prompt: How can I use BloodHound from a compromised domain user to map privilege paths?

Tags: [BloodHound] [AD Recon]

Prompt: Perform credential dumping from memory on a Windows target. What tools and techniques can I use safely in labs?

Tags: [Mimikatz] [Labs Only]

Prompt: Generate a persistence method using a scheduled task in PowerShell. Explain how blue teams might detect it.

Tags: [Persistence] [PowerShell]

Prompt: How do I exfiltrate files covertly over DNS or ICMP using Kali tools?

Tags: [Covert Channels] [Advanced]

Prompt: List the top 3 anti-forensics techniques used by red teams post-compromise and their impact.

Tags: [Anti-Forensics] [Post Exploit]

C2 & Evasion

Prompt: Guide me in setting up a Mythic C2 profile over HTTPS with a Python agent. What OPSEC settings should I enable?

Tags: [Mythic] [C2] [OPSEC]

Prompt: How can I encode a payload using Veil or Shikata ga nai to evade AV in Kali Linux?

Tags: [AV Evasion] [Encoding]

Prompt: Design a multi-stage payload that downloads an obfuscated script for further exploitation. Break it down step-by-step.

Tags: [Multi-Stage] [Payload Engineering]

Prompt: What's the safest way to exfiltrate data from a target without triggering EDR or NIDS?

Tags: [OPSEC] [Exfiltration]

Prompt: Use Kali GPT to simulate a full kill chain: Initial access → privilege escalation → lateral movement → data exfiltration.

Tags: [Kill Chain] [Red Team Simulation]

Use These Prompts in ChatGPT with Kali GPT

Activated. Think of it as your virtual operator—ready to script, explain, troubleshoot, and simulate advanced red teaming procedures.