

Experiment – 1

Aim: Design an application to perform the arithmetic operations by reading the input from user

Solution:

activity_main.xml:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <EditText
        android:id="@+id/aBox"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:ems="10"
        android:minHeight="48dp"
        android:minWidth="48dp"
        android:hint="Enter a Value"
        android:inputType="text"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintBottom_toTopOf="@+id/bBox"/>

    <EditText
        android:id="@+id/bBox"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:ems="10"
        android:hint="Enter b Value"
        android:inputType="text"
        android:minWidth="48dp"
        android:minHeight="48dp"
        app:layout_constraintBottom_toTopOf="@+id/addBtn"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/aBox" />

    <Button
        android:id="@+id/addBtn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="+"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintEnd_toStartOf="@+id/subBtn"
        app:layout_constraintBottom_toTopOf="@+id/mulBtn"
```

```
    app:layout_constraintTop_toBottomOf="@+id/bBox"/>

<Button
    android:id="@+id/subBtn"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="-"
    tools:layout_editor_absoluteX="230dp"
    tools:layout_editor_absoluteY="322dp"
    app:layout_constraintBottom_toTopOf="@+id/divBtn"
    app:layout_constraintStart_toEndOf="@+id/addBtn"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/bBox"/>

<Button
    android:id="@+id/mulBtn"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text "*"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/addBtn"
    app:layout_constraintEnd_toStartOf="@+id/divBtn"
    app:layout_constraintBottom_toTopOf="@+id/result"/>

<Button
    android:id="@+id/divBtn"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text "/"
    tools:layout_editor_absoluteX="230dp"
    tools:layout_editor_absoluteY="322dp"
    app:layout_constraintBottom_toTopOf="@+id/result"
    app:layout_constraintStart_toEndOf="@+id/mulBtn"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/subBtn" />

<TextView
    android:id="@+id/result"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/divBtn" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.java:

```
package com.example.arith;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;

public class MainActivity extends AppCompatActivity {
    EditText aval, bval;
    Button add, sub, mul, div;
    TextView res;
    Double a, b;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        aval = findViewById(R.id.aBox);
        bval = findViewById(R.id.bBox);
        add = findViewById(R.id.addBtn);
        sub = findViewById(R.id.subBtn);
        mul = findViewById(R.id.mulBtn);
        div = findViewById(R.id.divBtn);
        res = findViewById(R.id.result);
        add.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                a = Double.parseDouble(aval.getText().toString());
                b = Double.parseDouble(bval.getText().toString());
                res.setText("Result: "+(a+b));
            }
        });
        sub.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                a = Double.parseDouble(aval.getText().toString());
                b = Double.parseDouble(bval.getText().toString());
                res.setText("Result: "+(a-b));
            }
        });
        mul.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                a = Double.parseDouble(aval.getText().toString());
                b = Double.parseDouble(bval.getText().toString());
                res.setText("Result: "+(a*b));
            }
        });
    }
}
```

```
        }
    });
    div.setOnClickListener(new View.OnClickListener() {
        @Override
        public void onClick(View v) {
            a = Double.parseDouble(aval.getText().toString());
            b = Double.parseDouble(bval.getText().toString());
            if(b!=0)
                res.setText("Result: "+(a/b));
            else
                res.setText("Division not possible");
        }
    });
}
}
```

Output:

